

NNNN

KBOU

HFUS 1 BOU 190600

FROM SPACE ENVIRONMENT SERVICES CENTER BOULDER COLO

SDF NUMBER 170A

JOINT AFGWC/SESC SECONDARY REPORT OF SOLAR AND GEOPHYSICAL ACTIVITY
ISSUED 0600Z 19 JUNE 1974

IA. SOLAR ACTIVITY CONTINUES VERY LOW WITH NO FLARES REPORTED DURING
THE LAST 8 HOURS. BOTH REGIONS 426 (N05W76) AND 428 (S12E04) APPEAR
TO BE DECLINING, ALTHOUGH AN ACTIVE DARK FILAMENT IS STILL OBSERVED
THROUGH REGION 428.

IB. SOLAR ACTIVITY IS EXPECTED TO REMAIN VERY LOW THROUGH THE
FORECAST PERIOD.

II. THE GEOMAGNETIC FIELD HAS BEEN UNSETTLED FOR THE LAST 24 HOURS.
ACTIVE CONDITIONS ARE EXPECTED THROUGH THE FORECAST PERIOD.

III. NO CHANGE.

IV. NO CHANGE.

V. NO CHANGE.

SOLTERWARN

SPAN

BT

NNNN
KBOU V
HFUS 1 BOU 191400
FROM SPACE ENVIRONMENT SERVICES CENTER BOULDER COLO
SDF NUMBER 170B
JOINT AFGWC/SESC SECONDARY REPORT OF SOLAR AND GEOPHYSICAL ACTIVITY
ISSUED 1400Z 19 JUNE 1974
IA. SOLAR ACTIVITY REMAINS VERY LOW WITH NO FLARES REPORTED IN
THE PAST 24 HOURS. REGION 428 (S12W00) RETAINS ITS MAGNETIC
COMPLEXITY AND ACTIVE FILAMENT WITH LITTLE CHANGE SINCE YESTERDAY.
ALL OTHER REGIONS ARE INSIGNIFICANT.
IB. SOLAR ACTIVITY SHOULD REMAIN LOW, BUT REGION 428 SHOULD BE
WATCHED CLOSELY.
II. THE GEOMAGNETIC FIELD HAS BEEN UNSETTLED THE PAST 24 HOURS AND
SHOULD BE UNSETTLED TO ACTIVE THE NEXT 72 HOURS.
III. EVENT PROBABILITIES 19 JUNE - 21 JUNE
CLASS M 10/10/10
CLASS X 01/01/01
PROTON 01/01/01
PCAF GREEN
IV. OTTAWA 10.7 CM FLUX
OBSERVED 18 JUNE 82
PREDICTED 19 JUNE - 21 JUNE 81/80/80
90-DAY MEAN 18 JUNE 88
V. GEOMAGNETIC A INDICES
OBSERVED FREDERICKSBURG 17 JUNE 14
ESTIMATED AFR/AP 18 JUNE 08/09
PREDICTED AFR/AP 19 JUNE 21 JUNE 18/21 - 18/21 - 15/17
SOLTERWARN
SPAN
BT

SOF NUMBER 170

JOINT AFGWC/SESC PRIMARY REPORT OF SOLAR AND GEOPHYSICAL ACTIVITY

ISSUED 2200 Z 19 JUN 1974

IA- Solar activity continues very low with only one, non-energetic subflare reported during the last 24 hours. The 1-8 Angstrom X Ray level as measured by GOES began rising slowly shortly before 19/1800Z, reached a peak well below C1 event level near 1900Z, and declined slowly to near the previous background by 2000Z. During this period, segments of the plage east of the neutral line filament ESE of the leader spots of Region 428 (512W05) showed nearly continuous fluctuations to near flare intensity with a ϕF flare observed at 1843Z.

I. The filament running through the region continues dark and active. The region has declined in white light, primarily in the trailing portion where the spots have nearly disappeared. The rest of the sun is spotless and uninteresting.

IB. The filament activity in Region 428 suggests a small chance of an energetic event from that region.

II. EVENT PROBABILITIES	20 JUN	21 JUN	22 JUN
CLASS M	20 /	20 /	20
CLASS X	02 /	02 /	02
PROTON	01 /	01 /	01
PCAF	GREEN		

OVER

V. OTTAWA 10.7 CM FLUX
OBSERVED
PREDICTED 20 JUN -
90-DAY MEAN

19 JUN	80
22 JUN	80 / 81 / 82
19 JUN	88

GEOMAGNETIC A INDICES
OBSERVED FREDERICKSBURG
ESTIMATED A_{FR}/A_p

18 JUN	10
19 JUN	10 / 16

PREDICTED A_{FR}/A_p 20 JUN - 22 JUN 18 / 21 - 15 / 17 - 12 / 13

NOTE: A recent comparison between two years of Fredericksburg and Planetary Magnetic indices has shown that A_p appears higher than $A_{FREDERICKSBURG}$. Therefore, both indices will be included in future forecasts. Only extrapolated A_p values will be given since the computation and publication of the actual observed A_p values require approximately three months.

~~part~~ No regions are due to return.

II. The geomagnetic field has been unsettled to active during the last 24 hours. Active conditions are expected during the first portion of the forecast period, gradually returning to unsettled conditions by the end of the period.