Space Weather Highlights 06 - 12 October 1997

Solar activity was very low. Isolated B-class subflares occurred. Nonetheless, three interesting flares occurred. The first was a B9/SF flare at 09/1202UT from Region 8092 (N24, L = 271, class/area Bxo/010 on 07 October) and was associated with a Type II radio sweep. The region also produced a B4/SF flare at 11/0858UT, also associated with a Type II radio sweep. The third flare of interest was an optically unassociated, long-duration B2 X-ray flare with a weak Type II radio sweep. A coronal mass ejection was also associated with this flare, but did not appear to be Earth-directed.

Solar wind data were received from the WIND spacecraft a few hours per day. Velocities gradually increased from 320 - 450 km/sec through 10 October, then gradually declined to 350 km/sec during the remainder of the period. Densities generally ranged from 05 - 15 p/cc, but increased to peaks of 25 p/cc on 06 and 08 October. Another peak to 30 p/cc occurred on 10 October. Bz was mostly southward, ranging from minus 05 to minus 15 nT (GSM). Solar sector orientation was away (phi angle near 315 degrees) during 06 October shifting to mostly toward conditions (phi angle near 135 degrees) for the remainder of the summary period.

No significant proton enhancements were observed at geosynchronous altitude.

The greater than 2 MeV electron flux at geosynchronous altitude reached high levels during 09 - 10 October. Otherwise, fluxes were normal to moderate.

The geomagnetic field was mostly quiet during 06 - 07 October. Activity increased during 08 - 10 October with active to minor storm levels observed at all latitudes. Activity significantly increased during 10/2100 - 11/0600UT with minor to severe storm storm levels observed. Conditions declined to mostly quiet levels after 11/0900UT and remained so for the balance of the period.

Space Weather Forecast 15 October - 10 November 1997

Solar activity is expected to range from very low to low.

No significant proton enhancements are expected at satellite altitudes.

The greater than 2 MeV electron flux at geosynchronous altitude is expected to be normal to moderate during most of the period.

The geomagnetic field is expected to be mostly quiet to unsettled.



Daily Solar Data

	Radio	Sun	Sunspot	X-ray				Flares				
	Flux	spot	Area	Background	X-	ray Fl	ux		Op	tical		
Date	10.7 cm	No. (1	0 ⁻⁶ hemi.)		C	M	X	S	1	2	3	4
06 October	84	24	20	A4.5	0	0	0	0	0	0	0	0
07 October	84	35	10	A4.6	0	0	0	0	0	0	0	0
08 October	83	17	10	A5.5	0	0	0	0	0	0	0	0
09 October	84	27	20	A4.4	0	0	0	1	0	0	0	0
10 October	84	44	40	A5.5	0	0	0	1	0	0	0	0
11 October	86	31	50	A3.9	0	0	0	1	0	0	0	0
12 October	89	60	90	A5.8	0	0	0	0	0	0	0	0

Daily Particle Data

			Dutty I a	ittete Buttu
		Proton Fluenc tons/cm ² -da		Electron Fluence (electrons/cm ² -day-sr)
Date	>1MeV	>10MeV	>100MeV	>.6MeV >2MeV >4MeV
06 October	9.6E+5	1.8E+4	4.0E+3	1.1E+7
07 October	1.5E+6	2.1E+4	3.7E+3	2.4E+6
08 October	1.3E+6	1.9E + 4	4.2E+3	1.2E+6
09 October	9.9E+5	1.8E+4	4.4E+3	3.6E+7
10 October	1.1E+6	1.7E+4	3.8E+3	2.2E+7
11 October	9.6E+5	1.7E+4	3.7E+3	3.0E+6
12 October	7.5E+5	1.7E+4	3.8E+3	9.9E+6

Daily Geomagnetic Data

		_		or on the second		
	M	liddle Latitude	I	High Latitude]	Estimated
	F	redericksburg		College	-	Planetary
Date	A	K-indices	A	K-indices	A	K-indices
06 October	3	1-0-0-1-0-1-2-2	0	0-0-0-0-0-1-1-0	3	0-0-0-0-1-2-2
07 October	8	2-2-2-1-2-2-3	9	1-0-2-3-4-3-1-1	7	1-1-2-2-2-2-3
08 October	12	1-1-3-2-4-3-2-3	14	0-0-4-5-4-1-1-2	14	0-1-4-3-4-3-2-3
09 October	19	4-4-4-2-3-3-3-3	17	2-3-5-5-2-2-1-1	19	4-4-5-5-4-2-3-2
10 October	25	3-3-4-3-2-3-4-6	13	2-3-3-4-0-2-3-3	27	2-4-5-3-3-3-4-6
11 October	22	6-5-4-2-1-1-1-2	8	3-3-4-2-0-0-0-0	26	6-6-4-2-1-2-1-1
12 October	6	1-3-2-2-1-1-1	8	0-1-2-5-1-1-0-0	7	1-3-2-2-2-2




Alerts and Warnings Issued

	Theres and Trainings Issued	
Date and Time of Issue (UT	Type of Alert or Warning I	Date and Time of Event (UT)
08 Oct 0901	K = 4 observed	08 Oct 06-09
09 Oct 0308	K = 4 observed	09 Oct 00-03
09 Oct 0902	K= 5 observed	09 Oct 06-09
09 Oct 0905	$A \ge 20$ observed	09 Oct 0904
09 Oct 1229	Type II Radio Emission	09 Oct 1159
09 Oct 1902	>2MeV Electron Event ≥1000pfu	09 Oct 1846
10 Oct 0559	K=4 observed	10 Oct 03-06
10 Oct 1953	$A \ge 20$ Watch	11 Oct
10 Oct 2112	K=4 observed	10 Oct 18-21
10 Oct 2357	$A \ge 20$ observed	11 Oct 0000
10 Oct 2358	K= 5 observed	10 Oct 21-00
11 Oct 0011	>2MeV Electron Event in Progress ≥ 100	Opfu 10 Oct
11 Oct 0254	$A \ge 30$ observed	11 Oct 0300
11 Oct 0256	$K \ge 6$ observed	11 Oct 00-03



Twenty-seven Day Outlook



	Radio Flux	Planetary	Largest		Radio Flux	Planetary	Largest
Date	10.7 cm	A Index	Kp Index	Date	10.7 cm	A Index	Kp Index
15 Oct	88	5	2	28 Oct	86	8	3
16	88	5	2	29	86	5	2
17	88	8	3	30	84	5	2
18	88	10	3	31	84	5	2
19	90	8	3	01 Nov	84	5	2
20	90	5	2	02	84	5	2
21	90	5	2	03	84	5	2
22	92	5	2	04	84	10	3
23	92	5	2	05	84	15	3
24	90	10	3	06	84	15	3
25	90	10	3	07	84	10	3
26	90	8	3	08	86	8	3
27	88	8	3	09	86	8	3
				10	86	5	2



Energetic Event

	Time (UT)	X-ray	Optical Inform	nation	Peak	Sweep Freq
Date	1/2	Integ	Imp Location	Rgn	Radio Flux	Intensity
	Begin Max Max	Class Flux	Brtns Lat CMD	#	245 2695	II IV

No Event Observed

Flare List

				Flare List			
					O	ptical	
		Time		X-ray	Imp /	Location	Rgn
Date	Begin	Max	End	Class.	Brtns	Lat CMD	#
06 October	No Fla	res Obser	ved				
07 October	1457	1512	1529	B2.2			
	1822	1825	1827	B1.1			
08 October	0201	0214	0224	B3.8			
	0240	0245	0253	B2.9			
09 October	1106	1112	1121	B3.5			
	1152	1153	A1215	B9.2	SF	N24E35	8092
10 October	0139	0143	0147	B1.8			
	0349	0353	0411	B3.8	SF	N24E27	8092
11 October	0850	0856	0914	B4.8	SF	N22E14	8092
	2013	2021	2030	B2.3			
	2124	2134	2143	B3.2			
	2329	2335	2344	B6.5			
12 October	0602	0654	0842	B2.3			
	1608	1611	1613	B1.3			
	2351	2357	0010	B1.7			



Region Summary

	Location			Sunspot (Sunspot Characteristics			Flares							
D.t.	0.L 0 CMD)	Helio	Area	Extent	Spot	Spot	Mag		X-ray		<u> </u>	0	ptica 2		_
Date (Lon gion 809	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class	C	M	X	S	_1	2	3	<u>4</u>
30 Sen	S27E69	347	0060	03	HSX	001	A								
-	S27E55	347	0060	02	HSX	001	A								
	S27E41	348	0040	01	HSX	001	A	1			1				
	S27E28	348	0030	01	HSX	001	A	-			•				
	S27E15	348	0030	01	HSX	001	A								
	S28E03	347	0010	01	HRX	001	A								
	S28W10	347	0010	01	HRX	001	A								
	S28W24	347	0000	00	AXX	001	A								
	S28W37	347	0000			001									
00 00.	2201101	0.,						1	0	0	1	0	0	0	0
Died or	n Disk.														
	te heliograp	hic long	itude: 34	17											
	Re	gion 809	91												
01 Oct	N22E72	330	0020	08	BXO	006	В								
02 Oct	N25E60	329	0040	08	CRO	005	В				1				
03 Oct	N25E47	329	0060	08	CSO	006	В				2				
04 Oct	N23E34	329	0040	07	CSO	005	В								
05 Oct	N23E21	329	0030	08	CSO	005	В				1				
06 Oct	N24E07	330	0010	06	BXO	003	В								
07 Oct	N24W09	332	0000	00	AXX	001	A								
08 Oct	N24W22	332													
09 Oct	N24W35	332													
10 Oct	N24W48	332													
11 Oct	N24W61	332													
12 Oct	N24W74	332													
								0	0	0	4	0	0	0	0
Still on	Disk.														
Absolu	te heliograp	hic long	itude: 33	80											
	Re	gion 809	92												
07 Oct	N24E57	266	0010	02	BXO	003	В								
08 Oct	N24E41	269	0010	04	BXO	007	В								
09 Oct	N25E28	269	0010	04	BXO	004	В				1				
10 Oct	N24E13	271	0000	02	AXX	002	A				1				
11 Oct	N24E00	271									1				
12 Oct	N27W08	265	0000	00	AXX	001	A								
								0	0	0	3	0	0	0	0
Still on	Disk.														

NORR

Absolute heliographic longitude:

271

Region Summary-continued.

	Location			Sunspot 6	Characteri	stics		Flares							
		Helio	Area	Extent	Spot	Spot	Mag		X-ray	у		C)ptic	al	
Date (° Lat	° CMD)	Lon	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
	Re	gion 80	093												
09 Oct N3	2E41	256	0010	05	BXO	003	В								
10 Oct N3	1E27	257	0030	06	CRO	005	В								
11 Oct N3	1E14	257	0040	06	CRO	006	В								
12 Oct N3	1E01	256	0060	07	DSO	009	В								
								0	0	0	0	0	0	0	0
Still on Disk	ζ.														
Absolute he	liograp	hic lon	gitude: 25	66											
		gion 80	-												
10 Oct N2:		308	0010	04	BXO	007	В								
11 Oct N2	1W37	308	0010	05	BXO	005	В								
12 Oct N20	0W50	307	0020	06	BXO	008	В								
								0	0	0	0	0	0	0	0
Still on Disk	ζ.														
Absolute he	liogran	hic lon	gitude: 30)8											
	- 1	gion 80	_												
12 Oct N3		215	0010	03	BXO	002	В								
	-		5520		_110	502	_	0	0	0	0	0	0	0	0
Still on Disk	ζ.							Ü	9	J	Ü	Ü	Ü	Ü	J
		hic lon	oitude: 21	5											
Still on Disk Absolute he		ohic lon	gitude: 21	.5				J	Ŭ	V		J	J	J	Ü




Recent Solar Indices (preliminary) of the observed monthly mean values

		Sunsp	ot Numbers			mean values Radi	o Flux	Geomagnetic		
-	Observed	values	Ratio	Smooth	values	**Penticton	Smooth	Planetary	Smooth	
Month	SWO	RI	RI/SWO	SWO	RI	10.7 cm	Value	Ap	Value	
					1995					
October	31.6	21.1	0.67	19.7	12.1	77.9	73.8	16	11.5	
November	15.7	09.0	0.57	18.5	11.4	74.2	73.2	09	10.8	
December	16.2	10.0	0.62	17.6	10.8	72.6	72.8	09	10.0	
					1996					
January	17.6	11.5	0.65	16.8	10.4	74.5	72.4	09	09.8	
February	09.1	04.4	0.48	16.2	10.1	71.5	72.2	10	09.8	
March	12.1	09.2	0.76	15.4	09.7	70.7	72.1	11	09.9	
April	08.5	04.8	0.56	13.6	08.5	69.3	71.6	11	09.7	
May	11.8	05.5	0.47	12.9	08.0	70.1	71.4	07	09.5	
June	18.8	11.8	0.63	13.5	08.5	69.6	71.8	05	09.4	
July	13.2	08.2	0.62	13.4	08.4*	71.2	72.0	07	09.3	
August	20.5	14.4	0.70	13.1	08.3*	72.4	72.1	09	09.4	
September		01.6	0.55	13.3	08.5*	69.4	72.3	15	09.3	
October	02.3	00.9	0.39	14.0	08.9*	69.2	72.6	13	09.1	
November	26.7	17.9	0.67	15.4	09.9*	78.7	73.0	08	09.1	
December	21.1	13.3	0.63	16.2	10.5*	77.8	73.3	07	09.3	
					1997					
January	09.0	06.5*	0.72*	16.5	10.6*	74.0	73.4	09	09.3*	
February	11.3	07.6*	0.67*	17.4	11.2*	73.8	73.7	11	09.2*	
March	14.4	08.8*	0.61*	20.4	13.7*	73.5	75.1*	08	09.0*	
April	24.5	15.8*	0.64*			74.5		10		
May	28.6	18.5*	0.65*			74.6		08		
June	22.1	13.1*	0.59*			71.7		07		
July	17.0	10.5*	0.62*			71.1		06*		
August	36.7	24.7*	0.67*			79.0		08*		
September	58.2	51.3*	0.88*			96.2*		10*		

^{*}Preliminary estimates.

The lowest smoothed sunspot indices number for Cycle 21, RI = 12.3, occurred September 1986. The highest smoothed sunspot number for Cycle 22, RI=158.5, occurred July 1989. ** From June 1991 onward, the 10.7 cm radio flux data source is Penticton, B.C. Canada. Prior to that, it was Ottawa.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 06 October 1997


Protons plot contains the five minute averaged integral proton flux (protons/ cm²-sec-sr) as measured by GOES-9 (W135) for each of three energy thresholds: greater than 10, 50, and 100 MeV.

Electrons plot contains the five minute averaged integral electron flux (electrons/ cm² -sec-sr) with energies greater than 2 MeV at GOES-9.

Hp plot contains the five minute averaged magnetic field H component in nanoteslas (nT) as measured by GOES-9. The H component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis. *Kp* plot contains the estimated planetary 3-hour K-index (derived by the USAF 55th Space Weather Squadron) in real time from magnetometers at Meanook, Canada; Sitka, AK; Glenlea, Canada; St. Johns, Canada; Ottawa, Canada; Newport, WA; Fredericksburg, VA; Boulder, CO; Fresno, CA. These data are made available through cooperation from the Geological Survey of Canada (GSC) and the US Geological Survey. These may differ from the final Kp values derived from a more extensive network of magnetometers.

The data included here are those now available in real time at the SWO and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are global'parameters that are applicable to a first order approximation over large areas. Hparallel is subject to a more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.






Weekly GOES Satellite X-ray and Proton Plots

Proton plot contains the five minute averaged integral proton flux (protons/cm 2 -sec-sr) as measured by GOES-9 (W135) for each of the energy thresholds: >1, >10, >30 and >100 MeV. P10 event threshold is 10 pfu (protons/cm 2 -sec-sr) at greater than 10 MeV.


X-ray plot contains five minute averaged x-ray flux (watts/m²) as measured by GOES 8 and 9 in two wavelength bands, .05 -.4 and .1 - .8 nm. The letters A, B, C, M and X refer to x-ray event levels for the .1 - .8 nm band.





SEC Prediction of Smoothed F10.7cm Radio Flux												
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1996	72	72	72	72	71	72	72	72	72	73	73	73
	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)
1997	73	74	75	87	91	96	100	105	109	114	119	124
	(***)	(***)	(***)	(11)	(12)	(13)	(14)	(15)	(15)	(16)	(17)	(18)
1998	129	134	139	144	149	153	158	162	167	171	175	178
	(18)	(19)	(20)	(20)	(21)	(21)	(22)	(22)	(23)	(23)	(23)	(24)
1999	182	185	188	191	193	196	198	199	201	202	203	204
	(24)	(25)	(25)	(25)	(25)	(26)	(26)	(26)	(27)	(27)	(28)	(28)
2000	205	205	205	205	204	203	202	201	200	199	197	195
	(30)	(30)	(30)	(30)	(30)	(28)	(27)	(27)	(26)	(26)	(26)	(26)
2001	193	292	188	186	183	181	178	175	172	169	166	163
	(25)	(25)	(25)	(25)	(24)	(24)	(24)	(24)	(23)	(23)	(23)	(22)
2002	160	156	153	150	147	144	140	137	134	131	128	125
	(22)	(22)	(21)	(21)	(21)	(21)	(20)	(20)	(19)	(19)	(18)	(18)
2003	122	119	116	114	111	108	106	103	101	99	97	95
	(17)	(17)	(17)	(16)	(16)	(15)	(15)	(14)	(14)	(14)	(13)	(13)
2004	92	91	89	87	85	84	82	81	79	78	77	75
	(12)	(12)	(12)	(11)	(11)	(11)	(10)	(10)	(10)	(9)	(9)	(9)
2005	74	73	72	71	71	70	69	68	68	67	**	**
	(8)	(8)	(8)	(7)	(7)	(7)	(7)	(6)	(6)	(6)	(***)	(***)





SE	C Pr	ediction	of Smoo	thed Su	inspot N	Number
OL.		eaicuon	or Smoo	յալես 5ւ	msdot 1	sumber

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1996	10	10	10	9	8	9	9	8	9	9	10	11
	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)
1997	11	11	14	30	34	40	44	50	54	60	66	71
	(***)	(***)	(***)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(20)
1998	77	82	88	93	99	103	109	113	119	123	128	131
	(21)	(22)	(22)	(23)	(24)	(24)	(25)	(25)	(26)	(26)	(27)	(27)
1999	136	139	142	146	148	151	153	154	156	157	158	159
	(27)	(28)	(28)	(29)	(29)	(29)	(29)	(29)	(29)	(29)	(29)	(29)
2000	160	160	160	160	159	158	157	156	155	154	152	150
	(30)	(30)	(30)	(30)	(29)	(29)	(29)	(29)	(29)	(29)	(29)	(28)
2001	148	146	142	140	137	134	131	128	124	121	118	114
	(28)	(28)	(28)	(27)	(27)	(27)	(27)	(26)	(26)	(26)	(25)	(25)
2002	111	107	103	100	97	93	89	86	82	79	76	72
	(24)	(24)	(24)	(23)	(23)	(22)	(22)	(21)	(21)	(21)	(20)	(20)
2003	69	66	62	60	57	53	51	48	46	43	41	39
	(19)	(19)	(18)	(18)	(17)	(17)	(17)	(16)	(16)	(15)	(15)	(14)
2004	36	34	32	30	28	27	24	23	21	20	19	17
	(14)	(14)	(13)	(13)	(12)	(12)	(11)	(11)	(11)	(10)	(10)	(9)
2005	16	14	13	12	12	11	10	9	9	8	**	**
	(9)	(9)	(8)	(8)	(8)	(8)	(7)	(7)	(7)	(6)	(***)	(***)

