Solar activity was at very low levels. During the period, three magnetically simple spot groups existed on the disk. Only weak B-level activity was observed. The remainder of the disk and limb was quiet.

No greater than 10 MeV proton events were observed this period.

The greater than 2 MeV electron flux at geosynchronous orbit was at high levels on 20 - 21 October.

The geomagnetic field ranged from quiet to active levels with minor storm periods at high latitudes. Solar wind speed ranged from a high of about 450 km/s on 17 October to a low of 300 km/s on 21 October. Minor storm periods were observed at high latitudes on 17 October. Conditions calmed to quiet to active periods on 18 and 19 October. Heightened activity at high latitudes was due to prolonged periods of southward Bz. Through late on 21 October, the Bz component of the IMF was weak, not varying much beyond +/- 5 nT. Late on 21 October, a solar sector boundary crossing was detected in the ACE SWEPAM data. The IMF Bz briefly varied between +/- 10 nT for about six hours, and wind speed increased from about 300 km/s to near 400 km/s. Middle latitudes responded with a brief active period early on 22 October. The period ended with wind speed around 360 km/s.

Space Weather Outlook 26 October 2005 - 21 November 2005

Solar activity is expected to be very low to low.

No greater than 10 MeV proton events are expected.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at high levels on 29 October -02 November, 05-11 November, and 16-17 November.

The geomagnetic field is expected to range from quiet to minor storm levels. Unsettled to minor storm levels are possible on 04 November due to a recurrent coronal hole high speed wind stream. Otherwise, expect quiet to unsettled conditions.



Daily Solar Data

				2 111.9 20								
	Radio Sun Sunspot		X-ray	Flares								
	Flux	spot	Area	Area Background		X-ray Flux			Optical			
Date	10.7 cm	No.	<u>(10⁻⁶ hemi.)</u>)	С	M	X	S	1	2	3	4
17 October	78	11	40	A2.8	0	0	0	0	0	0	0	0
18 October	78	11	30	A3.0	0	0	0	0	0	0	0	0
19 October	78	30	50	A2.4	0	0	0	0	0	0	0	0
20 October	77	15	20	A1.2	0	0	0	0	0	0	0	0
21 October	75	15	20	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
22 October	75	13	20	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
23 October	74	11	10	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0

Daily Particle Data

		oton Fluence ons/cm ² -day-si	Electron Fluence (electrons/cm²-day-sr)	
Date	>1 MeV	>10 MeV	>100 MeV	>.6 MeV >2MeV >4 MeV
17 October	7.1E+5	1.5E+4	3.6E+3	9.2E+6
18 October	5.5E+5	1.5E+4	3.7E+3	2.2E+7
19 October	3.9E + 5	1.5E+4	3.7E+3	2.7E+7
20 October	4.8E + 5	1.4E+4	3.5E+3	5.4E+7
21 October	1.3E+6	1.5E+4	4.1E+3	6.8E+7
22 October	4.3E + 5	1.4E+4	3.5E+3	7.6E+5
23 October	2.8E+5	1.4E+4	3.6E+3	7.1E+5

Daily Geomagnetic Data


Eury Comustione Eura										
	Middle Latitude	High Latitude	Estimated							
	Fredericksburg	College	Planetary							
Date	A K-indices	A K-indices	A K-indices							
17 October	7 2-3-3-2-1-2-1-0	26 3-4-5-5-3-1-0	13 3-4-3-2-3-3-1-1							
18 October	5 1-2-1-1-2-2-1-1	16 4-1-4-4-3-1-0	5 1-3-1-1-2-1-1-1							
19 October	3 1-2-1-1-2-1-0-0	13 1-1-4-3-4-4-0-0	7 2-2-2-2-3-0-1							
20 October	2 1-0-2-1-0-0-0-0	2 0-0-1-3-0-0-0	3 1-0-2-1-0-0-0-1							
21 October	1 0-0-0-0-0-0-2	0 0-0-0-0-0-0-1	2 0-0-0-0-1-1-3							
22 October	7 4-3-1-0-1-0-1-1	4 3-1-1-0-2-0-1-1	6 4-2-1-0-1-0-1-1							
23 October	2 1-0-0-0-1-1-1-0	1 0-0-0-0-1-1-0-0	2 0-0-0-0-1-1-1-1							

Alerts and Warnings Issued

Date & Time of Issue	Type of Alert or Warning	Date & Time of Event UTC					
17 Oct 0525	ALERT: Geomagnetic K= 4	17 Oct 0523					
17 Oct 0525	WARNING: Geomagnetic K= 4	17 Oct 0323 17 Oct 0630 -1600					
	· · · · · · · · · · · · · · · · · · ·						
17 Oct 0631	ALERT: Geomagnetic K = 4	17 Oct 0631					
18 Oct 1502	ALERT: Geomagnetic K= 4	18 Oct 1459					
20 Oct 1424	ALERT: Electron 2MeV Integral Flux > 1000pfu						
21 Oct 1246	ALERT: Electron 2MeV Integral Flux > 1000pfu						
22 Oct 0045	ALERT: Geomagnetic K-index of 4	22 Oct 0044					



Twenty-seven Day Outlook



	Radio Flux	Planetary	Largest		Radio Flux	R Planetary	Largest
Date	10.7 cm	A Index	Kp Index	Date	10.7 cm	A Index	Kp Index
26 Oct	75	10	3	09 Nov	80	5	2
27	80	8	3	10	75	5	2
28	80	8	3	11	75	5	2
29	80	8	3	12	75	10	3
30	80	5	2	13	75	10	3
31	80	5	2	14	75	10	3
01 Nov	80	5	2	15	75	8	3
02	80	5	2	16	75	8	3
03	80	10	3	17	75	5	2
04	80	20	5	18	75	5	2
05	80	10	3	19	75	5	2
06	80	10	3	20	75	5	2
07	80	5	2	21	75	10	3
08	80	5	2				



Energetic Events

					-	Birer gen	C Divitio					
'				X	X-ray		cal Information	ı	Peak	Sweep Freq		
Date					Integ	Imp/	Location	Rgn	Radio Flux	Intensity		
	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245 2695	II IV		

No Events Observed

	1	T	• ,
HI	lare	•	ist

			1 tare Last						
			Optical						
	Time		X-ray	Ĭmp /	Location	Rgn			
Date	Begin Max	End	Class.	Brtns	Lat CMD				
17 October	No FlaresObserve	ed							
18 October	No FlaresObserved								
19 October	No FlaresObserve	ed							
20 October	No FlaresObserve	ed							
21 October	0440 0450	0501	B3.0						
22 October	No FlaresObserve	ed							
23 October	No FlaresObserve	ed							



					gion Su		y								
	Location Sunspot Characteristics							Flares X-ray Optical							
Date	(°Lat°CMD)	Helio L on	Area (10 ⁻⁶ hemi)	Extent (belie)	Spot Class	Spot Count	Mag Class		X-ray		. <u>-</u>	1	Optic 2	al3	4
	(Lat CIVID)	Lon	(10 nemi)	(Hello)	Class	Count	Class		141	71					
	ъ.	. 01	4												
11.0		gion 81		0.4	n	002	ъ								
	ct S06W11	235	0020	04	Bxo	003	В	1			1				
	ct S07W23	234	0040	10	Hax	007	A	1			1				
	ct S13W31	228	0010	01	Axx	001	A								
	ct S13W44	228													
	ct S13W57	228													
	ct S13W70	228													
1/0	ct S13W83	228						1	0	0	1	0	0	0	0
	1337							1	0	0	1	U	0	U	U
	sed West Lim		- 1 1 025												
Abso	olute heliogra	pnic ion	gitude: 235												
	Re	gion 81	5												
14 O	ct N08E75	109	0050	03	Hax	001	A								
15 O	ct N08E60	111	0070	02	Hsx	001	A								
16 O	ct N08E47	111	0050	02	Hax	001	A								
17 O	ct N08E33	112	0040	02	Hsx	001	A								
18 O	ct N08E20	112	0030	01	Hax	001	A								
19 O	ct N08E08	110	0030	04	Cao	007	В								
20 O	ct N07W06	111	0020	04	Cso	005	В								
21 O	ct N07W19	111	0020	03	Cao	005	В								
22 O	ct N07W32	111	0020	03	Cao	003	В								
23 O	ct N07W45	111													
								0	0	0	0	0	0	0	0
Still	on Disk.														
Abso	olute heliogra	phic lon	gitude: 111												
	Re	gion 81	6												
19 O	ct S14W29	-	0020	03	Bxo	003	В								
	ct S14W42	147	0020	02	Dito	002	2								
	ct S14W55	147													
	ct S14W68	147													
	ct S14W81	147													
20 0	0. 51 61	11,						0	0	0	0	0	0	0	0
Still	on Disk.							5	-	-	-	Ŭ	_	9	
	olute heliogra	phic lon	gitude: 147												
			_												
22.0		gion 81 045		Λ1	A	001	٨								
23 U	ct N04E21	043	0010	01	Axx	001	A	0	0	0	0	Λ	Λ	Λ	0
Still 4	on Disk.							U	U	U	U	U	U	U	U
	oli Disk. olute heliograj	nhie lon	aitude. M5												
AUSU	nute nenograj	bine ion	g11uuc. 043												




Recent Solar Indices (preliminary) of the observed monthly mean values

of the observed monthly mean values											
		Sunsp	ot Number	:S		Radio	Flux	Geomagne	etic		
	Observed	values	<u>Ratio</u>	Smooth	values	*Penticton	Smooth	Planetary	Smooth		
Month	SWO	RI	RI/SWO	SWO	RI	10.7 cm	Value	Ap	Value		
	2003										
October	118.9	65.5	0.55	96.6	58.4	153.1	121.8	35	21.1		
November	118.9	67.3	0.57	93.6	57.0	153.1	120.1	28	20.0		
December	75.4	46.5	0.62	91.4	55.0	115.1	118.0	16	18.6		
2004											
January	62.3	37.7	0.61	87.9	52.0	114.1	116.3	22	18.1		
February	75.6	45.8	0.61	84.2	49.4	107.0	115.5	13	17.7		
March	81.0	49.1	0.61	80.9	47.2	112.2	114.6	14	16.9		
11101011	01.0	17.1	0.01	00.5	.,.2	112.2	11	1.	10.7		
April	59.3	39.3	0.66	77.9	45.6	101.2	112.3	11	15.5		
May	77.3	41.5	0.54	74.1	43.9	99.8	109.2	8	14.3		
June	78.9	43.2	0.55	70.4	41.7	97.4	107.2	8	14.0		
July	87.8	51.0	0.58	68.3	40.2	118.5	105.9	23	13.8		
August	69.5	40.9	0.59	66.6	39.3	110.1	105.0	11	13.8		
September	50.0	27.7	0.55	63.7	37.6	103.1	103.7	10	13.6		
0 . 1	77.0	40.4	0.62	c1 0	25.0	105.5	100.1	0	10.5		
October	77.9	48.4	0.62	61.3	35.9	105.7	102.1	9	13.5		
November		43.7	0.62	60.0	35.4	113.2	101.5	26	14.1		
December	34.7	17.9	0.52	58.8	35.3	94.6	101.3	11	14.8		
					2005						
January	52.0	31.3	0.60	57.3	34.7	102.4	100.3	22	14.7		
February	45.4	29.1	0.64	56.4	34.0	97.3	98.5	11	14.6		
March	41.0	24.8	0.60	55.8	33.6	90.0	97.2	12	15.3		
April	41.5	24.4	0.59			85.9		12			
May	65.4	42.6	0.65			99.5		20			
June	59.8	39.6	0.66			93.7		13			
July	71.0	39.9	0.56			96.6		16			
August	65.6	39.9 36.4	0.55			90.0		16			
September		22.1	0.56			90.7		21			
September	39.4	<i>LL</i> .1	0.30			90.8		41			

NOTE: All smoothed values after September 2002 and monthly values after March 2003 are preliminary estimates. The lowest smoothed sunspot index number for Cycle 22, RI = 8.0, occurred in May 1996. The highest smoothed sunspot number for Cycle 23, RI = 120.8, occurred April 2000. *After June 1991, the 10.7 cm radio flux data source is Penticton, B.C. Canada. Prior to that, it was Ottawa.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 17 October 2005

Protons plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by GOES-11 (W112) for each of three energy thresholds: greater than 10, 50, and 100 MeV.


Electrons plot contains the five-minute averaged integral electron flux (electrons/cm² –sec –sr) with energies greater than 2 MeV at GOES-12 (W76).

Hp plot contains the five minute averaged magnetic field H - component in nanoteslas (nT) as measured by GOES-12. The H component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

Kp plot contains the estimated planetary 3-hour K-index (derived by the Air Force Weather Agency) in real time from magnetometers at Meanook, Canada; Sitka, AK; Glenlea, Canada; St. Johns, Canada; Ottawa, Canada; Newport, WA; Fredericksburg, VA; Boulder, CO; Fresno, CA and Hartland, UK. These data are made available through cooperation from the Geological Survey of Canada (GSC), British Geological Survey (BGS) and the US Geological Survey. These may differ from the final Kp values derived from a more extensive network of magnetometers.

The data included here are those now available in real time at the SWO and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are "global" parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots

Oct 18

Oct 19

0.1

0.01 L Oct 17

X-ray plot contains five-minute averaged x-ray flux (watts/m 2) as measured by GOES 12 (W76) and GOES 10 (W135) in two wavelength bands, .05 - .4 and .1 - .8 nm. The letters A, B, C, M and X refer to x-ray event levels for the .1 - .8 nm band.

O ct 20

Oct 21

O ct 22

O ct 23

Proton plot contains the five-minute averaged integral proton flux (protons/cm² –sec-sr) as measured by GOES-11 (W112) for each of the energy thresholds: >1, >10, >30 and >100 MeV. P10 event threshold is 10 pfu (protons/cm²-sec-sr) at greater than 10 MeV.



Oct 24