Space Weather Highlights 24 - 30 October 2005

SWO PRF 1574 01 November 2005

Solar activity was at very low levels. There were no spots observed on the visible disk until 29 October when a small sunspot group developed on the east limb. This region was numbered as Region 818 (S08, L=287, class/area, Dso/40 on 31 October) and grew slightly by the end of the period. No significant flare activity was observed during this reporting period.

No greater than 10 MeV proton events were observed this period.

No greater than 2 MeV electron events were observed this period.

The geomagnetic field ranged from quiet to active levels with minor storm periods at high latitudes. Solar wind speed ranged from a high of about 560 km/s midday on 26 October to a low of 320 km/s on 30 October. The period began with a wind speed around 350 km/s and the IMF Bz not varying much beyond +/- 5 nT. This continued until late on 24 October when a solar sector boundary crossing was observed followed by an increase in solar wind speed and density. The IMF Bz fluctuated between +/- 9 nT early on 25 October as a coronal hole high speed stream moved into geoeffective position. The geomagnetic field responded with unsettled to minor storm periods at mid latitudes with a period of major storming at high latitudes. By 26 October, wind speed reached a maximum around 560 km/s before beginning a slow decline that would last through the end of the period. Several periods of minor storming were observed at high latitudes from 26 - 28 October. The geomagnetic field returned to mostly quiet conditions after 28 October. The period ended with the solar wind speed around 380 km/s.

Space Weather Outlook 02 November - 28 November 2005

Solar activity is expected to be very low to low.

No greater than 10 MeV proton events are expected.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at high levels on 02 November, 05 - 11 November, and 16 - 17 November.

The geomagnetic field is expected to range from quiet to minor storm levels. Unsettled to active conditions are expected on 13 November; unsettled to minor storm levels are possible on 04 November and 21 November due to recurrent coronal hole high speed wind streams. Otherwise, expect quiet to unsettled conditions.



Daily Solar Data

				2000								
	Radio	Sun	Sunspot	X-ray				Flares				
	Flux	spot	Area	Area Background		X-ray Flux			Optical			
Date	10.7 cm	No.	(10 ⁻⁶ hemi.))	С	M	X	S	1	2	3	4
24 October	73	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
25 October	73	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
26 October	72	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
27 October	72	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
28 October	73	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
29 October	74	11	10	A1.4	0	0	0	0	0	0	0	0
30 October	76	14	40	A2.6	0	0	0	0	0	0	0	0

Daily Particle Data

		oton Fluence ons/cm ² -day-si	r)	Electron Fluence (electrons/cm²-day-sr)
Date	>1 MeV	>10 MeV	>100 MeV	>.6 MeV >2MeV >4 MeV
24 October	3.7E+5	1.5E+4	3.5E+3	7.3E+5
25 October	6.6E + 5	1.5E+4	3.5E+3	9.0E+5
26 October	4.8E + 5	1.4E+4	3.1E+3	8.0E+6
27 October	5.2E + 5	1.3E+4	3.0E+3	2.2E+7
28 October	4.3E + 5	1.4E+4	3.1E+3	2.0E+7
29 October	4.0E + 5	1.5E+4	3.1E+3	2.9E+7
30 October	3.6E+5	1.3E+4	3.3E+3	1.6E+7

Daily Geomagnetic Data


		F1 1 11 Y		TT: 1 T 1		
	Middle Latitude			High Latitude		<u>Estimated</u>
	Fredericksburg			College		Planetary
Date	A	A K-indices		K-indices	A	K-indices
24 October	3	1-0-0-0-2-1-2-2	4	0-0-0-1-3-2-1-1	4	1-0-0-0-2-2-2
25 October	17	4-3-5-3-2-2-1-3	27	2-3-4-6-4-4-2-4	19	4-3-4-4-2-3-3-3
26 October	8	2-2-3-2-2-2-1	16	2-2-5-3-3-3-3-1	8	1-2-3-2-1-2-1-1
27 October	5	3-1-0-1-2-2-1-0	12	1-1-1-2-5-4-2-0	6	3-0-0-1-3-2-1-1
28 October	4	0-0-1-2-2-1-2-1	17	0-0-4-5-5-2-1-0	5	1-0-2-2-1-1-1
29 October	1	0-0-1-0-0-1-1-0	2	1-0-2-0-0-1-1-0	2	1-0-1-0-0-1-0-1
30 October	3	1-1-0-1-1-1-1	4	0-2-0-1-3-1-1-1	5	2-2-0-0-1-0-1-2

Alerts and Warnings Issued

Date & Time of Issue	Type of Alert or Warning	Date & Time of Event UTC
25 Oct 0238	ALERT: Geomagnetic K=4	25 Oct 0230
25 Oct 0253	WARNING: Geomagnetic K=4	25 Oct 0255 - 1600
25 Oct 0930	WARNING: Geomagnetic K=5	25 Oct 0930 - 1230
26 Oct 0841	ALERT: Geomagnetic K=4	26 Oct 0839



Twenty-seven Day Outlook



	Radio Flux	Planetary	Largest		Radio Flux	R Planetary	Largest
Date	10.7 cm	A Index	Kp Index	Date	10.7 cm	A Index	Kp Index
02 Nov	80	8	3	16 Nov	75	8	3
03	80	12	3	17	75	5	2
04	80	20	5	18	75	5	2
05	80	15	4	19	75	5	2
06	80	10	3	20	75	8	3
07	80	8	3	21	75	15	4
08	80	5	2	22	75	10	3
09	80	5	2	23	75	8	3
10	70	5	2	24	75	8	3
11	75	5	2	25	75	8	3
12	75	10	3	26	75	5	2
13	75	12	3	27	75	5	2
14	75	10	3	28	75	5	2
15	75	8	3				



Energetic Events

				Birei ger	te Brents			
	Time		X-ray	Opt	ical Informatior	1	Peak	Sweep Freq
Date		1/2	Integ	Imp/	Location	Rgn	Radio Flux	Intensity
	Begin Max	Max	Class Flux	Brtns	Lat CMD	#	245 2695	II IV

No Events Observed

777	•	•
Hlare	•	101

			1 mie List								
			Optical								
	Time		X-ray	Imp/	Location	Rgn					
Date	Begin Max	End	Class.	Brtns	Lat CMD						
24 October	No FlaresObser	ved									
25 October	No FlaresObser	No FlaresObserved									
26 October	No FlaresObser	ved									
27 October	No FlaresObser	ved									
28 October	No FlaresObser	ved									
29 October	No FlaresObser	ved									
30 October	No FlaresObser	ved									

Region Summary

I	ocation			Character		<u> </u>			F	lares	3				
	Helio	Area	Extent	Spot	Spot	Mag		X-ra	y		()ptic	al		
Date (°Lat°C	CMD) Lon	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4	
	Region 81	5													
14 Oct N08E	275 109	0050	03	Hax	001	A									
15 Oct N08E	60 111	0070	02	Hsx	001	A									
16 Oct N08E	47 111	0050	02	Hax	001	A									
17 Oct N08E	112	0040	02	Hsx	001	A									
18 Oct N08E	20 112	0030	01	Hax	001	A									
19 Oct N08E	08 110	0030	04	Cao	007	В									
20 Oct N07V	V06 111	0020	04	Cso	005	В									
21 Oct N07V	V19 111	0020	03	Cao	005	В									
22 Oct N07V	V32 111	0020	03	Cao	003	В									
23 Oct N07V	V45 111														
24 Oct N07V	V58 111														
25 Oct N07V	V71 111														
26 Oct N07V	V84 111														
27 Oct N07V	V97 111														
							0	0	0	0	0	0	0	0	

Crossed West Limb.

Absolute heliographic longitude: 111



Region Summary - continued.

			Re	gion Si			tinued.								
	Locatio		Sunspot Characteristics						lare						
D .	(01 (0 CMD)	Helio	Area	Extent	Spot	Spot	Mag		X-ra				Optic		
Date	(°Lat°CMD)	Lon	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class		M	X	S	1	2	3	4
	Re	gion 81	6												
19 O	ct S14W29	147	0020	03	Bxo	003	В								
20 O	ct S14W42	147													
21 O	ct S14W55	147													
22 O	ct S14W68	147													
23 O	ct S14W81	147													
24 O	ct S14W94	147													
								0	0	0	0	0	0	0	0
Cross	sed West Lim	ıb.													
Abso	olute heliogra	phic lon	gitude: 147												
	Re	gion 81	7												
23 O	ct N04E21	045	0010	01	Axx	001	A								
24 O	ct N04E08	045													
25 O	ct N04W05	045													
								0	0	0	0	0	0	0	0
Still	on Disk.														
Abso	olute heliogra	phic lon	gitude: 045												
	Re	gion 81	8												
29 O	ct S08E66	284	0010	01	Axx	001	A								
30 O	ct S06E47	285	0040	06	Cso	004	В								
								0	0	0	0	0	0	0	0
Still	on Disk.														
Abso	olute heliogra	phic lon	gitude: 285												
	υ,		-												




Recent Solar Indices (preliminary) of the observed monthly mean values

	of the observed monthly mean values													
		Sunsp	ot Number			Radio	Flux	Geomagnetic						
	Observed	values	<u>Ratio</u>	Smooth	values	*Penticton	Smooth	Planetary	Smooth					
Month	SWO	RI	RI/SWO	SWO	RI	10.7 cm	Value	Ap	Value					
				,	2003									
October	118.9	65.5	0.55	96.6	58.4	153.1	121.8	35	21.1					
November	118.9	67.3	0.57	93.6	57.0	153.1	120.1	28	20.0					
December	75.4	46.5	0.62	91.4	55.0	115.1	118.0	16	18.6					
					2004									
January	62.3	37.7	0.61	87.9	52.0	114.1	116.3	22	18.1					
February	75.6	45.8	0.61	84.2	49.4	107.0	115.5	13	17.7					
March	81.0	49.1	0.61	80.9	47.2	112.2	114.6	14	16.9					
April	59.3	39.3	0.66	77.9	45.6	101.2	112.3	11	15.5					
May	77.3	41.5	0.54	74.1	43.9	99.8	109.2	8	14.3					
June	78.9	43.2	0.55	70.4	41.7	97.4	107.2	8	14.0					
July	87.8	51.0	0.58	68.3	40.2	118.5	105.9	23	13.8					
August	69.5	40.9	0.59	66.6	39.3	110.1	105.0	11	13.8					
September	50.0	27.7	0.55	63.7	37.6	103.1	103.7	10	13.6					
October	77.9	48.4	0.62	61.3	35.9	105.7	102.1	9	13.5					
November		43.7	0.62	60.0	35.4	113.2	101.5	26	14.1					
December		17.9	0.52	58.8	35.3	94.6	101.3	11	14.8					
2000111001	<i>5</i>	27.05	0.02		2005	<i>y</i> e	101.6		10					
January	52.0	31.3	0.60	57.3	34.7	102.4	100.3	22	14.7					
February	45.4	29.1	0.64	56.4	34.0	97.3	98.5	11	14.6					
March	41.0	24.8	0.60	55.8	33.6	90.0	97.2	12	15.3					
1,141,411		20	0.00	22.0	22.0	2010	<i>,</i> , , <u>_</u>		10.0					
April	41.5	24.4	0.59			85.9		12						
May	65.4	42.6	0.65			99.5		20						
June	59.8	39.6	0.66			93.7		13						
July	71.0	39.9	0.56			96.6		16						
August	65.6	36.4	0.55			90.7		16						
September	39.2	22.1	0.56			90.8		21						

NOTE: All smoothed values after September 2002 and monthly values after March 2003 are preliminary estimates. The lowest smoothed sunspot index number for Cycle 22, RI = 8.0, occurred in May 1996. The highest smoothed sunspot number for Cycle 23, RI= 120.8, occurred April 2000. *After June 1991, the 10.7 cm radio flux data source is Penticton, B.C. Canada. Prior to that, it was Ottawa.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 24 October 2005

Protons plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by GOES-11 (W112) for each of three energy thresholds: greater than 10, 50, and 100 MeV.


Electrons plot contains the five-minute averaged integral electron flux (electrons/cm² –sec –sr) with energies greater than 2 MeV at GOES-12 (W76).

Hp plot contains the five minute averaged magnetic field H - component in nanoteslas (nT) as measured by GOES-12. The H component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

Kp plot contains the estimated planetary 3-hour K-index (derived by the Air Force Weather Agency) in real time from magnetometers at Meanook, Canada; Sitka, AK; Glenlea, Canada; St. Johns, Canada; Ottawa, Canada; Newport, WA; Fredericksburg, VA; Boulder, CO; Fresno, CA and Hartland, UK. These data are made available through cooperation from the Geological Survey of Canada (GSC), British Geological Survey (BGS) and the US Geological Survey. These may differ from the final Kp values derived from a more extensive network of magnetometers.

The data included here are those now available in real time at the SWO and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are "global" parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots

Oct 25

O ct 26

X-ray plot contains five-minute averaged x-ray flux (watts/m²⁾ as measured by GOES 12 (W76) and GOES 10 (W135) in two wavelength bands, .05 -. 4 and .1 - .8 nm. The letters A, B, C, M and X refer to x-ray event levels for the .1 - .8 nm band.

O ct 28

Oct 29

Oct 30

Oct 31

Oct 27

Proton plot contains the five-minute averaged integral proton flux (protons/cm² –sec-sr) as measured by GOES-11 (W112) for each of the energy thresholds: >1, >10, >30 and >100 MeV. P10 event threshold is 10 pfu (protons/cm²-sec-sr) at greater than 10 MeV.

