Space Weather Highlights 09 October – 15 October 2006

SEC PRF 1624 17 October 2006

Solar activity was at very low levels. Only a few low level B-class flares were observed during the period.

No greater than 10 MeV proton events were observed.

The greater than 2 MeV electron flux at geosynchronous orbit was at high levels on 14 - 15 October.

The geomagnetic field ranged from quiet to major storm levels. The period began with the solar wind speed around 440 km/s while the IMF Bz did not vary much beyond +/- 3 nT. The geomagnetic field was mostly quiet. Wind speed continued to decrease to a low of approximately 310 km/s early on 12 October. Early on 11 October, density increased and phi changed from negative to positive indicating a solar sector boundary crossing. Late on 12 October, wind speed began to rise slowly while the IMF Bz began fluctuating between +/- 10 nT due to a coronal hole high speed stream moving into geoeffective position. The geomagnetic field responded with unsettled to active periods at middle latitudes with minor to major storm periods at high latitudes on 13 October. Wind speed increased to around 580 km/s by early on 14 October while the IMF Bz relaxed to around +/- 5 nT. The geomagnetic field responded with quiet to unsettled conditions at middle latitudes with minor to major storm periods at high latitudes on 14 October. By 15 October, solar wind speed hit a maximum around 610 km/s, while the IMF Bz did not vary much beyond +/- 3 nT. Isolated active periods were observed at high latitudes on the 15th with quiet to unsettled conditions at middle latitudes. By the end of the period, solar wind speed decreased to around 515 km/s.

Space Weather Outlook 18 October – 13 November 2006

Solar activity is expected to be at very low levels.

No greater than 10 MeV proton events are expected.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at high levels on 18 - 20 October, 22 - 26 October, 28 October - 03 November, and 10 - 13 November.

The geomagnetic field is expected to be mostly quiet to unsettled for the majority of the forecast period. Recurrent coronal hole high speed wind streams are expected to rotate into geoeffective positions on 20 - 21 October, 28 October, and 09 - 10 November. Unsettled to minor storm periods are possible on those dates.



Daily Solar Data

				2007 80	••••							
	Radio	Sun	Sunspot	X-ray	_			Flares				
	Flux	spot	Area	Background	X	-ray F	lux		O	otical		
Date	10.7 cm	No.	(10 ⁻⁶ hemi.)	С	M	X	S	1	2	3	4
09 October	75	11	30	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
10 October	75	11	10	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
11 October	74	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
12 October	74	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
13 October	73	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
14 October	72	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
15 October	71	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0

Daily Particle Data

		oton Fluence		Electron Fluence
	(prote	ons/cm ² -day-si	r)	(electrons/cm ² -day-sr)
Date	>1 MeV	>10 MeV	>100 MeV	>.6 MeV >2MeV >4 MeV
09 October	4.9E + 5	1.7E+4	3.7E+3	7.1E+6
10 October	9.2E + 5	1.7E+4	3.7E+3	1.0E+7
11 October	7.4E + 5	1.7E+4	3.9E+3	1.1E+7
12 October	8.0E + 5	1.8E+4	4.2E+3	1.3E+7
13 October	9.0E + 5	1.7E+4	4.1E+3	1.1E+6
14 October	6.7E+6	1.7E+4	3.8E+3	6.5E+7
15 October	1.4E+6	1.7E+4	3.9E+3	5.0E+8

Daily Geomagnetic Data

-	M	iddle Latitude		High Latitude	I	Estimated
	F	redericksburg		College]	Planetary
Date	A	K-indices	A	K-indices	A	K-indices
09 October	3	0-3-1-0-1-0-1-0	2	0-1-2-1-0-0-0-0	5	1-3-2-0-1-1-1-2
10 October	0	1-0-0-0-0-0-0	1	0-0-0-1-0-0-1-0	2	1-0-0-0-1-0-1
11 October	2	1-1-2-0-1-0-0-0	2	1-0-1-1-1-0-0-0	3	1-0-2-0-1-1-0-1
12 October	3	2-1-1-0-1-1-0-2	5	0-0-0-2-3-3-0-1	5	2-1-1-1-2-0-3
13 October	15	1-2-3-3-3-2-4-4	32	1-2-6-4-5-5-3-4	24	2-3-4-4-3-3-5-4
14 October	12	3-3-2-2-3-3-3	32	2-3-5-6-4-5-3-3	18	4-4-3-3-2-3-3-4
15 October	9	3-3-3-2-1-1-2-2	14	3-2-4-4-3-2-2-1	10	3-3-2-3-1-1-2




Alerts and Warnings Issued

Date & Time of Issue	Type of Alert or Warning	Date & Time of Event UTC
13 Oct 0612	WARNING: Geomagnetic $K = 4$	13 Oct 0645 – 1600
13 Oct 0707	ALERT: Geomagnetic $K = 4$	13 Oct 0705
13 Oct 0812	WARNING: Geomagnetic $K = 5$	13 Oct 0830 – 1200
13 Oct 1013	CANCEL WARNING: Geomagnetic K = 5	13 Oct 0830 – 1200
13 Oct 1551	EXTENDED WARNING: Geomagnetic $K = 4$	13 Oct 0645 – 2359
13 Oct 2354	EXTENDED WARNING: Geomagnetic $K = 4$	13 Oct 0645 – 14/1600
14 Oct 1420	ALERT: Electron 2MeV Integral Flux ≥1000pf	u 14 Oct 1405
14 Oct 1554	EXTENDED WARNING: Geomagnetic $K = 4$	13 Oct 0645 – 14/2359
14 Oct 2354	EXTENDED WARNING: Geomagnetic $K = 4$	13 Oct 0645 – 15/1600
15 Oct 0502	ALERT: Electron 2MeV Integral Flux ≥1000pf	u 15 Oct 0500



Twenty-seven Day Outlook



	Radio Flux	Planetary	Largest		Radio Flux	x Planetary	Largest
Date	10.7 cm	A Index	Kp Index	Date	10.7 cm	A Index	Kp Index
18 Oct	70	5	2	01 Nov	75	5	2
19	70	8	3	02	75	5	2
20	70	20	5	03	75	5	2
21	70	15	4	04	75	5	2
22	70	8	3	05	75	5	2
23	70	5	2	06	75	5	2
24	75	5	2	07	70	5	2
25	75	5	2	08	70	5	2
26	75	5	2	09	70	20	5
27	75	12	4	10	70	15	4
28	75	25	5	11	70	10	3
29	75	8	3	12	70	8	3
30	75	5	2	13	70	8	3
31	75	5	2				



Energetic Events

					2	10 227 01115			
	T	ime		X-ray	Opt	ical Information	ı	Peak	Sweep Freq
Date			1/2	Integ	Imp/	Location	Rgn	Radio Flux	Intensity
	Begin	Max	Max	Class Flux	Brtns	Lat CMD	#	245 2695	II IV
No Eve	ents Obse	erved							

Flare List Optical Time X-ray Imp/ Location Rgn Date Begin Max End Class. **Brtns** Lat CMD No Flares Observed 09 October 10 October No Flares Observed No Flares Observed 11 October 12 October No Flares Observed 13 October 2038 2041 2043 B1.0 14 October 0214 0218 0220 B1.3 0757 0805 0818 B1.2 15 October No Flares Observed

			Reg	gion Su	ımmar	y									
Locatio	n		_	Character Flares	ristics										
	Helio	Area	Extent	Spot	Spot	Mag		X-ra	_	_	()ptic			
Date (° Lat ° CMD)	Lon	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4	
Regio	n 912														
28 Sep N06E65	193	0040	05	Bxo	003	В									
29 Sep N03E52	193	0020	01	Axx	001	A									
30 Sep N03E39	193														
01 Oct N03E26	193														
02 Oct N03E13	193														
03 Oct N03E00	193														
04 Oct N03W13	193														
05 Oct N03W26	193														
06 Oct N03W39	193														
07 Oct N03W52	193														
08 Oct N03W65	193														
09 Oct N03W78	193														
10 Oct N03W91	193														
							0	0	0	0	0	0	0	0	

Crossed West Limb.

Absolute heliographic longitude: 193



Region Summary – continued

			K	egion S			ıtınued								
	Location	on		Sunspot	Characte	ristics									
		Helio	Area	Extent	Flares Spot	Spot	Mag		X-ra	V		(Optic	al	_
Date	(°Lat°CMD)		(10 ⁻⁶ hemi)		Class	Count	Class	\overline{C}		X	S	1	2	3	4
		_													
		egion 91													
	p S18E68	190	0060	03	Hsx	002	A								
	p S18E55	190	0070	03	Hsx	002	A								
	p S18E42	190	0060	03	Cso	003	Bg								
01 Oc	ct S19E27	191	0040	02	Cso	002	Bg								
02 Oc	ct S19E14	191	0050	03	Hsx	003	Α								
03 Oc	ct S19E01	191	0050	02	Hax	002	A								
04 Oc	ct S19W12	191	0040	02	Hsx	002	A								
05 Oc	ct S20W23	189	0050	06	Cso	006	В				1				
06 Oc	ct S21W37	189	0030	02	Hsx	002	A								
07 Oc	ct S19W51	189	0030	04	Cso	003	В								
08 Oc	ct S20W64	189	0020	01	Hsx	001	A								
09 Oc	et S26W76	188	0030	01	Axx	001	A								
10 Oc	ct S26W89	188													
								0	0	0	1	0	0	0	0
Cross	sed West Lin	ıb.													
Absol	lute heliogra	phic lon	gitude: 191												
	P.	egion 91	14												
28 Sa	ep S07E75	183	0020	02	Axx	001	A								
	ep S07E73	183	0020	03	Hrx	001	A								
	p S07E02 p S07E49	183	0030	01	Hsx	001	A								
	ct S10E36	182	0030	01	Hsx	001	A								
	et S10E30	183	0020	01	Hsx	001	A								
	ct S10E22	183	0010	01	Axx	001	A								
	ct S09E09	183	0010	01	Hrx	001	A								
	ct S10W18	184	0010	01	Hrx	001	A								
	et S12W31 et S11W46	183	0010	00	Axx	001	A								
		184	0020 0010	01	Hrx	001	A								
	et S12W58	183	0010	01	Axx	001	A								
	et S12W71	183													
	et S12W84	183													
11 00	ct S12W97	183						0	0	Λ	0	Λ	Λ	Ω	0
Cross	sed West Lin	nh						0	U	U	U	U	U	U	U
C1022	ocu vv col LIII	IU.													

Crossed West Limb.

Absolute heliographic longitude: 183



Region Summary – continued

	Locatio	n		•	Character	ristics									
					Flares										
		Helio	Area	Extent	Spot	Spot	Mag		X-ra		. —	()ptic		
Date (°L	at ° CMD)	Lon	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
	Re	gion 91	6												
10 Oct S1	13W08	107	0010	01	Axx	001	A								
11 Oct S1	13W21	107													
12 Oct S1	13W34	107													
13 Oct S1	13W47	107													
14 Oct S1	13W60	107													
15 Oct S1	13W73	107													
								0	0	0	0	0	0	0	0
Still on D	isk.														
Absolute 1	heliogra	ohic long	gitude: 107												




Recent Solar Indices (preliminary) of the observed monthly mean values

					nonthly i	mean values	T71		.•
			ot Numbe		_		Flux	Geomagne	
	Observed			Smooth		*Penticton	Smooth		
Month	SEC	RI	RI/SEC	SEC	RI	10.7 cm	Value	<u>Ap</u>	Value
				,	2004				
October	77.9	48.4	0.62	61.3	35.9	105.7	102.1	9	13.5
November	70.5	43.7	0.62	60.0	35.4	113.2	101.5	26	14.1
December	34.7	17.9	0.52	58.8	35.3	94.6	101.3	11	14.8
				,	2005				
January	52.0	31.3	0.60	57.3	34.7	102.4	100.3	22	14.7
February	45.4	29.1	0.64	56.4	34.0	97.3	98.5	11	14.6
March	41.0	24.8	0.60	55.8	33.6	90.0	97.2	12	15.3
April	41.5	24.4	0.59	52.6	31.7	85.9	95.5	12	15.7
May	65.4	42.6	0.65	48.3	29.0	99.5	93.2	20	14.8
June	59.8	39.6	0.66	47.9	28.9	93.7	91.9	13	13.9
July	71.0	39.9	0.56	48.1	29.2	96.6	90.9	16	13.1
August	65.6	36.4	0.55	45.4	27.5	90.7	89.3	16	12.2
September	39.2	22.1	0.56	42.9	25.9	90.8	87.8	21	11.8
October	13.0	8.5	0.65	42.6	25.5	76.7	87.4	7	11.6
November		18.0	0.56	42.1	24.9	86.3	86.7	8	11.1
December		41.2	0.66	40.1	23.0	90.8	85.4	7	10.4
					2006				
January	28.0	15.4	0.55	37.2	20.8	83.8	84.0	6	9.9
February	5.3	4.7	0.89	33.4	18.7	76.6	82.6	6	9.2
March	21.3	10.8	0.51	31.0	17.4	75.5	81.6	8	8.4
April	55.2	30.2	0.55			89.0		11	
May	39.6	22.2	0.56			81.0		8	
June	37.7	13.9	0.37			80.1		8	
July	22.6	12.2	0.54			75.8		7	
August	22.8	12.9	0.57			79.0		9	
September	25.2	14.5	0.58			77.8		8	

NOTE: All smoothed values after September 2002 and monthly values after March 2003 are preliminary estimates. The lowest smoothed sunspot index number for Cycle 22, RI = 8.0, occurred in May 1996. The highest smoothed sunspot number for Cycle 23, RI= 120.8, occurred April 2000. *After June 1991, the 10.7 cm radio flux data source is Penticton, B.C. Canada. Prior to that, it was Ottawa.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 09 October 2006

Protons plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by GOES-11 (W135) for each of three energy thresholds: greater than 10, 50, and 100 MeV.


Electrons plot contains the five-minute averaged integral electron flux (electrons/cm² –sec –sr) with energies greater than 2 MeV at GOES-12 (W075).

Hp plot contains the five minute averaged magnetic field H - component in nanoteslas (nT) as measured by GOES-12. The H component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

Kp plot contains the estimated planetary 3-hour K-index (derived by the Air Force Weather Agency) in real time from magnetometers at Meanook, Canada; Sitka, AK; Glenlea, Canada; St. Johns, Canada; Ottawa, Canada; Newport, WA; Fredericksburg, VA; Boulder, CO; Fresno, CA and Hartland, UK. These data are made available through cooperation from the Geological Survey of Canada (GSC), British Geological Survey (BGS) and the US Geological Survey. These may differ from the final Kp values derived from a more extensive network of magnetometers.

The data included here are those now available in real time at the SEC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are "global" parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots

Oct 11

O c t 10

0.01 L Oct 9

X-ray plot contains five-minute averaged x-ray flux (watts/ m^2) as measured by GOES 12 (W075) and GOES 11 (W135) in two wavelength bands, .05 - .4 and .1 - .8 nm. The letters A, B, C, M and X refer to x-ray event levels for the .1 - .8 nm band.

Oct 13

Oct 14

Oct 15

O ct 12

Proton plot contains the five-minute averaged integral proton flux (protons/cm² –sec-sr) as measured by GOES-11 (W135) for each of the energy thresholds: >1, >10, >30 and >100 MeV. P10 event threshold is 10 pfu (protons/cm²-sec-sr) at greater than 10 MeV.



Oct 16