Space Weather Highlights 29 June – 05 July 2009

Solar activity was very low to low. No flares were observed during 29 June - 02 July. Region 1024 (S27, L=247, class/area Dsi/170 on 05 July) emerged rapidly on 03 July. It produced frequent B-class flares during 04 July. Activity rose to low levels on 05 July due to a C2/Sf flare at 05/0713 UTC from Region 1024 as it continued to grow in spot count and magnetic complexity.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal to moderate levels during the period.

Geomagnetic field activity was at unsettled to active levels early on 29 June, then decreased to mostly quiet levels for the remainder of the period. ACE solar wind measurements indicated the 29 June active conditions were associated with the onset of a coronal hole high-speed stream. Solar wind velocities increased from 303 to 569 km/sec during 29 June, then gradually decreased during the remainder of the period (minimum 310 km/sec at 04/2301 UTC).

Space Weather Outlook 01 July – 27 July 2009

Solar activity is expected to be very low (Region 1024 began to gradually decay and simplify on 06 July).

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal to moderate levels.

Geomagnetic field activity is expected to be at quiet levels on 08 July. Activity is expected to increase to unsettled levels during 09 - 10 July due to a coronal hole high-speed stream. Activity is expected to decrease to mostly quiet levels during the rest of the period with a chance for unsettled levels on 21 and 25 July.



	Radio	Sun	Sunspot	X-ray				Flares				
	Flux	spot	Area	Background	X	-ray F	lux		0	ptical		
Date	10.7 cm	No.	(10 ⁻⁶ hemi.))	С	Μ	Х	S	1	2	3	4
29 June	69	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
30 June	68	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
01 July	68	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
02 July	67	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
03 July	67	17	60	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
04 July	71	24	100	A1.5	0	0	0	3	0	0	0	0
05 July	72	26	170	A2.2	1	0	0	1	0	0	0	0

Daily Solar Data

Daily Particle Data

			DutyIun		
		oton Fluence		Electron Fluence	
	(prote	ons/cm ² -day-si	r)	(electrons/cm ² -day-sr)	
Date	>1 MeV	>10 MeV	>100 MeV	>.6 MeV >2MeV >4 MeV	
29 June	6.9e+05	2.0e+04	4.1e+03	3.3e+06	
30 June	5.5e+05	1.9e+04	4.0e+03	8.7e+06	
01 July	5.0e+05	1.9e+04	4.2e+03	1.6e+07	
02 July	5.7e+05	2.0e+04	4.5e+03	1.7e+07	
03 July	8.0e+05	2.0e+04	4.5e+03	1.6e+07	
04 July	1.1e+06	2.0e+04	4.4e+03	1.4e+07	
05 July	1.3e+06	2.0e+04	4.6e+03	1.2e+07	


Daily Geomagnetic Data

		$\boldsymbol{\nu}$	uny C	teomagnetic Data		
	N	liddle Latitude]	High Latitude		Estimated
	F	redericksburg		College]	Planetary
Date	А	K-indices	Α	K-indices	Α	K-indices
29 June	7	4-2-1-2-2-1-1-0	13	4-3-2-3-4-2-1-1	10	4-3-1-2-2-1-1
30 June	5	1-3-1-0-1-2-1-1	4	2-2-1-2-0-2-1-0	5	1-2-1-1-0-2-2-1
01 July	3	1-2-1-1-1-0-1	3	1-2-1-0-0-1-1-1	4	2-2-1-0-0-1-1-1
02 July	2	0-1-0-1-1-1-1-0	1	0-1-0-1-0-0-0-1	3	1-1-1-0-0-0-1-2
03 July	3	0-0-0-1-2-2-1	2	1-0-0-2-1-0-1-0	5	1-1-0-1-1-2-2-2
04 July	2	2-0-0-0-1-1-1-1	2	1-0-1-1-1-1-0-0	3	2-0-0-0-1-1-1-1
05 July	4	2-2-0-0-1-1-1-2	4	2-2-0-0-0-2-2	6	2-2-0-0-1-2-2-2

Alerts and Warnings Issued

Date & Time of Issue	Type of Alert or Warning	Date & Time of Event UTC
29 Jun 0230	ALERT: Geomagnetic K = 4	29 Jun 0228
29 Jun 0234	ALERT: Geomagnetic K = 5	29 Jun 0233





_	Radio Flux	•	0	_	Radio Flux		0
Date	10.7 cm	A Index	Kp Index	Date	10.7 cm	A Index	Kp Index
08 Jul	70	5	2	22 Jul	68	5	2
09	70	8	3	23	68	5	2
10	70	7	3	24	68	5	2
11	70	5	2	25	70	8	3
12	68	5	2	26	70	5	2
13	68	5	2	27	70	5	2
14	68	5	2	28	70	5	2
15	68	5	2	29	70	5	2
16	68	5	2	30	70	5	2
17	68	5	2	31	70	5	2
18	68	5	2	01 Aug	70	5	2
19	68	5	2	02	70	5	2
20	68	5	2	03	70	5	2
21	68	10	3				



						0	ic Events		.	
Date	Ti	me	1/2	X	-ray Integ	Opti Imp/	cal Information	n Rgn	Peak Radio Flux	Sweep Freq
Date	Desta	м.		Class	-	-		-		Intensity
No Event	Begin		Max	Class	Flux	Brtns	Lat CMD	#	245 2695	II IV
NO Eveni	s Observ	<i>ea</i>								
						Flare	e List			
			Time			7	K-ray	Imp /	Optical Location	Rgn
Date	i	Begin	Max		End		Class.	Brtns	Lat CMD	Kgii
29 June			ares O							
30 June		No Fl	ares O	bserv	ed					
01 July		No Fl	ares O	bserv	ed					
02 July			ares O							
03 July		2305	23		2310]	B1.3			
-		2349	23		2358]	B3.2			
04 July		0102	01	19	0126]	B3.6			
2		0208	02	12	0213]	B4.7	SF	S27E15	1024
		0246	03	04	0307]	B3.7			
		0437	04	38	0442]	B8.3	SF	S26E11	1024
		0600	06	06	0613]	B2.1			
		0748	07	52	0756]	B2.8			
		0941	09	44	0946]	B1.2			
		1159	12	07	1214]	B3.1			
		1231	12	34	1238]	B2.0			
		1340	13	55	1357]	B5.3			
		1509	15	11	1516]	B4.8	SF	S27E06	1024
		1611	16	14	1616]	B1.5			
		2201	22	09	2215]	B5.9			
05 July		0053	00	56	0100]	B1.1			
		0106	01	15	0129]	B5.9			
		0208	02	13	0217]	B2.2			
		0441	04	47	0450]	B2.3			
		0451	05	01	0508]	B2.2			
		0608	06		0621		B5.1			
		0711	07	13	0721	(C2.7	SF	S27W02	1024
		0934	09		0950		B3.0			
		1053	10		1100		B1.2			
		1105	11		1113		B5.0			
		1245	12		1255]	B3.5			
		1542	15	47	1604]	B1.4			
		1638	16		1654		B1.8			
		1734	17	37	1746]	B1.0			



	Location Helio				Characte			_	Flares						
		Helio	Area (10 ⁻⁶ hemi)	Extent	Spot	Spot	Mag	-	X-ra				Opt		
Date (°	Lat ° CMD) Region		(10 * hemi)	(helio)	Class	Count	Class	0	C M	X	S	1	2	3	4
21 Jun	Region	S27E	15 45		20	3 BX	۲O	2	В						
21 Jun 22 Jun		S27E			10	1 AX		1	A						
22 Jun 23 Jun		S26E			10	1 111		1	Π						
23 Jun 24 Jun		S26W													
25 Jun		S26W													
26 Jun		S26W													
27 Jun		S26W													
270011		52011	01 10							0	0	0	0	0	0 00
Died on	Disk.									Ŭ	Ŭ	Ŭ	Ŭ	Ŭ	0 00
	te heliograp	ohic long	zitude: 46												
	Reg	ion 102.	3												
22 Jun	S22E29	18	40	5	CSO	3	В								
23 Jun	S25E15	19	30	7	CSO	2	В								
24 Jun	S23E01	20	40	7	CSO	4	В								
25 Jun	S23W14	22													
26 Jun	S23W27	22													
27 Jun	S23W40	22													
28 Jun	S23W53	22													
29 Jun	S23W66	22													
30 Jun	S23W79	22													
								() ()	0	0	0	0	0	0
Crossed	West Lim	b.													
Absolut	te heliograp	phic long	gitude: 20												
		ion 1024													
03 Jul	S25E16	246	60	5	DSO	7	В								
04 Jul	S27E02	247	100	6	DSI	14	В				3				
05 Jul	S27W13	247	170	10	DSI	16	В	1			1				_
~								1	0	0	4	0	0	0	0
Still on				-											
Absolut	te heliograp	phic long	gitude: 24	/											

Region Summary



			Of the	observed	monthly	mean values			
		Sunsp	ot Numbe	rs		Radio	Flux	Geoma	gnetic
	Observed	values	<u>Ratio</u>	Smooth	values	*Penticton	Smooth	Planetary	Smooth
Month	SEC	RI	RI/SEC	SEC	RI	10.7 cm	Value	Ap	Value
				2	007				
June	20.0	12.0	0.60	12.8	7.7	73.7	73.2	7	7.8
July	15.6	10.0	0.64	11.6	7.0	71.6	72.5	8	7.4
August	9.9	6.2	0.63	10.2	6.1	69.2	71.8	7	7.6
September	r 4.8	2.4	0.50	9.9	5.9	67.1	71.5	9	7.8
October	1.3	0.9	0.70	10.0	6.1	65.5	71.5	9	7.9
November		1.7	0.68	9.4	5.7	69.7	71.1	5	7.8
December		10.1	0.60	8.1	5.0	78.6	70.5	4	7.8
	10.2	1011	0.02	0.1	2.0	1010	1010	·	,
				2	008				
January	5.1	3.4	0.67	6.9	4.2	72.1	70.0	6	7.7
February	3.8	2.1	0.55	5.9	3.6	71.2	69.6	9	7.6
March	15.9	9.3	0.58	5.3	3.3	72.9	69.5	10	7.4
April	4.9	2.9	0.59	5.3	3.3	70.3	69.6	9	7.1
May	5.7	2.9	0.51	5.7	3.5	68.4	69.7	6	6.9
June	4.2	3.1	0.74	5.2	3.2	65.9	69.2	7	6.8
July	1.0	0.5	0.50	4.5	2.7	65.8	68.8	6	6.6
August	0.0	0.5	**	4.4	2.6	66.4	68.6	5	6.2
September		1.1	0.73	3.7	2.2	67.1	68.4	5	5.8
October	5.2	2.9	0.56	2.9	1.8	68.3	68.2	6	5.4
November		4.1	0.60	2.7	1.7	68.6	68.3	3	5.1
December		0.8	0.62			69.2	00.0	2	011
-	• •		0	2	009	46.5		-	
January	2.8	1.5	0.54			69.8		3	
February	2.5	1.4	0.56			70.0		4	
March	0.7	0.7	1.00			69.2		4	
April	1.2	1.2	1.00			69.7		4	
May	3.9	2.9	0.74			70.6		4	


Recent Solar Indices (preliminary) Of the observed monthly mean values

NOTE: All smoothed and monthly values are preliminary estimates.

Cycle 23 started in May 1996 with an RI=8.0. Cycle 23 maximum was April 2000 with an RI=120.8.

**SWPC sunspot number was less than RI value, so a ratio could not be computed.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 29 June 2009

GOES-11 designated Primary Electron Satellite and GOES-10 Secondary: December 1, 2008 the GOES-12 Electron sensor began experiencing periods of noise and sensor is unreliable.

Protons plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by GOES-11 (W135) for each of three energy thresholds: greater than 10, 50, and 100 MeV.


Electrons plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV at GOES-11.

Hp plot contains the five minute averaged magnetic field H - component in nanoteslas (nT) as measured by GOES-11. The H component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

Kp plot contains the estimated planetary 3-hour K-index (derived by the Air Force Weather Agency) in real time from magnetometers at Meanook, Canada; Sitka, AK; Glenlea, Canada; St. Johns, Canada; Ottawa, Canada; Newport, WA; Fredericksburg, VA; Boulder, CO; Fresno, CA and Hartland, UK. These data are made available through cooperation from the Geological Survey of Canada (GSC), British Geological Survey (BGS) and the US Geological Survey. These may differ from the final Kp values derived from a more extensive network of magnetometers.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are "global" parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.






Weekly GOES Satellite X-ray and Proton Plots

X-ray plot contains five-minute averaged x-ray flux (watts/ m^{2}) as measured by GOES 10 (W060) and GOES 11 (W135) in two wavelength bands, .05 - .4 and .1 - .8 nm. The letters A, B, C, M and X refer to x-ray event levels for the .1 - .8 nm band.

Proton plot contains the five-minute averaged integral proton flux (protons/cm² –sec-sr) as measured by GOES-11 for each of the energy thresholds: >1, >10, >30 and >100 MeV. P10 event threshold is 10 pfu (protons/cm²-sec-sr) at greater than 10 MeV.






Updated 2009 Jul 4

Smoothed Sunspot Number Prediction

			3	mootne	a Suns	spot nu	mber I	realci	1011			
	Jan Hi/Lo	Feb Hi/Lo	Mar Hi/Lo	Apr Hi/Lo	May Hi/Lo	- Jun Hi/Lo	Jul Hi/Lo	Aug Hi/Lo	Sep Hi/Lo	Oct Hi/Lo	Nov Hi/Lo	Dec Hi/Lo
2008	4	4	3	3	4	3	3	3	2	2	2	2
	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)	(***)
2009	2	2	3	4	4	5	7	8	9	11	13	15
	(1)	(2)	(3)	(5)	(5)	(6)	(7)	(7)	(8)	(9)	(9)	(10)
2010	17	19	21	24	26	29	32	34	37	40	43	45
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2011	48	51	53	56	59	61	63	66	68	70	72	74
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2012	76	78	79	81	82	84	85	86	87	88	88	89
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2013	89	90	90	90	90	90	90	89	89	89	88	87
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2014	86	86	85	84	83	81	80	79	78	76	75	73
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2015	72	70	69	67	65	64	62	60	59	57	55	54
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)






Updated 2009 Jul 4

Smoothed Sunspot Number Prediction

2008	Jan Hi/Lo	Feb Hi/Lo	Mar Hi/Lo 3	Apr Hi/Lo 3	May Hi/Lo	Jun Hi/Lo 3	Jul Hi/Lo 3	Aug Hi/Lo	Sep Hi/Lo 2	Oct Hi/Lo 2	Nov Hi/Lo	Dec Hi/Lo 2
2008	4 (***)	4 (***)	3 (***)	3 (***)	4 (***)	3 (***)	3 (***)	3 (***)	∠ (***)	ے (***)	2 (***)	2 (1)
2009	2	3	3	4	5	5	7	8	10	11	13	15
	(2)	(3)	(5)	(5)	(6)	(7)	(7)	(8)	(9)	(9)	(10)	(10)
2010	17	19	21	24	26	29	32	34	37	40	43	45
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2011	48	51	53	56	59	61	63	66	68	70	72	74
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2012	76	78	79	81	82	84	85	86	87	88	88	89
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2013	89	90	90	90	90	90	90	89	89	89	88	87
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2014	86	86	85	84	83	81	80	79	78	76	75	73
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2015	72	70	69	67	65	64	62	60	59	57	55	54
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)







M5 or Greater X-Ray Flares

