Space Weather Highlights 07 – 13 September 2009

Solar activity was very low. A single low-level B flare occurred on 08 September. The visible disk was spotless.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal levels during the period.

Geomagnetic field activity was at quiet levels during the period. Solar wind velocities at ACE ranged from 279 to 372 km/s. Interplanetary magnetic field activity showed intermittent periods of southward Bz from approximately 11/0557 UTC through the end of the period. Density reached a maximum of 10 p/cc at 13/1605 UTC.

Space Weather Outlook 16 September – 12 October 2009

Solar activity is expected to be very low.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal levels during the period.

Geomagnetic field activity is expected to be at quiet to unsettled levels, with isolated active periods during 16 - 17 September due to a recurrent coronal hole high-speed stream (CH HSS). Predominantly quiet levels are expected during 18 - 25 September. Quiet to unsettled conditions, with isolated active levels are expected on 26 September due to a recurrent CH HSS. Activity will decrease to predominantly quiet levels during 27 September – 11 October. Quiet levels, with isolated unsettled periods, are expected on 12 October, due to a recurrent CH HSS.



	Radio	Sun	Sunspot	X-ray				Flares				
	Flux spot				X	-ray F	Tares	Optical				
Date 1	0.7 cm	No.	(10 ⁻⁶ hemi.)		C	M	X	S	1	2	3	4
07 September	69	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
08 September	69	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
09 September	69	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
10 September	69	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
11 September	69	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
12 September	69	0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
13 September		0	0	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
				Daily Par	ticle L	Data						
			n Fluence		Electron Fluence							
			/cm ² -day-sr)		(electrons/cm ² -day-sr)							
Date	>1 MeV		>10 MeV	>100 MeV	>.6 MeV $>2 MeV$ $>4 MeV$							
07 September	8.06	+05	1.9e+04	4.2e+03				3.6	e+0.	5		
08 September	9.76	e+05	2.0e+04	4.6e+03				4.3	e+0.	5		
09 September	8.96	e+05	2.0e+04	4.5e+03				2.7	e+0.	5		
10 September	7.96	e+05	1.9e+04						e+0.	5		
11 September	6.56	e+05	2.0e+04	4.3e+03	1.3e+05							
12 September	6.46	e+05	2.0e+04	4.4e+03				1.5	e+0.	5		
13 September		e+05	2.1e+04		9.1e+04							


Daily Solar Data

Daily Geomagnetic Data

			0		
Middle Latitude			High Latitude	I	Estimated
Fredericksburg			College]	Planetary
Α	K-indices	А	K-indices	Α	K-indices
3	0-0-0-1-2-2-0-0	2	0-0-0-2-1-0-0-0	3	0-0-0-1-2-1-1-1
2	0-0-0-0-1-1-1-0	2	1-0-0-0-1-1-0	2	1-0-0-0-0-0-1
2	1-0-0-1-1-0-1-0	0	0-0-0-0-0-0-0-0	1	1-0-0-0-0-0-1
2	0-0-0-1-2-0-1-0	0	0-0-0-0-0-0-0-0	2	0-0-0-1-1-1-1
2	0-1-0-0-2-1-1-1	3	0-0-0-1-2-2-0-1	4	0-1-1-1-1-1-2
1	0-1-0-0-1-0-0-1	1	0-0-0-1-2-0-0-0	4	0-1-1-1-1-2-2
4	1-1-1-1-1-2-2	4	0-0-2-2-1-2-1-1	6	1-1-2-1-1-3-2-2
	A 3 2 2 2 2 1	Fredericksburg A K-indices 3 0-0-0-1-2-2-0-0 2 0-0-0-0-1-1-1-0 2 1-0-0-1-1-0-1-0 2 0-0-0-1-2-0-1-0 2 0-1-0-0-2-1-1-1 1 0-1-0-0-1-0-0-1	Middle Latitude Image: Constraint of the second state of the secon	Middle Latitude High Latitude Fredericksburg College A K-indices A 3 0-0-0-1-2-2-0-0 2 0-0-0-2-1-0-0-0 2 0-0-0-1-1-1-0 2 1-0-0-0-0-1-1-0 2 1-0-0-1-1-0-1-0 0 0-0-0-0-0-0-0-0 2 0-0-0-1-2-0-1-0 0 0-0-0-0-0-0-0-0 2 0-1-0-0-2-1-1-1 3 0-0-0-1-2-2-0-1 1 0-1-0-0-1-0-0-1 1 0-0-0-1-2-0-0-0	Fredericksburg College A K-indices A 3 0-0-0-1-2-2-0-0 2 0-0-0-2-1-0-0-0 3 2 0-0-0-1-1-1-0 2 1-0-0-0-0-1-1-0 2 2 1-0-0-1-1-0-1-0 0 0-0-0-0-0-0-0 1 2 0-0-0-1-2-0-1-0 0 0-0-0-0-0-0-0 2 2 0-1-0-0-2-1-1-1 3 0-0-0-1-2-0-1 4 1 0-1-0-0-1-0-0-1 1 0-0-0-1-2-0-0-0 4

	Alerts and Warnings Issued	d
Date & Time of Issue	Type of Alert or Warning	Date & Time of Event UTC
No Alerts Issued		





	Radio Flux	Planetary	Largest		Radio Flux	Planetary	Largest
Date	10.7 cm	A Index	Kp Index	Date	10.7 cm	A Index	Kp Index
16 Sep	69	7	3	30 Sep	70	5	2
17	69	7	3	01 Oct	70	5	2
18	69	5	2	02	69	5	2
19	70	5	2	03	69	5	2
20	70	5	2	04	69	5	2
21	72	5	2	05	69	5	2
22	72	5	2	06	69	5	2
23	72	5	2	07	69	5	2
24	72	5	2	08	69	5	2
25	72	5	2	09	69	5	2
26	72	12	4	10	69	6	2
27	72	5	2	11	69	5	2
28	72	5	2	12	69	7	3
29	70	5	2				



Energetic Events											
	Т	ime		X	-ray	Opti	cal Information	ı	Peak	Sweep Freq	
Date			1⁄2		Integ	Imp/	Location	Rgn	Radio Flux	Intensity	
	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245 2695	II IV	
No Event.	s Obser	ved									

				Flare List							
					Optical						
		Time		X-ray	Imp /	Location	Rgn				
Date	Begin	Max	End	Class.	Brtns	Lat CMD					
07 September	No Fla	res Obse	rved								
08 September	1701	1705	1710	B2.2							
09 September	No Fla	res Obse	rved								
10 September	No Fla	res Obse	rved								
11 September	No Fla	res Obse	rved								
12 September	No Fla	res Obse	rved								
13 September	No Fla	res Obse	rved								

Region Summary

	Location			Sunspot	Characte	Flares			
		Helio	Area	Extent	Spot	Spot	Mag	X-ray Optical	
Date	(° Lat ° CMD)	Lon	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class	C M X S 1 2	3 4

No Active Regions




					monthly	mean values			
		Sunsp	ot Numbe	ers		Radio	Flux	Geoma	gnetic
	Observed	values	<u>Ratio</u>	Smooth	values	*Penticton	Smooth	Planetary	Smooth
Month	SEC	RI	RI/SEC	SEC	RI	10.7 cm	Value	Ap	Value
				2	007				
September	4.8	2.4	0.50	9.9	5.9	67.1	71.5	9	7.8
October	1.3	0.9	0.70	10.0	6.0	65.5	71.5	9	7.9
November		1.7	0.68	9.4	5.7	69.7	71.1	5	7.8
December	16.2	10.1	0.62	8.1	4.9	78.6	70.5	4	7.8
				-					
T	~ 1	2.2	0.67		008	70.1	70.0		
January	5.1	3.3	0.67	6.9	4.2	72.1	70.0	6	7.7
February	3.8	2.1	0.55	5.9	3.6	71.2	69.6	9	7.6
March	15.9	9.3	0.58	5.3	3.3	72.9	69.5	10	7.4
April	4.9	2.9	0.59	5.3	3.4	70.3	69.6	9	7.1
May	5.7	3.2	0.51	5.7	3.5	68.4	69.7	6	6.9
June	4.2	3.4	0.74	5.2	3.3	65.9	69.2	7	6.8
							• • • • •		
July	1.0	0.8	0.50	4.5	2.8	65.8	68.8	6	6.6
August	0.0	0.5	-1.00	4.4	2.7	66.4	68.6	5	6.2
September	1.5	1.1	0.73	3.7	2.3	67.1	68.4	5	5.8
October	5.2	2.9	0.56	2.9	1.9	68.3	68.2	6	5.4
November		4.1	0.60	2.7	1.9	68.6	68.3	3	5.1
December		0.8	0.60	2.7	1.7	69.2	68.5	$\frac{3}{2}$	4.9
December	1.5	0.0	0.02	2.7	1.7	07.2	00.5		1.2
				2	009				
January	2.8	1.3	0.54	3.0	1.8	69.8	68.7	3	4.8
February	2.5	1.4	0.56	3.1	1.9	70.0	68.9	4	4.7
March	0.7	0.7	1.00			69.2		4	
April	1.2	1.2	1.00			69.7		4	
May	3.9	2.9	0.74			70.6		4	
June	6.6	2.6	0.39			68.6		5	
July	5.0	3.5	0.70			68.3		5	
August	0.3	0.0	0.00			67.3		5	
August	0.5	0.0	0.00			07.5		5	

Recent Solar Indices (preliminary) Of the observed monthly mean values

NOTE: All values are preliminary estimates except for RI Sunspot Numbers which are final values when available.

Cycle 23 started in May 1996 with an RI=8.0. Cycle 23 maximum was April 2000 with an RI=120.8. **SWPC sunspot number was less than RI value, so a ratio could not be computed.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 07 September 2009

GOES-11 designated Primary Electron Satellite and GOES-10 Secondary: December 1, 2008 the GOES-12 Electron sensor began experiencing periods of noise and sensor is unreliable.

Protons plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by GOES-11 (W135) for each of three energy thresholds: greater than 10, 50, and 100 MeV.


Electrons plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV at GOES-11.

Hp plot contains the five minute averaged magnetic field H - component in nanoteslas (nT) as measured by GOES-11. The H component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

Kp plot contains the estimated planetary 3-hour K-index (derived by the Air Force Weather Agency) in real time from magnetometers at Meanook, Canada; Sitka, AK; Glenlea, Canada; St. Johns, Canada; Ottawa, Canada; Newport, WA; Fredericksburg, VA; Boulder, CO; Fresno, CA and Hartland, UK. These data are made available through cooperation from the Geological Survey of Canada (GSC), British Geological Survey (BGS) and the US Geological Survey. These may differ from the final Kp values derived from a more extensive network of magnetometers.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are "global" parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots

X-ray plot contains five-minute averaged x-ray flux (watts/ m^{2}) as measured by GOES 10 (W060) and GOES 11 (W135) in two wavelength bands, .05 - .4 and .1 - .8 nm. The letters A, B, C, M and X refer to x-ray event levels for the .1 - .8 nm band.

Proton plot contains the five-minute averaged integral proton flux (protons/cm² –sec-sr) as measured by GOES-11 for each of the energy thresholds: >1, >10, >30 and >100 MeV. P10 event threshold is 10 pfu (protons/cm²-sec-sr) at greater than 10 MeV.

