Space Weather Highlights 14 December – 20 December 2009

SWO PRF 1790 22 December 2009

Solar activity was very low during 14-15 December. Activity was low on 16-19 December as Region 1035 (N31, L=250, class/area Bxo/20 on 14 December) produced several C-flares, with numerous B-flares, and associated radio emissions. One event was a C5/sf at 16/0124 UTC with an associated slow moving partial-halo coronal mass ejection. Another C1 at 16/2212 UTC had a very weak Type IV radio sweep associated with it. Two new regions were numbered on 19 December as Region 1036 (S29, L=210, class/area Bxo/10 on 19 December) and Region 1037 (N18, L=137, class/area Bxo/10 on 19 December). On 20 December activity returned to very low and a new region was numbered as Region 1038 (N16, L=204, class/area Axx/10 on 20 December).

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal background levels during the period.

The geomagnetic field was predominantly quiet throughout the summary period. The exception was quiet to unsettled levels observed on 14 December between 14/0300 - 1500 UTC. Observations from the ACE spacecraft showed signatures of a solar boundary crossing with an increase in the interplanetary total field and a period of sustained southward Bz.

Space Weather Outlook

23 December 2009 – 18 January 2010

Solar activity is expected to be predominantly very low during the first half of the period. Activity is expected to be very to low during the second half of the period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal levels through the period.

The geomagnetic field is expected to be mostly quiet for the forecast period.



	Radio	Sun	Sunspot	X-ray	Flares							
	Flux	spot	Area	Area Background		X-ray Flux			Optical			
Date	10.7 cm	No.	(10 ⁻⁶ hemi.)	С	М	Х	S	1	2	3	4
14 December	r 79	28	30	A2.6	0	0	0	1	0	0	0	0
15 December	r 82	38	130	A5.0	0	0	0	0	0	0	0	0
16 December	r 83	30	140	B1.2	3	0	0	3	0	0	0	0
17 December	r 87	24	210	B1.4	0	0	0	1	0	0	0	0
18 December	r 84	20	310	A8.3	1	0	0	0	0	0	0	0
19 December	r 82	43	240	A7.1	1	0	0	2	0	0	0	0
20 December	r 84	42	330	A9.7	0	0	0	0	0	0	0	0

Daily Solar Data

Daily Particle Data

	Prot (protor	on Fluence	Electron Fluence $(alectrons/cm^2 day sr)$					
Date	>1 MeV	>10 MeV	>100 MeV	> 6 MeV > 2 MeV > 4 MeV				
14 December	6.2e+05	2.0e+04	4.5e+03	4.6e+04				
15 December	7.2e+05	1.9e+04	4.4e+03	4.1e+04				
16 December	5.3e+05	2.0e+04	4.4e+03	3.8e+04				
17 December	4.1e+05	2.0e+04	4.4e+03	3.5e+04				
18 December	5.2e+05	2.0e+04	4.2e+03	4.2e+04				
19 December	4.7e+05	2.0e+04	4.3e+03	4.3e+04				
20 December	4.5e+05	1.9e+04	4.3e+03	3.7e+04				

Daily Geomagnetic Data

	Middle Latitude			High Latitude		Estimated
	Fredericksburg			College]	Planetary
Date	Α	K-indices	Α	K-indices	Α	K-indices
14 December	4	1-3-1-1-0-1-1-0	4	0-2-2-3-0-0-0-0	4	0-3-2-2-0-1-0-0
15 December	0	0-0-0-0-0-0-1	0	0-0-0-0-0-0-0-0	0	0-0-0-0-0-0-1
16 December	2	1-1-0-1-1-2-0-0	2	0-0-0-2-1-1-0-0	3	2-1-0-1-1-1-0-0
17 December	2	0-0-0-1-1-1-1-0	0	0-0-0-1-0-0-0-0	1	0-0-0-1-0-1-0-0
18 December	2	0-0-1-1-1-2-0-0	2	0-0-2-2-0-0-0-0	2	0-0-1-1-0-0-0-0
19 December	0	0-0-0-0-0-0-0-0	0	0-0-0-1-0-0-0-0	1	0-0-0-0-0-0-0-0
20 December	2	0-0-0-1-1-2-0-0	1	0-0-0-1-1-1-0-0	1	0-0-0-0-1-1-0-0

	Alerts and Warnings Issued	
Date & Time of Issue	Type of Alert or Warning	Date & Time of Event UTC
17 Dec 1556	ALERT: Type IV Radio Emission	16 Dec 2212





	Radio Flux	Planetary	Largest		Radio Flux	Planetary	Largest
Date	10.7 cm	A Index	Kp Index	Date	10.7 cm	A Index	Kp Index
23 Dec	76	5	2	06 Jan	76	5	2
24	74	5	2	07	78	5	2
25	74	5	2	08	80	5	2
26	72	5	2	09	82	5	2
27	72	5	2	10	82	5	2
28	72	5	2	11	84	5	2
29	72	5	2	12	84	5	2
30	72	5	2	13	85	5	2
31	72	5	2	14	85	5	2
01 Jan	72	5	2	15	82	5	2
02	72	5	2	16	82	5	2
03	73	5	2	17	80	5	2
04	74	5	2	18	80	5	2
05	75	5	2				



	Energetic Events													
	Time				-ray	Op	tical Information	n	Pe	ak	Sweep Freq			
Date			1⁄2		Integ	Imp/	Location	Rgn	Radi	o Flux	Intensity			
В	egin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II IV			
No Events O	bser	ved												
						Fla	re List							
						1 ш			Optical					
			Time)			X-ray	Imp /	Lo	cation	Rgn			
Date		Begin	Max		End		Class.	Brtns	Lat	CMD				
14 Decembe	er	0844	084	48	0850		B1.44							
		0855	08	58	0900		B1.7							
		1815	18	16	1817		B1.4	SF	N2	29E11	1035			
		2335	23	39	2342		B4.1							
		1948	20	17	2025		B2.7							
15 Decembe	er	0039	004	46	0057		B1.2							
		0401	04	06	0415		B1.05							
		1114	11	17	1120		B1.0							
		1254	12	57	1259		B1.2							
		1328	13	34	1339		B1.3							
		1514	15	20	1532		B2.04							
		2317	232	23	2337		B2.7							
16 Decembe	r 0115 012		21	0143		C5.3	SF	NE	30W06	1035				
		0317	032	20	0326		B6.4							
		0725	072	28	0734		B3.0							
		0745	08	01	0816		B6.9							
		0837	08.	37	0840		B8.6	SF	NE	31W09	1035			
		1028	10	36	1042		B7.8							
		1101	11	04	1107		B3.9							
		1236	13	02	1320		C3.7							
		2135	214	44	2205		C1.4	SF	N2	29W17	1035			
17 Decembe	er	0306	03	10	0316		B5.1							
		0712	07	15	0718		B4.6							
		0933	09	37	0941		B7.0							
		1152	11:	56	1159		B4.6							
		1512	15	12	1516		B9.7	SF	N2	28W28	1035			
		1656	17	00	1703		B2.5							
		2112	21	21	2128		B2.4							
18 Decembe	er	0109	01	32	0158		B2.0							
	-	0204	02	13	0217		B5.6							
		0429	04	33	0439		B3.1							
		0745	074	48	0752		B2.5							
		1030	10	38	1044		B2.2							
		1116	11))	1125		B1.8							
		1110	11.		1140		U 1.0							



			1 000		cu	Optical	
		Time		X-ray	Imp /	Location	Rgn
Date	Begin	Max	End	Class.	Brtns	Lat CMD	
18 December	1404	1410	1416	B3.1			
	1610	1623	1631	B5.1			
	1659	1703	1706	B2.5			
	1820	1827	1830	B5.4			
	1848	1855	1858	C7.6			
	1917	1920	1923	B2.8			
	2032	2038	2042	B2.7			
	2116	2124	2127	B3.6			
	2158	2202	2205	B1.9			
	2337	2343	2345	B2.0			
	2353	2358	0001	B3.1			
19 December	0014	0014	0019	C2.9	SF	N30W46	1035
	0049	0053	0055	B2.3			
	0104	0109	0112	B7.4			
	0151	0153	0158	B9.1	SF	N31W45	1035
	0648	0653	0656	B1.4			
	0716	0719	0722	B1.2			
	1030	1035	1039	B1.5			
	1108	1113	1119	B6.6			
20 December	1140	1145	1149	B1.5			
	1416	1420	1425	B2.3			
	1540	1543	1546	B1.9			
	1737	1741	1743	B1.6			
	2027	2031	2037	B2.6			
	2320	2324	2330	B2.7			
	2320	2324	2550	B2.7			

Flare List - continued



Region Summary

	Location		Sunspot	Character	ristics						I	Flar	es				
Helio Date (° Lat ° CMD) Lon		Area	Extent	Spot	Spot	Mag		X-1	ray			(Optic	al			
Date (°	Lat ° CMD)	Lon	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class	С	N	1 >	K S	S	1	2	3	4	
	Da	aion 1	034														
09 Dec	N18E73	250	10	6	BXO	3	В										
10 Dec	N20E59	250	10	5	BXO	3	B										
10 Dec 11 Dec	N20E45	250	10	2	BXO	3	B										
12 Dec	N20E32	251	10	2 1	BXO	2	B										
12 Dec	N19E16	251 254	10	5	BXO	2 4	B										
13 Dec 14 Dec	N20E03	254	10	3 4	BXO	4	B										
15 Dec	N19W14	1 257	10	4	BXO	2	B										
16 Dec	N19W27	257	10	•	DAO	2	Ъ										
17 Dec	N19W4() 257															
18 Dec	N19W53	3 257															
19 Dec	N19W66	5 257															
20 Dec	N19W79	257															
20200	1122 11 12	_0,						0	0	0	C)	0	0 (0		0
Still on	Disk.							Ŭ	Ū	0	0		Ū	0			Ũ
Absolut	e heliogra	phic lo	ongitude: 254														
	0	1	8														
	Rea	gion 10	035														
14 Dec	N31E07	250	20	3	BXO	4	В				1						
15 Dec	N30W05	5 248	120	8	DAI	16	В										
16 Dec	N30W18	3 248	140	11	EAC	20	BD	3			3	3					
17 Dec	N30W32	2 249	210	12	EAC	14	В				1						
18 Dec	N30W45	5 249	310	13	ESI	10	В	1									
19 Dec	N30W56	5 247	220	12	EHO	8	В	1			2	2					
20 Dec	N31W70) 248	310	13	EHO	4	В										
								5	0	0	7	7	0	0 (0		0
Still on	Disk.																
Absolut	e heliogra	phic lo	ongitude: 248														
	Ro	aion II	036														
19 Dec	S29W19	210	10	5	BXO	3	в										
20 Dec	S27W37	210	10	7	BXO	5	R										
20 D.C	521 11 52	210	10	/	DAO	0	D	0	Λ	Ο	ſ)	0	0	n		0
Still on	Disk							U	0	U	U	,	0	0	0		0
Absolut	e heliogra	phic lo	ongitude: 210	1													



Region Summary

	Locatio	on		Sunspot	Character	ristics				Flares							
	Helio			Extent	Extent Spot Sp		Spot Mag										
Date	(° Lat ° CMD)	Lon	(10 ⁻⁶ hemi)	(helio)	Class	Count	Class	СМХ	Κ	S	1 2	2 3	4				
	Re	gion 10)37														
19 D	ec N18E54	137	10	6	BXO	2	В										
20 D	ec N18E41	137		-													
20 2		10,						0 0 0	() ()	0	0	0				
Still (on Disk							0 0 0			Ŭ	Ū	Ũ				
Abso	lute heliogra	nhic lo	ngitude 13'	7													
1030	fute henogra	ipine io	ingitude. 15	/													
	Re	gion 10)38														
20 D	ec N16W2	6 204	10	2	AXX	2	А										
								0 0 0	() ()	0	0	0				
Still	on Disk.											-	-				
Abso	lute heliogra	aphic lo	ngitude: 204	4													
	iate nenogit	-pine io		•													



	Sunspot Numbers Radio Flux Geomagnetic													
	Observed	values	Ratio	Smooth	values	*Penticton	Smooth	Planetary	Smooth					
Month	SEC	RI	RI/SEC	SEC	RI	$10.7 \mathrm{cm}$	Value	<u>I luilettai y</u> An	Value					
i		- 111	MIJLC	<u>) אבר א</u>	007	10.7 cm	v alue	<u>11p</u>	<u>v aruc</u>					
December	16.2	10.1	0.62	81	/ Q	78 5	70.8	6	78					
December	10.2	10.1	0.02	0.1	4.9	70.5	70.8	0	7.0					
				2	008									
Ianuary	5 1	33	0.65	60	4 2	743	70.3	8	78					
January Echruory	J.1 2.9	3.3 2.1	0.05	0.9 5 0	4.2	74.3	70.3 60.0	0	7.6					
redituary	5.0 15.0	2.1	0.55	5.9	5.0	71.1	09.9	11	7.0					
March	15.9	9.3	0.58	5.5	3.3	12.9	69.8	11	1.5					
Amil	4.0	2.0	0.50	52	2.4	70.2	60.8	0	72					
April	4.9	2.9	0.59	5.5	2.4	70.2 69.4	60.8	9	7.5					
May	5.7	5.Z	0.30	5.7	3.5	08.4	09.8	0	7.2					
June	4.2	3.4	0.81	5.2	3.3	65.9	69.4	/	7.0					
T. J.	1.0	0.8	0.00	15	20	65 7	60 0	5	60					
July	1.0	0.8	0.80	4.5	2.8	03.7	00.0	5	0.8					
August	0.0	0.5	~~ 0 7 0	4.4	2.7	66.3	08.0	5	6.3					
September	1.5	1.1	0.73	3.7	2.3	6/.1	68.4	6	5.8					
Ostahan	5 0	2.0	056	2.0	1.0	69.2	60 7	7	5 1					
Nevember	5.2	2.9 4 1	0.50	2.9	1.9	00.5	00.2 69.2	1	J.4 5 1					
November	0.8	4.1	0.00	2.7	1.0	08.0	00.5	4	5.1					
December	1.5	0.8	0.62	2.7	1./	09.2	08.5	4	4.9					
				2	000									
Ionuomy	20	12	0.46	2.0	1.0	60.8	69 7	4	17					
January Echemory	2.0	1.5	0.40	5.0 2.1	1.0	09.8	00.7	4	4.7					
February	2.5	1.4	0.50	5.1 2.4	1.9	70.0	08.8	5	4.7					
March	0.7	0.7	1.00	3.4	2.0	69.2	69.0	3	4.6					
April	1.2	1 2	1.00	27	2.2	60.7	60.3	4	13					
April	1.2	1.2	0.74	2.0	2.2	09.7	60.7	4	4.5					
May	5.9	2.9	0.74	3.8	2.3	70.5	09.7	4	4.1					
June	6.6	2.6	0.39			68.6		4						
Inly	5.0	25	0.70			68 2		4						
August	0.2	5.5	0.70			67 A		-+ 						
August	0.5	0.0	0.00			07.4		5						
September	0.0	4.2	0.64			70.5		4						
October	7.0	16	0.66			77 3		3						
November	י.ט ר ר	4.0	0.00			12.3 72 6		3 2						
november	1.1	4.2	0.35			/3.0		3						

Recent Solar Indices (preliminary) Of the observed monthly mean values

NOTE: Values are final except for the most recent 6 months which are considered preliminary. Cycle 23 started in May 1996 with an RI=8.0. Cycle 23 maximum was April 2000 with an RI=120.8.

** SWPC sunspot number was zero, so a ratio could not be computed.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 14 December 2009

GOES-11 designated Primary Proton and Electron Satellite.

Protons plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by GOES-11 (W135) for each of three energy thresholds: greater than 10, 50, and 100 MeV.

Electrons plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV at GOES-11.

Hp plot contains the five minute averaged magnetic field H - component in nanoteslas (nT) as measured by GOES-11. The H component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

Kp plot contains the estimated planetary 3-hour K-index (derived by the Air Force Weather Agency) in real time from magnetometers at Meanook, Canada; Sitka, AK; Glenlea, Canada; St. Johns, Canada; Ottawa, Canada; Newport, WA; Fredericksburg, VA; Boulder, CO; Fresno, CA and Hartland, UK. These data are made available through cooperation from the Geological Survey of Canada (GSC), British Geological Survey (BGS) and the US Geological Survey. These may differ from the final Kp values derived from a more extensive network of magnetometers.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are "global" parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots

X-ray plot contains five-minute averaged x-ray flux (Watts/m²) as measured by GOES 14 (W105) in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

Proton plot contains the five-minute averaged integral proton flux (protons/cm²–sec-sr) as measured by GOES-11 for each of the energy thresholds: >1, >10, >30 and >100 MeV. P10 event threshold is 10 pfu (protons/cm²-sec-sr) at greater than 10 MeV.

