Solar activity ranged from very low to moderate levels. On 05 November, low levels were observed due to a C2 X-ray flare from a unnumbered region around the southeast limb at 05/1839 UTC. Solar activity remained at very low levels until 08 November when a long duration M1 flare was observed at 08/0223 UTC from Region 1611 (N13, L=240, class/area Eso/270 on 09 November). Associated with this event was a Type II radio sweep (784 km/s) and a non-geoeffective coronal mass ejection (CME) off the East limb. Also on 08 November, a full halo backsided CME was observed in SOHO/LASCO imagery from old Region 1598 (S12, L=111). By 09 November, solar activity returned to low levels with a single C1 flare from Region 1604 (N08, L=322, class/area Bx0/010 on 03 November) at 09/0151 UTC. Also on 09 November, a 12 degree long filament, centered near S16E03, erupted at approximately 09/1230 UTC which resulted in an Earth-directed CME first observed in SOHO/LASCO C2 imagery at 09/1524 UTC. By 10 November, multiple low level C-flares were observed including a long duration C2 flare from Region 1608 (S20, L=286, class/area Hrx/020 on 06 November) at 10/0504 UTC. An Earth-directed CME was observed in association with this C2 flare in STEREO A COR2 imagery at 10/0539 UTC and SOHO/LASCO C3 imagery at 10/1054 UTC. By 11 November, solar activity increased to moderate levels due to an M1 flare from Region 1614 (N15, L=193, class/area Dso/110 on 11 November) at 11/0233 UTC with an associated Type II radio sweep (659 km/s).

An enhancement of the greater than 10 MeV proton flux at geosynchronous orbit was observed beginning at approximately 08/1400 UTC likely associated with flare activity and the associated CME from old Region 1598. A peak enhancement of 2.4 pfu was observed at 09/0420 UTC and remained slightly enhanced through the end of the reporting period. No event thresholds were exceeded.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal background levels throughout the reporting period.

Geomagnetic field activity was at quiet levels until 07 November when a coronal hole high speed stream (CH HSS) moved into geoeffective position. At 06/2119 UTC, the phi component of the interplanetary magnetic field changed from positive to negative with corresponding increases in density, temperature, and speed in ACE spacecraft data indicating a solar sector boundary crossing followed by a co-rotating interaction region and CH HSS. Solar wind speed increased from approximately 300 km/s to a peak of near 525 km/s by 07/1538 UTC. Total field (Bt) reached a maximum of 14 nT at 07/0031 UTC with a maximum deflection of the Bz component southward to -12 nT at 07/0039 UTC. The geomagnetic field responded with quiet to active periods on 07 November. By 08 November, conditions returned to quiet levels and remained that way through the end of the reporting period.

#### Space Weather Outlook 12 November - 08 December 2012

Solar activity is expected to be low with a chance for M-class flares through 24 November when Region 1614 is due to rotate off the west limb. Very low to low conditions are expected from 12



November until 27 November. On 28 November, and through the end of the forecast period, very low to low conditions with a chance for M-class activity is expected with the return of old Region 1598.

There is a slight chance for a greater than 10 MeV proton event from 28 November through the end of the reporting period due possible flare activity from old Region 1598.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal levels on 12 November. Moderate to high levels are expected from 13-24 November due to CME activity and recurrence. Normal levels are expected from 25 November through 03 December. Moderate to high levels are expected from 04-06 December due to CH HSS activity. By 07 December through the end of the forecast period, normal levels are expected.

Geomagnetic field activity is expected to be unsettled to active with a chance for minor storm periods starting around mid-day on 12 November and continuing through 13 November as the 09 and 10 November CMEs are expected to become geoeffective. Unsettled levels are expected on 14 November as CME activity wanes. Mostly quiet conditions are expected from 15-18 November. Quiet to unsettled conditions are possible on 19 November due to a possible solar sector boundary crossing. From 20 November through 02 December, mostly quiet conditions are expected. On 03-04 December, a recurrent CH HSS is expected to become geoeffective causing quiet to unsettled with isolated active conditions. A return to mostly quiet conditions is expected from 05 December through the end of the forecast period.



### Daily Solar Data

	Radio	Sun	Sunspot	X-ray				Flar	es					
	Flux	spot	Area	Background	_		X-ray	<u>y</u>			О	ptica	ıl	
Date	10.7cm	No.	(10 <sup>-6</sup> hemi.)	Flux		C	M	X		S	1	2	3	4
05 November	97	47	40	B1.9		1	0	0		0	0	0	0	0
06 November	99	61	130	B2.1		0	0	0		0	0	0	0	0
07 November	102	77	280	B2.1		0	0	0		0	0	0	0	0
08 November	104	71	410	B2.2		0	1	0		0	1	0	0	0
09 November	115	65	410	B3.1		1	0	0		0	0	0	0	0
10 November	122	68	350	B4.3		8	0	0		0	0	0	0	0
11 November	133	106	620	B5.4		3	1	0		0	0	0	0	0

# Daily Particle Data

	(	Proton Fluen		Electron Fluence (electrons/cm <sup>2</sup> -day -sr)						
	(pr	otons/cm <sup>2</sup> -da	ty -sr)	(elec	trons/cm² -da	ly -sr)				
Date	>1 MeV	>10 MeV	>100 MeV	>0.6 MeV	>2MeV	>4 MeV				
05 November	4.8e+04	1.1e+04	2.7e+03		4.7e+06					
06 November	9.4e + 04	1.1e+04	2.6e+03	2.3e+06						
07 November	5.2e+05	1.1e+04	2.6e+03	1.8e+06						
08 November	2.9e+05	2.2e+04	3.5e+03		3.4e + 06					
09 November	6.0e + 05	1.1e+05	4.3e+03		3.8e + 06					
10 November	7.3e + 05	8.2e+04	3.3e+03		4.1e+06					
11 November	8.4e + 05	3.8e+04	2.5e+03	+03 2.3e+06						

### Daily Geomagnetic Data

	N	Middle Latitude		High Latitude		Estimated
	I	Fredericksburg		College		Planetary
Date	A	K-indices	A	K-indices	A	K-indices
05 November	2	0-0-1-1-2-1-1-0	2	0-0-1-1-1-2-0-0	2	0-0-1-0-1-1-1-0
06 November	4 0-0-1-1-2-2-1-2		7	0-0-1-3-3-3-1-1	4	0-0-1-1-1-2-1-1
07 November	10	2-3-1-2-3-2-3-2	10	0-1-1-1-4-3-3-3	10	2-3-1-1-2-3-4-2
08 November	2	0-0-0-1-2-1-1-1	2	1-0-0-2-1-0-0-0	3	1-0-0-1-1-1-0-1
09 November	1	0-0-0-0-1-1-1-0	0	0-0-0-0-1-0-0-0	2	0-0-0-0-1-1-0-0
10 November	1	0-0-0-0-1-0-1-1	0	0-0-0-0-0-0-0	2	0-0-0-0-1-0-1-2
11 November	2	1-1-0-1-2-0-0-1	2	0-0-0-1-2-1-0-0	3	1-1-0-1-1-1-0-1




### Alerts and Warnings Issued

Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
07 Nov 2030	WARNING: Geomagnetic $K = 4$	07/2030 - 08/0000
07 Nov 2101	ALERT: Geomagnetic $K = 4$	07/2100
08 Nov 0259	ALERT: Type II Radio Emission	08/0220
10 Nov 2015	WATCH: Geomagnetic Storm Category G1 pr	redicted
11 Nov 0302	ALERT: Type II Radio Emission	11/0228



### Twenty-seven Day Outlook



_	Radio Flux	•	Largest	_	Radio Flux	•	•
Date	10.7cm	A Index	Kp Index	Date	10.7cm	A Index	Kp Index
12 Nov	135	25	5	26 Nov	120	5	2
13	140	15	5	27	120	5	2
14	145	10	3	28	115	5	2
15	145	5	2	29	110	5	2
16	145	5	2	30	110	5	2
17	145	5	2	01 Dec	110	5	2
18	150	5	2	02	115	5	2
19	150	8	3	03	115	8	3
20	145	5	2	04	120	10	4
21	140	5	2	05	125	5	2
22	140	5	2	06	125	5	2
23	135	5	2	07	130	5	2
24	130	5	2	08	130	5	2
25	125	5	2				



### Energetic Events

		Time		X	-ray	Opti	cal Informa	tion	P	eak	Sweep	Freq	
			Half		Integ	Imp/	Location	Rgn	Radi	io Flux	Inten	ensity	
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV	
08 Nov	0208	0223	0255	M1.7	0.030			1611	110		3		
11 Nov	0211	0233	0252	M1.0	0.017			1614			1		

### Flare List

		Time Begin Max			(	Optical	
		Time		X-ray	Imp/	Location	Rgn
Date	Begin	Max	End	Class	Brtns	Lat CMD	#
05 Nov	1000	1006	1015	B4.0			
05 Nov	1156	1201	1209	B6.6			
05 Nov	1830	1839	1847	C2.3			
06 Nov	0017	0021	0028	B3.0			1606
06 Nov	0452	0459	0506	B7.6			
06 Nov	0507	0511	0521	B7.5			
07 Nov	1017	1027	1039	B6.2			
07 Nov	1229	1237	1247	B5.1			
07 Nov	1700	1705	1715	B3.6			
08 Nov	0208	0223	0255	M1.7			1611
08 Nov	2219	2238	2257	B6.6	1F	N15E65	1611
08 Nov	2334	2338	2340	B6.2			1610
09 Nov	0012	0151	0241	C1.0			1604
09 Nov	1041	1054	1101	B5.2			
09 Nov	1802	1818	1827	B7.6			1610
09 Nov	2315	2353	0016	B7.5			1610
10 Nov	0122	0132	0144	C1.0			
10 Nov	0422	0504	0547	C2.0			1608
10 Nov	1053	1103	1131	C1.3			1611
10 Nov	1615	1620	1625	C1.0			
10 Nov	1715	1724	1744	C1.0			
10 Nov	2013	2019	2025	C1.2			1607
10 Nov	2130	2133	2137	C1.5			1607
10 Nov	2315	2334	2351	C1.1			
11 Nov	0045	0054	0104	C1.3			1614
11 Nov	0211	0233	0252	M1.0			1614
11 Nov	0518	0530	0546	C1.6			
11 Nov	1902	1906	1909	C1.2			1610



### Region Summary

				Nes	zion L	<i>yunni</i>	ш у								
	Location	on	Su	ınspot C	haracte	eristics				]	Flares	3			
		Helio	Area	Extent	Spot	Spot	Mag		K-ray			O	ptica	ıl	
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	ion 1599												
23 Oct	S09E73	83	60	2	Hsx	1	A								
24 Oct	S10E58	84	100	2	Hsx	1	A								
25 Oct	S10E43	87	100	2	Hsx	1	A								
26 Oct	S11E30	87	120	2	Hsx	1	A								
27 Oct	S11E16	88	110	2	Hsx	1	A								
28 Oct	S11E04	86	60	2	Hsx	1	A								
29 Oct	S11W10	86	80	2	Hsx	1	A								
30 Oct	S12W23	87	100	2	Hsx	1	A								
31 Oct	S13W38	87	110	3	Hsx	2	A								
01 Nov	S11W49	86	100	3	Hsx	1	A								
02 Nov	S13W62	86	120	3	Hsx	1	A								
03 Nov	S13W77	88	80	3	Cso	2	В								
04 Nov	S12W89	87	90	2	Hsx	1	A								
<b>C</b>	1337 47 1							0	0	0	0	0	0	0	0
	l West Limb e heliograp		oitude: 8	66											
71050141	e nenograp	1110 101	igitude. o	.0											
		Regi	ion 1601												
29 Oct	S10E11	66	10	1	Axx	1	A								
30 Oct	S10W05	68	0		Axx	1	A								
31 Oct	S10W19	68	plage												
01 Nov	S10W33	71	plage												
02 Nov	S10W47	72	plage												
03 Nov	S10W61	72	plage												
04 Nov	S10W75	73	plage												
05 Nov	S10W89	76	plage												
								0	0	0	0	0	0	0	0
/ 1 1	1 XX7 4 T : 1	_													

Crossed West Limb. Absolute heliographic longitude: 68



	Location	on	Su	nspot C	haracte	ristics				]	Flares	5			
		Helio	Area	Extent	Spot	Spot	Mag		K-ray			O	ptica	1	
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Dage	. 1602												
		Kegi	on 1602												
29 Oct	S17E65	12	20	1	Hrx	1	A								
30 Oct	S19E50	12	30	1	Hrx	1	Α								
31 Oct	S19E37	12	30	1	Hax	1	A								
01 Nov	S19E27	10	80	3	Cao	3	В								
02 Nov	S19E13	11	60	3	Hax	2	A								
03 Nov	S19W01	12	20	1	Hrx	1	A								
04 Nov	S19W15	13	10	1	Axx	1	A								
05 Nov	S19W29	16	plage												
06 Nov	S19W43	16	plage												
07 Nov	S19W57	16	plage												
08 Nov	S19W71	16	plage												
09 Nov	S19W85	17	plage												
								0	0	0	0	0	0	0	0
Crossed	West Limb	<b>o.</b>													
Absolut	e heliograp	hic lor	ngitude: 1	2											
		Regi	ion 1603												
01 Nov	N08W18	55	10	2	Bxo	2	В								
02 Nov	N08W32	57	plage												
03 Nov	N08W46	57	plage												
04 Nov	N08W60	58	plage												
05 Nov	N08W74	61	plage												
06 Nov	N08W88	61	plage												
								0	0	0	0	0	0	0	0
Crossed	West Limb	<b>o</b> .													

Crossed West Limb.
Absolute heliographic longitude: 55



	Locati	on	Su	ınspot C	haracte	ristics				]	Flares	3			
		Helio	Area	Extent	Spot	Spot	Mag	Σ	K-ray			0	ptica	1	
Date	Lat CMD	Lon 1	0 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	С	M	X	S	1	2	3	4
		Regio	on 1604												
03 Nov	N08E48	322	10	5	Bxo	2	В								
04 Nov	N07E33	324	plage	_		_	_								
05 Nov	N07E19	327	plage												
06 Nov	N07E05	327	plage												
07 Nov	N07W09	330	plage												
08 Nov	N07W24	329	plage												
09 Nov	N07W39	331	plage					1							
10 Nov	N07W54	333	plage					-							
11 Nov	N07W69	335	plage												
111101	11071107	335	prage					1	0	0	0	0	0	0	0
Still on	Disk.														
	e heliograp	hic long	gitude: 3	27											
	0 1	·													
		Regio	on 1605												
04 Nov	N17E24	333	10	4	Bxo	2	В								
05 Nov	N17E10	336	10	1	Axx	2	A								
06 Nov	N18W04	339	10	1	Axx	1	A								
07 Nov	N18W18	340	10	1	Axx	1	A								
08 Nov	N18W32	337	plage												
09 Nov	N18W46	338	plage												
10 Nov	N18W60	339	plage												
11 Nov	N18W74	340	plage												
								0	0	0	0	0	0	0	0
Still on	Disk.														
	e heliograp	ohic long	gitude: 3	39											
		Regio	on 1606												
04 Nov	S16E45	310	20	2	Cro	2	В								
05 Nov	S16E43	313	10	1	Axx	1	A								
05 Nov	S15E18	316	10												
				1	Axx	1	A								
07 Nov 08 Nov	S15E04	318	10	4	Bxo	3	В								
	S15W10	315	plage												
09 Nov	S15W24	316	plage												
10 Nov	S15W38	317	plage												
11 Nov	S15W52	318	plage					0	0	0	0	0	0	0	0
Still on	Dick							U	U	U	U	U	U	U	U

Still on Disk. Absolute heliographic longitude: 318



	Location	on	Su	inspot C	haracte	ristics				]	Flares	3			
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			O	ptica	1	
Date	Lat CMD	Lon 1	0 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regio	on 1607												
05 Nov	N12W47	35	10	3	Bxo	3	В								
06 Nov	N12W61	36	60	5	Cso	7	В								
07 Nov	N12W74	36	90	6	Cso	5	В								
08 Nov	N12W87	32	90	6	Dso	2	В								
								0	0	0	0	0	0	0	0
Crossed	West Lim	b.													
Absolut	e heliograp	hic long	gitude: 3	5											
		Regio	on 1608												
05 Nov	S20E62	283	10	1	Hrx	1	A								
06 Nov	S20E48	286	20	1	Hrx	1	A								
07 Nov	S20E35	287	10	1	Axx	1	A								
08 Nov	S20E23	282	10	1	Hrx	1	A								
09 Nov	S21E10	282	10	1	Hrx	2	Α								
10 Nov	S20W03	282	10	1	Hrx	1	A	1							
11 Nov	S20W17	283	plage												
			, ,					1	0	0	0	0	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic long	gitude: 2	82											
		Regio	on 1609												
06 Nov	S14E71	260	30	1	Hrx	1	A								
07 Nov	S14E58	263	150	7	Cso	5	В								
08 Nov	S15E45	260	40	7	Cso	4	В								
09 Nov	S15E32	260	10	6	Cro	2	В								
10 Nov	S15E16	263	10	1	Hax	1	A								
11 Nov	S15E01	264	10	1	Hrx	1	A								
			-					0	0	0	0	0	0	0	0
Still on	Disk														

Still on Disk. Absolute heliographic longitude: 264



	Location	on	Su	nspot C	haracte	ristics					Flares	}				
		Helio		Extent			Mag	X	-ray			О	ptica	ıl		
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4	
		Reg	ion 1610													
07 Nov	S22E55	267	10	6	Bxo	2	В									
08 Nov	S24E36	269	0	1	Axx	1	A									
09 Nov	S23E32	260	20	5	Dai	2	В									
10 Nov	S23E15	264	90	6	Dai	6	В									
11 Nov	S25E02	263	150	9	Dai	18	В	1								
								1	0	0	0	0	0	0	0	
Still on	Disk. e heliograp	hic lo	ngituda: 2	63												
Ausolui	e nenograp	ine ioi	ngnude. 2	03												
		Regi	ion 1611													
08 Nov	N12E66	239	200	8	Dso	2	В		1			1				
09 Nov	N13E52	240	270	10	Eso	8	BG									
10 Nov	N12E41	238	170	11	Eso	9	В	1								
11 Nov	N12E27	238	210	10	Dso	9	BG			0	0		0	0	0	
G. 211	D: 1							1	1	0	0	1	0	0	0	
Still on	Disk. e heliograp	hic lo	ngitude: 2	38												
Ausolui	e nenograp	1110 101	ngitude. 2	30												
		Regi	ion 1612													
08 Nov	N06E71	234	70	1	Hsx	1	A									
09 Nov	N07E59	233	100	2	Hsx	1	A									
10 Nov	N08E50	228	70	2	Hsx	1	A									
11 Nov	N05E36	229	60	2	Hsx	1	A							_	_	
~	~							0	0	0	0	0	0	0	0	
Still on	Disk. e heliograp	hic lo	ngitude: 2	20												
Ausolui	e nenograp	THE TO	ngitude. 2	2)												
		Regi	ion 1613													
11 Nov	S21E57	207	70	2	Hsx	1	A	0	0	0	0	0	0	0	0	
Still on	Disk							0	0	0	0	0	0	0	0	
	e heliograp	hic lo	ngitude: 2	07												
		Regi	ion 1614													
11 Nov	N15E72	193	110	8	Dso	3	В	1	1							
Still on Absolut	Disk. e heliograp	hic lo	ngitude: 1	93				1	1	0	0	0	0	0	0	



	Location		Su	Sunspot Characteristics					Flares						
	Helio		Area	Extent	nt Spot Spot Mag		X-ray			Optical					
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
Region 1615															
11 Nov	N09E61	205	10	5	Bxo	3	В	0	0	0	0	0	0	0	0

Still on Disk. Absolute heliographic longitude: 205




### Recent Solar Indices (preliminary) Observed monthly mean values

			Sunspot Nu			Radio	Flux	Geomagnetic				
	Observe		•	Smooth	values	Penticton			Smooth			
Month	SEC	RI	RI/SEC	SEC	RI	10.7 cm	Value	Ap	Value			
2010												
November	36.1	21.5	0.60	40.5	26.5	82.5	87.7	5	6.4			
December	22.0	14.4	0.66	43.8	28.8	84.3	89.6	4	6.5			
				,	2011							
T	22.1	10.0	0.50		2011	92.7	01.2	_	67			
January	32.1	18.8	0.59	47.2	30.9	83.7	91.2	6	6.7			
February	53.2	29.6	0.55	50.6	33.4	94.5	92.7	6	6.8			
March	81.0	55.8	0.69	55.2	36.9	115.3	95.8	7	7.2			
April	81.7	54.4	0.67	61.5	41.8	112.6	100.4	9	7.5			
May	61.4	41.6	0.68	69.0	47.6	95.9	105.6	9	7.5			
June	55.5	37.0	0.67	76.5	53.2	95.8	110.9	8	7.4			
July	67.0	43.8	0.66	82.5	57.3	94.2	115.4	9	7.3			
August	66.1	50.6	0.77	84.9	59.0	101.7	117.9	8	7.3 7.4			
September		78.0	0.77	84.6	59.5	134.5	117.5	13	7. <del>4</del> 7.7			
September	100.4	78.0	0.73	04.0	39.3	134.3	110.4	13	7.7			
October	116.8	88.0	0.75	84.6	59.9	137.2	118.4	7	8.0			
November	133.1	96.7	0.73	86.3	61.1	153.1	119.5	3	8.0			
December	106.3	73.0	0.69	89.2	63.4	141.2	121.6	3	8.0			
				,	2012							
January	91.3	58.3	0.64	92.0	65.5	133.1	124.4	6	8.3			
February	50.1	32.9	0.66	94.2	66.9	106.7	126.7	7	8.4			
March	77.9	64.3	0.82	94.1	66.8	115.1	126.8	14	8.1			
April	84.4	55.2	0.65	91.3	64.6	113.1	125.8	9	8.0			
May	99.5	69.0	0.69	71.5	04.0	121.5	123.0	8	0.0			
June	88.6	64.5	0.03			121.5		10				
June	00.0	04.5	0.73			120.5		10				
July	99.6	66.5	0.67			135.6		13				
August	85.8	63.1	0.74			115.7		7				
September	84.0	61.5	0.73			123.2		8				
October	73.5	53.3	0.73			123.3		9				

**Note:** Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 05 November 2012

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 05 November 2012

The x-ray plots contains five-minute averages x-ray flux (Watt/ $m^2$ ) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged intergral flux units (pfu = protons/cm $^2$ -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



#### Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

**Notice:** The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr\_guide.pdf -- User Guide

