Solar activity was predominately low with very low levels observed on 30 May. Region 2065 (S19, L=150, class/area Dai/180 on 25 May) produced a majority of the activity including the period's largest event, a C4 X-ray event at 27/1415 UTC. Regions 2071 (S12, L=080, class/area Dac/150 on 21 May), 2076 (S19, L=051, class/area Dao/050 on 28 May) and 2077 (S06, L=300, class/area Dai/110 on 01 Jun) all produced low-level C-class activity through the period. On 01 Jun at 0137 UTC, Region 2079 (N12, L=282, class/area Hsx/120 on 01 Jun) produced a C2/Sf X-ray event near the NE limb with a pair of closely spaced Type II radio sweeps associated with the event. Estimated shock velocities were recorded at 1015 and 892 km/s. No Earth-directed CMEs were observed during the period.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at moderate levels on 26 and 27 May and at normal levels the remainder of the period.

Geomagnetic field activity was predominately quiet through the period. Isolated unsettled periods were observed midday on 29 May and isolated active periods late on 30 May, both instances due to prolonged periods of southward Bz.

Solar wind speeds, measured at the ACE spacecraft, began the period at about 400 km/s and gradually declined to near 325 km/s by 29 May. Wind speeds remained steady between 325 to 340 km/s through midday on 31 May where a further decline to end-of-period speeds of about 290 km/s were observed. Bt generally ranged from 2 to 5 nT with a period of 6 to 11 nT observed from midday on 30 May to early on 01 Jun. The Bz component followed a similar pattern with weak variability between +/- 3 nT through a majority of the period. However, from about 29/0830 UTC to about 01/0100 UTC, Bz varied between +9 to -10 nT. The phi component was in a mostly positive (away) sector through the summary period. A negative (towards) orientation was observed from 26/0000 UTC - 28/0100 UTC and again from 29/0600 UTC - 30/1300 UTC.

Space Weather Outlook 02 June - 28 June 2014

Solar activity is expected to be at low levels with a slight chance for moderate activity after 08 Jun with the return of old Region 2065 (S19, L=151).

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal levels for most of the period with moderate conditions possible from 08 - 12 Jun and again from 21 - 23 Jun.

Geomagnetic field activity is expected to be at quiet to unsettled levels on 03 - 04 Jun, 06 - 08



Jun (with isolated active intervals on 07 Jun), 18 - 19 Jun, 25 - 26 Jun and finally on 28 Jun, all due to recurrent coronal hole high speed streams. Quiet conditions are expected for the remaining days of the forecast period.



Daily Solar Data

	Radio	Sun	Sunspot	X-ray	V roy			Flares				
	Flux	spot	Area	Background		X-ra	<u>y</u>		C	ptica	ıl	
Date	10.7cm	No.	(10 ⁻⁶ hemi.)	Flux	C	M	X	S	1	2	3	4
26 May	108	110	510	B3.8	5	0	0	0	0	0	0	0
27 May	106	96	210	B3.2	2	0	0	5	0	0	0	0
28 May	99	72	150	B2.5	1	0	0	1	0	0	0	0
29 May	103	55	100	B2.4	1	0	0	1	0	0	0	0
30 May	102	56	110	B2.4	0	0	0	1	0	0	0	0
31 May	104	55	130	B2.5	2	0	0	2	0	0	0	0
01 June	103	68	260	B2.5	2	0	0	3	0	0	0	0

Daily Particle Data

		Proton Fluen		Electron Fluence							
	(pre	otons/cm ² -da	ıy -sr)	(elec	trons/cm ² -da	y -sr)					
Date	>1 MeV	>10 MeV	>100 MeV	>0.6 MeV	>2MeV	>4 MeV					
26 May	1.8e+05	1.1e+04	2.7e+03		7.7e+06						
27 May	6.5e + 05	1.0e+04	2.5e+03	1.4e+07							
28 May	5.0e+05	1.0e+04	2.3e+03	2.3e+06							
29 May	1.0e+05	1.0e+04	2.4e+03		6.1e+05						
30 May	1.5e+05	1.0e+04	2.5e+03		1.2e+05						
31 May	2.6e + 05	1.0e+04	2.4e+03	3 2.1e+05							
01 June	2.6e + 05	1.0e+04	2.5e+03		1.8e + 05						

Daily Geomagnetic Data

	N	Middle Latitude]	High Latitude		Estimated
]	Fredericksburg		College		Planetary
Date	A	K-indices	A	K-indices	A	K-indices
26 May	0 0-0-0-0-0-0-0		2	1-1-2-1-1-0-0-0	4	2-1-2-1-0-0-0
27 May	0 4-0-0-0-2-2-1-0		2	0-0-1-1-1-0-1-0	4	1-1-1-1-1-1-2
28 May	5			2-2-1-1-1-0-1-1	4	2-1-1-1-1-1-2
29 May	8	1-0-1-3-3-3-2-2	10	1-1-1-4-4-2-2-1	7	1-1-1-3-2-2-1
30 May	8	0-2-2-3-2-2-3-2	12	1-1-3-3-4-3-3-1	9	0-2-2-2-2-4-2
31 May	4			1-1-1-1-0-0-0	4	1-2-1-1-1-1-1
01 June	5 1-1-2-2-2-1-1		1	0-0-1-1-1-0-0-0	5	1-1-1-2-1-1-1




Alerts and Warnings Issued

Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
27 May 1528	ALERT: Type II Radio Emission	27/1435
27 May 1530	ALERT: Type IV Radio Emission	27/1441
29 May 0924	ALERT: Type II Radio Emission	29/0851
30 May 1906	WARNING: Geomagnetic $K = 4$	30/1905 - 31/1300
30 May 1913	ALERT: Geomagnetic $K = 4$	30/1912
01 Jun 0219	ALERT: Type II Radio Emission	01/0141
01 Jun 0220	ALERT: Type II Radio Emission	01/0149



Twenty-seven Day Outlook



Data	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index	Data	Radio Flux 10.7cm	-	Largest Kp Index
Date	10.76111	A muex	Kp ilidex	Date	10.7011	A muex	Kp maex
02 Jun	110	5	2	16 Jun	115	5	2
03	110	8	3	17	115	5	2
04	110	8	3	18	110	8	3
05	110	5	2	19	110	8	3
06	110	8	3	20	110	5	2
07	110	10	4	21	105	5	2
08	115	8	3	22	105	5	2
09	120	5	2	23	105	5	2
10	120	5	2	24	100	5	2
11	120	5	2	25	100	8	3
12	120	5	2	26	95	8	3
13	120	5	2	27	95	5	2
14	120	5	2	28	95	8	3
15	120	5	2				



Energetic Events

		Time		X-	-ray	_Optio	cal Informat	P	eak	Sweep Free		
			Half		Integ	Imp/	Location	Rgn	Radi	o Flux	Inten	sity
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV

No Events Observed

Flare List

					(Optical	
		Time		X-ray	Imp/	Location	Rgn
Date	Begin	Max	End	Class	Brtns	Lat CMD	#
26 May	0443	0448	0454	B8.5			2065
26 May	1236	1241	1249	C1.0			2065
26 May	1552	1607	1639	C2.1			2065
26 May	2002	2012	2020	C1.6			2065
26 May	2103	2108	2116	C1.0			2065
26 May	2249	2311	2343	C1.1			2065
27 May	0407	0407	0420		SF	S10W19	2071
27 May	1112	1112	1115		SF	S12W02	2073
27 May	1325	1329	1331		SF	S13W03	2073
27 May	1407	1415	1423	C4.9			2065
27 May	1423	1424	1436		SF	S13W04	2073
27 May	1840	1851	1917	C1.1	SF	S14W27	2071
28 May	0207	0221	0233	C1.7			2065
28 May	0331	0337	0357	B7.4	SF	S20W01	2076
28 May	0638	0641	0650	B6.3			2069
29 May	0421	0430	0440	C1.4	SF	S09W50	2071
29 May	0842	0857	0912	B3.4			
29 May	1752	1819	1830	B4.6			2073
30 May	0238	0238	0249		SF	S13W41	2073
30 May	1758	1806	1809	B4.4			2075
31 May	0657	0705	0716	C1.1			2079
31 May	1320	1323	1326	B6.0	SF	S21W57	2076
31 May	1454	1518	1538	B9.2			
31 May	1545	1556	1603	C1.3	SF	S20W47	2076
01 Jun	0127	0137	0149	C2.4	SF	N09E72	2079
01 Jun	0346	0355	0406	B8.0	SF	S12W71	2073
01 Jun	1141	1153	1200	C1.2	SF	S03E55	2077
01 Jun	1449	1454	1500	B4.9			2077



Region Summary

Location Sunspot Characteristics Flares															
	Locatio	on	Su	nspot C	haracte	ristics]	Flares	S			
		Helio	o Area	Extent	Spot	Spot	Mag	X	K-ray			O	ptica	1	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
			. 2075												
		Keg	ion 2065												
15 May	S19E67	142	10		Axx	1	A								
16 May	S19E53	143	10	1	Cro	3	В								
17 May	S18E38	145	10	3	Bxo	4	В								
18 May	S18E24	145	10	3	Bxo	6	В								
19 May	S18E12	143	10	3	Axx	3	A								
20 May	S20E01	141	10	10	Bxo	2	В								
21 May	S18W14	144	10	3	Axx	3	A								
22 May	S18W28	145	plage												
23 May	S18W46	149	10	6	Dao	9	В	1			5				
24 May	S18W59	149	60	7	Dai	16	BG	8	1		8	2			
25 May	S19W73	150	180	9	Dai	14	BGD	5			6				
26 May	S19W87	151	180	9	Dao	9	BG	5							
								19	1	0	19	2	0	0	0
Crossed	West Lim	b.													
Absolut	e heliograp	hic lo	ngitude: 1	41											
		Reg	ion 2068												
17 May	S17E26	157	20	4	Cro	4	В								
18 May	S18E13	156	10	6	Bxo	3	В								
19 May	S17W04	159													
20 May	S15W16	159		3	Bxo	3	В								
21 May	S15W30	160	plage												
22 May	S15W44	161	plage												
23 May	S15W58	161	plage					1							
24 May	S15W72	162													
25 May	S15W86	163													
								1	0	0	0	0	0	0	0

Crossed West Limb. Absolute heliographic longitude: 159



	Location	Su	nspot C	haracte	ristics					Flares	3				
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			О	ptica	ıl	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Dani	or 2060												
		_	on 2069												
18 May	S18E52	117	10	1	Axx	1	A								
19 May	S19E39	116	10	1	Axx	1	A								
20 May	S21E26	117	0		Axx	1	A								
21 May	S17E12	117	20	1	Cso	5	В				1				
22 May	S19W01	118	plage												
23 May	S19W15	118	plage												
24 May	S19W29	119	plage												
25 May		120	plage												
26 May	S19W57	121	plage												
27 May	S17W69	119	20	1	Hax	1	A								
28 May	S17W83	120	10	1	Axx	1	A								
								0	0	0	1	0	0	0	0
	West Lim														
Absolut	e heliograp	ohic lon	gitude: 1	18											
		D :	2071												
		Kegu	on 2071												
19 May	S11E80	76	10	8	Bxo	3	В	1							
20 May	S12E64	79	30	5	Cro	4	В	1			1				
21 May	S12E48	80	150	7	Dac	10	В	1			6				
22 May	S12E35	82	100	7	Dai	9	BG	1			1				
23 May	S12E21	82	120	9	Dao	17	BG								
24 May	S12E08	82	140	10	Dao	19	В								
25 May	S11W04	81	70	10	Dao	13	В								
26 May	S11W18	82	50	10	Cso	9	В								
27 May	S09W33	83	30	7	Cso	8	В	1			2				
28 May	S09W47	84	10	1	Axx	1	A								
29 May	S10W61	85	10	1	Axx	1	A	1			1				
30 May	S10W75	86	plage												
31 May	S10W89	87	plage												
,								6	0	0	11	0	0	0	0

Crossed West Limb. Absolute heliographic longitude: 81



			`				Onun								
	Location			inspot C							Flares				
		Helio	Area	Extent	_	_	Mag		K-ray				ptica		
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	<u>C</u>	M	X	S	_1_	2	3	_4_
		Regio	on 2072												
20 May	S20E07	136	10	1	Axx	2	A				3				
21 May	S18W05	134	20	4	Csi	7	В								
22 May	S18W19	136	10	6	Bxo	5	В	1			2				
23 May		137	0	2	Axx	1	Α								
24 May		134	0	3	Bxo	3	В								
25 May	S19W58	135	0	3	Cro	8	В								
26 May	S19W72	136	20	5	Cro	4	В								
27 May	S19W86	137	20	1	Hrx	2	Α								
								1	0	0	5	0	0	0	0
	West Lime e heliograp		gitude: 1	34											
		Regio	on 2073												
01.14	011560	_			**						1				
21 May		66	50	1	Hsx	1	A				1				
22 May		68	50	2	Hsx	1	A				1				
23 May		64	70	8	Dso	5 17	BG								
24 May		64	120	10	Dsi	17	BG				1				
25 May		64	100	10	Dai	26	BG				1				
26 May		65	90	10	Dai	18	В				2				
27 May		65	20	11	Bxi	21	В				3				
28 May		66	20	12	Cri	11	В								
29 May		67	30	10	Cri	9	В				1				
30 May		64	30	6	Dro	7	В				1				
31 May	S13W66 S12W80	63 65	10	7	Bxo	3	В				1				
01 Jun	312W 80	65	0	1	Axx	1	A	0	0	0	1 8	0	0	0	0
Still on								U	U	U	0	U	U	U	U
Absolut	e heliograp	ohic Ion	gitude: 6	5											
		Regio	on 2074												
23 May	S14W33	136	30	4	Dro	8	В								
24 May		136	60	8	Dai	14	В				1				
25 May		137	120	8	Dai	11	BG				2				
26 May		138	90	8	Dai	9	В								
27 May		139	50	6	Dao	3	В								
÷								0	0	0	3	0	0	0	0

Crossed West Limb. Absolute heliographic longitude: 136



	Locatio	on	Su	nspot C	haracte	eristics]	Flares	3			
		Helio		Extent			Mag		K-ray			О	ptica	.1	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	ion 2075												
23 May	S11E78	25	30	2	Hax	1	A								
24 May	S11E64	26	60	3	Hax	1	A								
25 May	S08E50	27	90	1	Hax	1	A								
26 May	S08E36	28	80	2	Hax	1	A								
27 May	S09E24	26	70	2	Hax	1	A								
28 May	S09E10	27	60	2	Hsx	2	A								
29 May	S09W04	28	40	2	Hsx	2	A								
30 May	S09W14	25	40	6	Cso	4	В								
31 May	S10W28	25	20	4	Cao	7	В								
01 Jun	S09W41	26	10	1	Axx	3	A								
								0	0	0	0	0	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic lor	ngitude: 2	8											
		Regi	on 2076												
20 May	C10W14	51	50	5	Dao	7	В								
28 May 29 May	S19W14 S19W28	52	20	5 6	Cro	7	В								
30 May	S19W28 S19W44	54	10	1	Axx	1	A								
31 May	S20W59	56	10	1	Axx	1	A	1			2				
01 Jun	S20W73	58	plage		ПЛЛ	1	А	1			2				
O1 Jun	5201173	30	plage					1	0	0	2	0	0	0	0
Still on	Disk							-	Ü	Ü	_	Ü	Ü	Ü	
	e heliograp	hic lo	ngitude: 5	1											
		Rogi	ion 2077												
20.14	005054	_			a										
30 May		297	30	1	Cao	4	В								
31 May		300	90	2	Cao	4	В								
01 Jun	S06E45	300	110	4	Dai	8	BG	1	0	0	1	0	0	0	0
Still on Absolut	Disk. e heliograp	hic lor	ngitude: 3	00				•	Ü	Ü	•	Ü	Ü	Ü	Ü
		Rogi	ion 2078												
01 Jun	S19E15	330	20	1	Cro	5	В								
O1 Juli	317E13	330	20	4	Cro	3	D	0	0	0	0	0	0	0	0
Still on Absolut	Disk. e heliograp	hic lor	ngitude: 3	30											



	Location	unspot Characteristics				Flares									
		Helio	Area	Area Extent Spot Spot Mag					-ray			O	ptica	ıl	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
	Region 2079														
31 May	N12E77	282	plage					1							
01 Jun	N12E63	282	120	2	Hsx	1	A	1			1				
								2	0	0	1	0	0	0	0

Still on Disk. Absolute heliographic longitude: 282




Recent Solar Indices (preliminary) Observed monthly mean values

	Sunspot Numbers					Radio Flux		Geomagnetic	
	Observe		•	Smooth values		Penticton		Planetary Smooth	
Month	SEC	RI	RI/SEC	SEC	RI	10.7 cm	Value	Ap	Value
2012									
June	88.6	64.5	0.73	83.9	58.9	120.5	121.1	10	8.3
July	99.6	66.5	0.67	82.4	57.8	135.6	119.5	13	8.3
August	85.8	63.0	0.74	83.1	58.2	115.7	119.2	7	8.1
September	84.0	61.4	0.73	83.7	58.1	123.2	118.9	8	7.8
October	73.5	53.3	0.73	85.0	58.6	123.3	119.2	9	7.4
November	89.2	61.8	0.69	87.3	59.7	120.9	120.1	6	7.3
December	60.4	40.8	0.68	88.0	59.6	108.4	120.1	3	7.5
				,	2013				
January	99.8	62.9	0.63	87.1	58.7	127.1	118.9	4	7.5
February	60.0	38.1	0.63	86.7	58.4	104.4	118.0	5	7.4
March	81.0	57.9	0.71	85.7	57.6	111.2	117.1	9	7.4
April	112.8	72.4	0.64	86.7	57.9	125.0	116.6	5	7.2
May	125.5	78.7	0.63	90.5	59.9	131.3	118.1	10	7.0
June	80.1	52.5	0.66	94.4	62.6	110.2	120.9	13	7.1
July	86.1	57.0	0.66	97.9	65.5	115.6	123.9	9	7.3
August	90.2	66.0	0.73	103.7	69.0	114.7	127.9	9	7.6
September		37.0	0.67	111.0	73.1	102.7	132.3	5	7.8
October	127.1	85.6	0.67	114.3	75.0	132.3	134.7	7	7.8
November	125.7	77.6	0.62	114.6	75.4	148.4	135.4	5	7.9
December	118.2	90.3	0.76	11	, 5	147.7	13311	5	,.,
				,	2014				
January	125.9	82.0	0.65	4	201 4	158.6		6	
February	174.6		0.59			170.3		12	
March	141.1	92.2	0.65			149.9		6	
April	130.5	84.7	0.65			144.3		9	
May	116.8	75.2	0.64			130.0		7	
11144	110.0	10.2	0.01			130.0		,	

Note: Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary
Week Beginning 26 May 2014

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 26 May 2014

The x-ray plots contains five-minute averages x-ray flux (Watt/ m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged integral flux units (pfu = protons/cm 2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

