Solar activity was at low levels this period with only C-class flares observed. Region 2085 (S20, L=257, class/area=Ekc/490 on 12 Jun), which was very active last period, produced a long duration C8 flare from behind the west limb which was the largest event of the period.

Among regions that were in transit across the visible disk this period, Regions 2087 (S18, L=155, class/area=Eac/220 on 13 Jun), 2089 (N18, L=197, class/area=Dkc/270 on 16 Jun), and 2093 (S12, L=083, class/area=Dso/70 on 16 Jun) were the most productive.

Early in the period Regions 2087 and 2089 were the most active. Region 2087 produced seven C-class flares this period with a C4 flare at 17/0510 UTC being the largest. Region 2089 also produced seven C-class flares, the largest of which was a C2/Sf flare at 16/0734 UTC. Later in the period Region 2093 became the primary solar flare producer, totaling nine C-class flares with a C5/1n flare at 20/1120 UTC being the largest.

On 19 Jun a large (~24 degree) and dynamic filament eruption centered near S01E12 lifted off between 1530-1655 UTC, as seen in SDO AIA/304 and 193 imagery. A subsequent partial halo coronal mass ejection (CME) off the east limb became visible in LASCO C2 coronagraph imagery beginning at 19/1924 UTC. Forecaster analysis and WSA-ENLIL model output suggested this CME had an Earth-directed component with an estimated arrival predicted late in the period (UTC) on 22 Jun.

Another filament eruption (~28 degree) centered near N26E09 was observed in SDO AIA/193 imagery lifting off between 0330-0600 UTC on 21 Jun. A subsequent CME was observed off the north-northwest limb in LASCO C2 in coronagraph imagery beginning at 21/0536 UTC. Analysis of this event indicated a possible glancing blow midday on 24 Jun.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal levels to begin the period (16-19 Jun) with an increase to normal to moderate levels later in the period (20-22 Jun). The 2 MeV electron flux reached a peak value of 487 pfu at 20/1440 UTC.

Geomagnetic field activity was predominately at quiet to unsettled levels throughout the period with the exception of an isolated active period (18/1800-2100 UTC) and an isolated period of G1 (Minor) geomagnetic storm conditions (18/2100-2359 UTC) due to a negative polarity coronal hole high speed stream (CH HSS) and prolonged southward Bz.

A G1 (Minor) geomagnetic storm watch was issued for 22 Jun for the anticipated arrival of the 19 Jun CME (detailed above), however, the transient did not arrive as predicted and G1 conditions were not observed on the 22nd. This is likely due in part to a minor deviation in one of the many variables that transient features enounter during the 93-million mile journey to the Earth.



#### Space Weather Outlook 23 June - 19 July 2014

Solar activity is expected to increase throughout the outlook period due to the return of a few active regions that were relatively productive last rotation. Solar activity is likely to be low with a slight chance for M-class (R1-R2 (Minor-Moderate)) flare activity for 23-25 Jun. As Regions 2080 (S11, L=263) and 2085 (S20, L=256) return to the visible disk, solar activity is expected to be low with a chance for M-class (R1-R2) flare activity for 26 Jun-05 Jul. Region 2080 produced two M-class flares and Region 2085 produced three M-class flares last rotation. Solar activity is likely to be moderate (R1-R2) with a chance for X-class (R3 or greater) flare activity for 06-11 Jul with the return of Region 2087 (S18, L=155) which produced eight M-class flares and three X-class flares last rotation. Solar activity is expected to be low with a chance for M-class (R1-R2) and a slight chance for X-class (R3 or greater) flare activity for 12-19 Jul as Regions 2080 and 2085 rotate around the west limb and Region 2087 continues its transit across the disk.

There is a slight chance for S1 (Minor) solar radiation storm conditions for 06 Jun-19 Jul due to the return of old Region 2087.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal levels with a chance for moderate levels throughout the outlook period.

Geomagnetic field activity is expected to be at quiet levels to G1 (Minor) geomagnetic storm conditions on 23 Jun due to the arrival of the 19 Jun coronal mass ejection (CME). Quiet to active levels are expected on 24-25 Jun as CME effects subside in conjunction with the onset of a negative polarity coronal hole high speed stream (CH HSS). Quiet to active levels are expected on 26 Jun due to continued negative polarity CH HSS influence. Predominately quiet conditions and a nominal solar wind environment are expected for 27 Jun-10 Jul, 12-13 Jul, and 18-19 Jul. Quiet to unsettled conditions are likely on 11 Jul due to weak positive polarity CH HSS effects. Quiet to unsettled conditions are expected on 14 Jul and 16-17 Jul with quiet to active conditions on 15 Jul due to influence from a negative polarity CH HSS.



## Daily Solar Data

	Radio	Sun	n Sunspot X-ray			Flares								
	Flux	spot	Area	Area Background		X-ray			Optical					
Date	10.7cm	No.	(10 <sup>-6</sup> hemi.)	Flux	C	M	X	S	1	2	3	4		
16 June	117	81	630	B7.0	9	0	0	15	1	0	0	0		
17 June	114	87	680	B3.7	6	0	0	4	0	0	0	0		
18 June	111	108	690	B4.0	5	0	0	6	1	0	0	0		
19 June	111	108	560	B2.5	2	0	0	9	0	0	0	0		
20 June	102	75	340	B2.9	4	0	0	5	1	0	0	0		
21 June	101	75	310	B2.0	2	0	0	10	1	0	0	0		
22 June	94	95	320	B1.6	0	0	0	1	0	0	0	0		

# Daily Particle Data

		Proton Fluen		Electron Fluence						
	(pre	otons/cm <sup>2</sup> -da	ay -sr)	(electrons/cm <sup>2</sup> -day -sr)						
Date	>1 MeV	>10 MeV	>100 MeV	>0.6 MeV	>0.6 MeV >2MeV					
16 June	2.1e+05	1.0e+04	2.3e+03		3.6e+05					
17 June	2.4e+05	1.0e+04	2.2e+03		1.7e + 05					
18 June	4.0e+05	1.0e+04	2.2e+03		1.5e+05					
19 June	1.2e+05	9.4e + 03	2.2e+03		7.0e + 05					
20 June	2.7e+05	9.8e + 03	2.3e+03		1.4e + 07					
21 June	5.5e+04	9.6e+03	2.4e+03		3.4e + 06					
22 June	5.6e + 04	9.9e+03	2.3e+03	6.2e+06						

## Daily Geomagnetic Data

	N	Middle Latitude		High Latitude	Estimated			
	F	Fredericksburg		College		Planetary		
Date	A	K-indices	A	K-indices	A	K-indices		
16 June	7	1-1-1-2-3-2-2	5	1-1-1-0-3-2-1-1	5	1-1-1-1-2-2-1-1		
17 June	9	2-2-3-1-2-2-3	7	2-2-3-2-2-1-1-2	8	2-2-3-2-2-1-2-3		
18 June	13	3-1-2-3-2-3-3-4	18	3-3-4-3-3-3-3-4	16	3-2-2-2-3-4-5		
19 June	10	3-3-3-2-2-2-2	13	3-3-4-3-3-2-1-1	8	3-3-2-2-1-2-2-2		
20 June	10	1-1-3-3-3-2-2-3	18	2-2-5-5-3-3-1-1	9	1-2-2-3-3-2-3		
21 June	7	1-2-2-3-2-2-1-1	8	2-2-4-3-1-0-0-1	6	2-2-2-1-1-1-1		
22 June	7	1-2-1-2-3-2-2-1	2	1-1-0-0-1-1-1	4	1-2-1-1-1-1-2		




## Alerts and Warnings Issued

Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
18 Jun 1732	ALERT: Type II Radio Emission	18/1626
18 Jun 2050	WARNING: Geomagnetic $K = 4$	18/2049 - 19/0300
18 Jun 2106	ALERT: Geomagnetic K = 4	18/2059
18 Jun 2332	WARNING: Geomagnetic $K = 5$	18/2331 - 19/0300
18 Jun 2334	ALERT: Geomagnetic K = 5	18/2333
19 Jun 0256	EXTENDED WARNING: Geomagnetic K = 4	18/2049 - 19/1300
20 Jun 2108	WATCH: Geomagnetic Storm Category G1 predicte	ed
21 Jun 2112	WATCH: Geomagnetic Storm Category G1 predicte	ed



### Twenty-seven Day Outlook



	Radio Flux	Planetary	Largest		Radio Flux	Planetary	Largest
Date	10.7cm	A Index	Kp Index	Date	10.7cm	A Index	Kp Index
23 Jun	95	18	5	07 Jul	140	5	2
24	95	15	4	08	135	5	2
25	100	15	4	09	130	5	2
26	105	8	4	10	130	5	2
27	105	5	2	11	125	8	3
28	110	5	2	12	120	5	2
29	115	5	2	13	120	5	2
30	115	5	2	14	115	8	3
01 Jul	120	5	2	15	110	12	4
02	125	5	2	16	105	8	3
03	135	5	2	17	105	8	3
04	130	5	2	18	105	5	2
05	130	5	2	19	105	5	2
06	135	5	2				



## Energetic Events

	Time		X-ray		Optical Information			P	eak	Sweep Fre		
	Half			Integ	Imp/ Location		Rgn	Radio Flux		Intensity		
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV

#### **No Events Observed**

### Flare List

					Optical						
		Time		X-ray	Imp/	Location	Rgn				
Date	Begin	Max	End	Class	Brtns	Lat CMD	#				
16 Jun	0133	0215	0301	C8.3			2085				
16 Jun	0133	0135	0139		SF		2085				
16 Jun	0250	0319	0412		SF	N18W38	2089				
16 Jun	0431	0438	0440		SF	N18W40	2089				
16 Jun	0443	0443	0454		SF	N18W40	2089				
16 Jun	0512	0513	0520		SF	S20E15	2092				
16 Jun	0539	0539	0612		SF	N17W39	2089				
16 Jun	B0613	U0741	A0815		1F	N16W42	2089				
16 Jun	0730	0734	0819	C2.8	SF	N18W42	2089				
16 Jun	1126	1129	1132	C1.5			2089				
16 Jun	1218	1221	1235	C1.1			2089				
16 Jun	B1406	U1408	A1414		SF	N15W45	2089				
16 Jun	1448	1452	1456	C1.9	SF	N17W45	2089				
16 Jun	1759	1807	1812	C2.3	SF	S20W02	2087				
16 Jun	1833	1834	1838		SF	N17W47	2089				
16 Jun	1843	1843	1849		SF	N17W48	2089				
16 Jun	1909	1918	1924	C2.9	SF	S20W02	2087				
16 Jun	2004	2008	2021	C3.2	SF	S20W02	2087				
16 Jun	2144	2151	2157	C2.3	SF	N17W50	2089				
17 Jun	0010	0016	0032		SF	N18W51	2089				
17 Jun	0040	0040	0046		SF	S19W06	2087				
17 Jun	0129	0132	0135	B9.3			2093				
17 Jun	0253	U0319	A0344	C1.3	SF	S11E61	2093				
17 Jun	0458	0510	0523	C4.7			2087				
17 Jun	B0532	U0535	A0627		SF	S20W07	2087				
17 Jun	0736	0741	0746	B8.9							
17 Jun	0813	0819	0849	C3.0			2093				
17 Jun	0959	1002	1005	B8.4							
17 Jun	1313	1319	1324	C1.0			2089				
17 Jun	1404	1409	1414	B7.3							
17 Jun	1745	1752	1801	C1.4							



Flare List

				_	Optical							
		Time			X-ray	Imp/	Location	Rgn				
Date	Begin	Max	End		Class	Brtns	Lat CMD	#				
17 Jun	2354	0014	0021		C1.4							
18 Jun	0312	0331	0350	(	C4.0			2087				
18 Jun	0602	0603	0622			SF	N14W69	2089				
18 Jun	0604	0614	0626	(	C2.2	1F	S09E46	2093				
18 Jun	0645	0652	0705			SF	N17W67	2089				
18 Jun	0735	0748	0758	(	C1.0	SF	S25W80					
18 Jun	B0857	U0857	A0908			SF	S21W22	2087				
18 Jun	1358	1403	1409	]	B7.4			2089				
18 Jun	1540	1547	1554	(	C1.1	SF	N17W71	2089				
18 Jun	1620	1625	1628	(	C1.8	SF	S16W34	2087				
19 Jun	0001	0007	0009			SF	S21W31	2087				
19 Jun	0117	0124	0133	(	C1.5	SF	N05W71	2095				
19 Jun	0331	0332	0335			SF	S15W40	2087				
19 Jun	0526	0529	0533			SF	N06W73	2095				
19 Jun	0535	0538	0549			SF	N06W73	2095				
19 Jun	0726	0728	0734			SF	N06W75	2095				
19 Jun	0736	0743	0749			SF	N06W75	2095				
19 Jun	B1522	U1522	A1524			SF	S07E25	2093				
19 Jun	1836	1924	1946	(	C4.0	SF	S09E23	2093				
20 Jun	0352	0427	0502	(	C1.6	SF	S09E17	2093				
20 Jun	0847	0851	0858			SF	S12E18	2093				
20 Jun	0939	0939	0944			SF	S10E18	2093				
20 Jun	1049	1120	1142	(	C5.0	1N	S09E15	2093				
20 Jun	1147	1149	1155			SF	S20E29	2094				
20 Jun	1639	1648	1658	(	C1.0	SF	S10E11	2093				
20 Jun	1823	1833	1846	(	C1.6			2087				
21 Jun	0239	0313	0332	]	B6.7	SF	S08E04	2093				
21 Jun	0451	0508	0516			SF	S09E05	2093				
21 Jun	0452	0456	0503	]	B7.6	SF	S08E05	2093				
21 Jun	1000	1019	1022			SF	S09E03	2093				
21 Jun	1103	1117	1140	(	C2.1	1F	S09E01	2093				
21 Jun	1334	1356	1409	]	B4.8	SF	S11E03	2093				
21 Jun	1519	1520	1532			SF	S11E03	2093				
21 Jun	1540	1546	1552	]	B5.1	SF	S11E03	2093				
21 Jun	1616	1621	1629			SF	S11E02	2093				
21 Jun	1639	1644	1701			SF	S11E01	2093				
21 Jun	1907	1946	2015	•	C1.0	SF	S10W04	2093				
21 Jun	2152	2157	2200	]	B3.6			2093				



Flare List

				Optical						
	Time		X-ray	Imp/	Location	Rgn				
Begin	Max	End	Class	Brtns	Lat CMD	#				
0030	0038	0104	B5.1			2093				
1051	1059	1123	B3.3			2096				
1301	1313	1348	B7.9	SF	S10W12	2093				
1353	1357	1403	B6.1			2087				
1713	1740	1752	B3.4			2093				
2113	2124	2134	B3.3			2096				
	0030 1051 1301 1353 1713	Begin         Max           0030         0038           1051         1059           1301         1313           1353         1357           1713         1740	Begin         Max         End           0030         0038         0104           1051         1059         1123           1301         1313         1348           1353         1357         1403           1713         1740         1752	Begin         Max         End         Class           0030         0038         0104         B5.1           1051         1059         1123         B3.3           1301         1313         1348         B7.9           1353         1357         1403         B6.1           1713         1740         1752         B3.4	Time         X-ray         Imp/           Begin         Max         End         Class         Brtns           0030         0038         0104         B5.1         B3.3           1051         1059         1123         B3.3         B7.9         SF           1353         1357         1403         B6.1         B6.1           1713         1740         1752         B3.4	Time         X-ray         Imp/         Location           Begin         Max         End         Class         Brtns         Lat CMD           0030         0038         0104         B5.1         1051         1059         1123         B3.3         1301         1313         1348         B7.9         SF         S10W12           1353         1357         1403         B6.1         B6.1         1713         1740         1752         B3.4				



### Region Summary

	Location	on	Sunspot Characteristics						Flares							
		Helio	Area	Extent	Spot	Spot	Mag	X-ray			Optical					
Date	Lat CMD	Lon 1	0 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4	
		Regio														
05 Jun	N17E39	252	20	4	Cri	5	В				5					
06 Jun	N17E26	252	170	6	Dac	18	BG									
07 Jun	N16E12	253	320	7	Dki	13	BG									
08 Jun	N16W02	254	280	8	Dki	14	В									
09 Jun	N16W14	252	210	8	Dai	9	В									
10 Jun	N15W28	253	220	8	Dai	14	В				1					
11 Jun	N15W42	254	220	8	Dai	14	В	1			2					
12 Jun	N15W54	253	200	7	Dai	12	В				5					
13 Jun	N15W67	251	240	9	Dai	21	В	1			1					
14 Jun	N15W80	253	140	4	Cao	2	В				2					
15 Jun	N15W93	252	60	8	Cao	2	В	2 4	0	0	16	0	0	0	0	

Crossed West Limb.

Absolute heliographic longitude: 254

09 Jun	N03E21	217	10	4	Bxo	3	В
10 Jun	N03E06	219	plage				
11 Jun	N03W09	221	plage				
12 Jun	N03W24	223	plage				
13 Jun	N01W32	220	10	3	Bxo	2	В

Region 2086

14 Jun N01W47 220 plage 15 Jun N01W62 221 plage 16 Jun N01W77 223 plage

 $0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 0$ 

Died on Disk.

Absolute heliographic longitude: 219



	Location	Su	Sunspot Characteristics						Flares							
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			O	ptica	.1		
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4	
		<b>D</b>	: 2007													
		Kegi	ion 2087													
10 Jun	S18E71	154	100	8	Dai	5	BD	4		2	2	1				
11 Jun	S18E56	156	180	7	Dsc	10	BG	5	2	1	8		2			
12 Jun	S18E43	156	200	10	Dac	14	BGD	3	4		17	1				
13 Jun	S18E30	155	220	11	Eac	27	BGD	6	1		8	3				
14 Jun	S18E16	155	180	8	Dai	24	BG	1			1					
15 Jun	S18E03	156	150	7	Dso	5	В	2	1		1					
16 Jun	S18W08	153	110	6	Csi	9	В	3			3					
17 Jun	S19W22	154	150	7	Dsc	8	BG	1			2					
18 Jun	S20W35	155	150	6	Dsc	9	В	2			2					
19 Jun	S20W49	155	130	7	Dso	8	В				2					
20 Jun	S20W62	155	90	5	Dso	3	В	1								
21 Jun	S19W76	156	80	3	Cao	2	В									
22 Jun	S18W90	157	60	3	Cso	2	В									
								29	8	3	46	5	2	0	0	
Still on	Disk.															
Absolut	te heliograp	hic lo	ngitude: 1	56												
		Regi	ion 2088													
11 Jun	S11W33	245	20	4	Cro	6	В									
12 Jun	S11W46	245	40	4	Cao	5	В									
13 Jun	S10W60	244	70	6	Dao	11	В									
14 Jun	S09W74	247	20	4	Hrx	1	A									
15 Jun	S09W88	247	plage													
								0	0	0	0	0	0	0	0	

Crossed West Limb. Absolute heliographic longitude: 245



	Location		Su	Sunspot Characteristics						Flares					
		Helio	Area	Extent	Spot	Spot	Mag	X	X-ray		Optical				
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
	Region 2089														
11 Jun	N18E16	196	20	3	Cro	6	В	2			3				
12 Jun	N18E03	196	50	6	Dai	9	В		1		1				
13 Jun	N17W11	196	60	7	Dai	11	В	1			4				
14 Jun	N18W25	198	100	8	Dai	10	BG	1			1				
15 Jun	N18W38	197	150	8	Dai	16	BGD				4				
16 Jun	N18W52	197	270	8	Dkc	15	BGD	5			10	1			
17 Jun	N17W62	194	260	8	Dkc	7	BG	1			1				
18 Jun	N17W77	197	260	8	Dki	11	BG	1			3				
19 Jun	N18W92	198	120	8	Dao	6	В								
								11	1	0	27	1	0	0	0

Crossed West Limb. Absolute heliographic longitude: 196

	Region	2090	
D65	1.47	90	

11 Jun	N24E65	147	80	2	Hsx	1	A				
12 Jun	N24E56	143	120	10	Dso	2	В				
13 Jun	N24E44	141	170	10	Dso	4	В				
14 Jun	N24E30	143	120	11	Cso	3	В				
15 Jun	N24E18	141	130	11	Cso	3	В				
16 Jun	N24E02	143	120	2	Hsx	1	A				
17 Jun	N24W12	144	110	2	Hsx	1	A				
18 Jun	N24W25	145	110	2	Hsx	1	A				
19 Jun	N25W38	144	90	2	Hsx	1	A				
20 Jun	N25W52	145	90	2	Hsx	1	A				
21 Jun	N25W65	145	60	2	Hsx	1	A				
22 Jun	N25W78	145	80	2	Hsx	1	A				
								Λ	Λ	Λ	Λ

 $0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 0$ 

Still on Disk.

Absolute heliographic longitude: 143



	Location	Sunspot Characteristics					Flares								
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			0	ptica	1	
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	ion 2091												
12 Jun	S09W04	203	40	3	Dao	5	В								
13 Jun	S09W17	202	20	3	Cro	3	В								
14 Jun	S08W29	202	0	1	Axx	2	A								
15 Jun	S08W43	202	plage												
16 Jun	S08W57	203	plage												
17 Jun	S08W71	204	plage												
18 Jun	S08W84	204	plage												
								0	0	0	0	0	0	0	0
Crossec	d West Lim	b.													
Absolu	te heliograp	ohic lor	ngitude: 2	.03											
		Regi	ion 2092												
12 Jun	S19E59	140	50	6	Cso	8	В								
13 Jun	S19E46	139	30	6	Dro	12	В	1			5				
14 Jun	S19E33	140	10	5	Bxo	6	В	-			2				
15 Jun	S20E19	140	10	5	Bxo	4	В	1			1				
16 Jun	S20E05	141	plage			-	_	_			1				
17 Jun	S21W08	140	10	2	Bxi	5	В								
18 Jun	S20W23	143	20	4	Cro	5	В								
19 Jun	S21W35	141	20	5	Cro	6	В								
20 Jun	S18W49	142	20	3	Cro	4	В								
21 Jun	S18W63	143	30	3	Cao	3	В								
22 Jun	S19W74	141	20	2	Cro	3	В								
								2	0	0	9	0	0	0	0
Still on	Disk.														
	te heliograp	hic lor	ngitude: 1	41											
		Regi	ion 2093												
16	010E/0			7	D	_	D								
16 Jun	S12E62	83	70	7	Dso	5	В	2			1				
17 Jun	S10E50	81	60	9	Cso	5	В	2			1	1			
18 Jun	S10E35	85	50	13	Cao	8	В	1			2	1			
19 Jun	S10E21	85	60	13	Eao	11	В	1			2	1			
20 Jun	S09E08	85	60	11	Cao	16	BG	3			4	1			
21 Jun	S09W06	86	60	5	Dao	17	BG	2			10	1			
22 Jun	S09W18	85	50	12	Eao	14	BG	9	0	0	1 18	3	0	0	0
Still on	Dick								U	J	10	5	0	0	U

Still on Disk. Absolute heliographic longitude: 86



	Locatio	on	Sunspot Characteristics							I	Flares				
		Helio	Area	Extent			Mag	X	-ray			0	ptica	1	
Date	Lat CMD	Lon 10	) <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Region	n 2001												
		_													
16 Jun	S18E67	78 7.6	60	1	Hsx	1	A								
17 Jun	S19E56	76	90	2	Hsx	1	A								
18 Jun	S18E43	77 <b>7</b> .	90	2	Hsx	1	A								
19 Jun	S18E30	76	90	2	Hsx	2	A								
20 Jun	S18E17	76	80	2	Hax	1	A				1				
21 Jun	S18E02	78	80	2	Hax	2	A								
22 Jun	S18W10	77	20	3	Cro	3	В	0	0	0		0	0	0	0
G.:11	D' 1							0	0	0	1	0	0	0	0
Still on		1.1.1	:4 1 7	0											
Absolut	e heliograp	nic long	ituae: /	8											
18 Jun	N05W71	191	10	4	Bxo	3	В								
19 Jun	N05W84	190	50	4	Dao	4	В	1			5				
								1	0	0	5	0	0	0	0
Crossed	West Limb	<b>5.</b>													
	e heliograp		itude: 1	91											
		Region	n 2096												
22 Jun	N09E70	357	60	3	Hsx	1	A								
								0	0	0	0	0	0	0	0
Still on	Disk.														
	e heliograp	hic long	itude: 3	57											
	<i>U</i> 1	υ													
		Region	n 2097												
22 1	N12E76	_		2	I I	1	A								
22 Jun	N13E76	351	30	2	Hax	1	A	Ω	Λ	0	Λ	0	0	0	0
G. 111	D' 1							0	0	0	0	0	0	0	0
Still on		hialan:	ituda. 2	<b>5</b> 1											
Absolut	e heliograp	me long	nuae: 3	31											




### Recent Solar Indices (preliminary) Observed monthly mean values

		5	Sunspot Nu		Radio	Flux	Geoma	gnetic	
	Observed values Ratio Smooth		values	Penticton	Smooth	Planetary	Smooth		
Month	SEC	RI	RI/SEC	SEC	RI	10.7 cm	Value	Ap	Value
				,	2012				
June	88.6	64.5	0.73	83.9	58.9	120.5	121.1	10	8.3
July	99.6	66.5	0.67	82.4	57.8	135.6	119.5	13	8.3
August	85.8	63.0	0.74	83.1	58.2	115.7	119.2	7	8.1
September	84.0	61.4	0.73	83.7	58.1	123.2	118.9	8	7.8
October	73.5	53.3	0.73	85.0	58.6	123.3	119.2	9	7.4
November	89.2	61.8	0.69	87.3	59.7	120.9	120.1	6	7.3
December	60.4	40.8	0.68	88.0	59.6	108.4	120.1	3	7.5
				,	2013				
January	99.8	62.9	0.63	87.1	58.7	127.1	118.9	4	7.5
February	60.0	38.1	0.63	86.7	58.4	104.4	118.0	5	7.4
March	81.0	57.9	0.71	85.7	57.6	111.2	117.1	9	7.4
April	112.8	72.4	0.64	86.7	57.9	125.0	116.6	5	7.2
May	125.5	78.7	0.63	90.5	59.9	131.3	118.1	10	7.0
June	80.1	52.5	0.66	94.4	62.6	110.2	120.9	13	7.1
July	86.1	57.0	0.66	97.9	65.5	115.6	123.9	9	7.3
August	90.2	66.0	0.73	103.7	69.0	114.7	127.9	9	7.6
September		37.0	0.67	111.0	73.1	102.7	132.3	5	7.8
October	127.1	85.6	0.67	114.3	75.0	132.3	134.7	7	7.8
November		77.6	0.62	114.6	75.4	148.4	135.4	5	7.9
December	118.2	90.3	0.76			147.7		5	
					2014				
January	125.9	82.0	0.65	4		158.6		6	
February	174.6		0.59			170.3		12	
March	141.1	92.2	0.65			149.9		6	
April	130.5	84.7	0.65			144.3		9	
May	116.8	75.2	0.64			130.0		7	

**Note:** Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary
Week Beginning 16 June 2014

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 16 June 2014

The x-ray plots contains five-minute averages x-ray flux (Watt/ $m^2$ ) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged intergral flux units (pfu = protons/cm $^2$ -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



#### Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

**Notice:** The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr\_guide.pdf -- User Guide

