Solar activity was very low this period. Regions 2724 (S08, L=126, class/area, Hrx/20 on 12 Oct) and 2725 (S11, L=113, class/area, Axx/10 on 14 Oct) were the only numbered sunspots on the visible disk but were quiet and stable throughout the period. No Earth-directed CMEs were observed during the summary period.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit reached high levels on 08-13 Oct then decreased to moderate levels on 14 Oct.

Geomagnetic field activity reached G1 (Minor) geomagnetic storm levels on 10 and 13 Oct, active conditions on 08-09 Oct, unsettled levels on 11 Oct, and quiet conditions on 12 and 14 Oct due to CH HSS influence.

Space Weather Outlook 15 October - 10 November 2018

Solar activity is expected to be very low throughout the outlook period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to reach high levels on 15-25 Oct and 04-09 Nov with moderate flux levels expected thoughout the remainder of the period.

Geomagnetic field activity is expected to reach G1 (Minor) geomagnetic storm levels on 19 Oct and 03-04 Nov with active levels expected on 18 Oct and 05-06 Nov due to the influence of multiple, recurrent CH HSSs.



Daily Solar Data

	Radio	Sun	Suns	pot	X-ray			Flares						
	Flux	spot	Are	Area Backgrou		ıd	X-1	ay		Optical				
Date	10.7cm	No.	(10 ⁻⁶ h	emi.)	Flux		C M	I X	S	1	2 3	4		
08 October	69	0	0	A0.0	0	0	0	0	0	0	0	0		
09 October	70	0	0	A0.0	0	0	0	0	0	0	0	0		
10 October	70	0	0	A0.0	0	0	0	0	0	0	0	0		
11 October	71	0	0	A0.0	0	0	0	0	0	0	0	0		
12 October	72	11	20	A0.0	0	0	0	1	0	0	0	0		
13 October	72	22	20	A0.0	0	0	0	1	0	0	0	0		
14 October	72	22	20	A0.0	0	0	0	0	0	0	0	0		

Daily Particle Data

	Proton Fl (protons/cm ²		Electron Fluence (electrons/cm ² -day -sr)					
Date	>1 MeV >10 Me	eV >100 MeV	>0.6 MeV	>2MeV >4 MeV				
08 October	3.4e+06	1.5e+04	3.2e+03	2.4e+08				
09 October	4.3e+06	1.7e+04	3.6e+03	1.0e + 09				
10 October	2.8e + 06	1.6e+04	3.6e+03	8.9e + 08				
11 October	1.7e + 06	1.6e+04	3.6e+03	1.1e+09				
12 October	1.5e+06	1.6e+04	3.8e+03	1.8e + 09				
13 October	1.5e+06	1.7e+04	3.5e+03	8.7e + 08				
14 October	3.8e + 05	1.6e+04	3.3e+03	5.6e+06				

Daily Geomagnetic Data

	N	Middle Latitude		High Latitude	Estimated			
	I	Fredericksburg		College	Planetary			
Date	A	K-indices	A	K-indices	A	K-indices		
08 October	16	4-4-3-3-3-1-2	53	3-5-6-6-7-5-2-1	21	4-4-4-3-4-3-2-2		
09 October	14	2-3-3-3-3-3-3	39	2-3-5-6-6-5-3-3	17	3-3-3-4-3-4-3-3		
10 October	12	3-1-1-2-3-3-4-2	33	2-1-1-6-6-5-4-3	18	4-1-1-2-3-3-5-3		
11 October	7	3-2-2-1-2-1	13	2-2-4-3-4-2-2-1	9	3-3-3-2-2-2-1		
12 October	4	1-2-2-1-1-1-1	10	1-1-3-5-2-1-0-1	5	1-2-2-1-1-1-1		
13 October	12	1-2-1-1-2-4-3-4	15	1-1-1-0-1-6-3-3	14	1-3-1-1-2-5-4-4		
14 October	4	1-1-1-1-2-2-1-1	8	2-1-1-4-3-1-0-1	7	2-1-1-2-2-1-2		



Alerts and Warnings Issued

Date & Time of Issue UTC		Date & Time of Event UTC
08 Oct 0004	ALERT: Geomagnetic K = 5	07/2359
08 Oct 0855	EXTENDED WARNING: Geomagnetic K = 5	07/1555 - 08/2100
08 Oct 0856	EXTENDED WARNING: Geomagnetic K = 4	07/1100 - 08/2359
08 Oct 1348	ALERT: Electron 2MeV Integral Flux >= 1000pfu	08/1345
09 Oct 0730	WARNING: Geomagnetic $K = 4$	09/0730 - 1500
09 Oct 0926	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	08/1345
09 Oct 1200	ALERT: Geomagnetic $K = 4$	09/1159
09 Oct 1602	WARNING: Geomagnetic $K = 4$	09/1600 - 2300
09 Oct 1630	ALERT: Geomagnetic $K = 4$	09/1630
10 Oct 0148	WARNING: Geomagnetic $K = 4$	10/0148 - 0600
10 Oct 0302	ALERT: Geomagnetic $K = 4$	10/0259
10 Oct 0859	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	08/1345
10 Oct 1229	WARNING: Geomagnetic $K = 4$	10/1230 - 1800
10 Oct 1343	ALERT: Geomagnetic $K = 4$	10/1342
10 Oct 1759	EXTENDED WARNING: Geomagnetic K = 4	10/1230 - 2300
10 Oct 2023	WARNING: Geomagnetic $K = 5$	10/2022 - 2300
10 Oct 2032	ALERT: Geomagnetic $K = 5$	10/2022
11 Oct 0138	WARNING: Geomagnetic $K = 4$	11/0140 - 0600
11 Oct 0859	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	08/1345
12 Oct 0239	ALERT: Type II Radio Emission	12/0152
12 Oct 0900	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	08/1345
13 Oct 0900	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	08/1345
13 Oct 1655	WARNING: Geomagnetic $K = 4$	13/1655 - 2359
13 Oct 1710	ALERT: Geomagnetic K = 4	13/1709
13 Oct 1716	WARNING: Geomagnetic $K = 5$	13/1716 - 2359
13 Oct 1757	ALERT: Geomagnetic K = 5	13/1756




Alerts and Warnings Issued

Date & Time of Issue UTC	Date & Time of Event UTC				
13 Oct 1828	WATCH: Geomagnetic Storm Category G1 predicte	ed			
13 Oct 2347	EXTENDED WARNING: Geomagnetic K = 5	13/1716 - 14/0600			
13 Oct 2347	EXTENDED WARNING: Geomagnetic K = 4	13/1655 - 14/1200			



Twenty-seven Day Outlook



	Radio Flux	Planetary	,		Radio Flux	Planetary	Largest
Date	10.7cm	A Index	Kp Index	Date	10.7cm	A Index	Kp Index
15 Oct	72	10	3	29 Oct	69	5	2
16	72	5	2	30	69	5	2
17	72	5	2	31	69	5	2
18	72	12	4	01 Nov	69	5	2
19	72	18	5	02	69	5	2
20	72	10	3	03	69	22	5
21	72	5	3	04	69	20	5
22	70	10	3	05	70	15	4
23	70	8	3	06	70	15	4
24	70	5	2	07	72	8	3
25	69	5	2	08	72	5	2
26	69	10	3	09	72	12	3
27	69	5	2	10	72	8	3
28	69	5	2				



Energetic Events

	Time		Γime X-ray		Optical Information			Peak		Sweep Freq		
			Half		Integ	Imp/	Location	Rgn	Radi	o Flux	Inten	sity
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV

No Events Observed

Flare List

				Optical					
	Time			X-ray	Imp/	Location	Rgn		
Date	Begin	Max	End	Class	Brtns	Lat CMD	#		
10 Oct	0504	0508	0509	A1.8					
10 Oct	0815	0822	0831	B1.7			2724		
12 Oct	0143	0150	0156	B2.1			2724		
12 Oct	1404	1408	1413	B7.1	SF	S06E61	2724		
13 Oct	1328	1334	1342	B2.3	SF	S11E55	2724		



Region Summary

	Location	on	Su	nspot C	haracte	ristics		Flares							
		Helio	Area	Extent	Spot	Spot	Mag	X	X-ray			Optical			
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
Region 2724															
12 Oct	S08E57	126	20	1	Hrx	1	A				1				
13 Oct	S08E40	130	10	2	Hsx	1	A				1				
14 Oct	S07E27	130	10	1	Axx	1	A								
								0	0	0	2	0	0	0	0
Still on		hia lan	aituda. 1	20											
Absolut	e heliograp	me ion	igitude: 1	30											
		Regi	on 2725												
13 Oct	S10E59	111	10	1	Axx	1	A								
14 Oct	S11E44	113	10	1	Axx	1	A								
								0	0	0	0	0	0	0	0

Still on Disk. Absolute heliographic longitude: 113




Recent Solar Indices (preliminary) Observed monthly mean values

	S	Sunspot N	lumbers			Radio Flux Geomagnetic						
	Observed values	_		th values		Penticton	Smooth	Planetary	~			
Month	SEC RI	RI/SEC	SEC	RI		10.7 cm	Value	Ap	Value			
				2016				_				
October	30.0	20.0	0.67	31.1	18.9	9 86.1	82.5	16	11.6			
November	22.4	12.8	0.57	29.4	17.9	78.7	81.1	10	11.6			
December	17.6	11.1	0.64	28.1	17.1	1 75.1	80.0	10	11.4			
2017												
January	28.1	15.7	0.55	27.3	16.7	7 77.4	79.4	10	11.3			
February	22.0	15.8	0.71	25.5	15.9		78.7		11.3			
March	25.4	10.6	0.42	24.6	15.4				11.5			

April	30.4	19.4	0.64	24.3	14.9	80.9	78.4	13	11.5			
May	18.1	11.3	0.62	23.1	14.0	73.5	77.7	9	11.3			
June	18.0	11.5	0.64	22.0	13.3	3 74.8	77.3	7	11.3			
July	18.8	10.7	0.59	20.8	12.6		76.8		11.0			
August	25.0	19.6	0.80	19.7	11.8		76.3		10.7			
September	42.2	26.2	0.62	18.6	11.0	92.0	75.9	19	10.3			
October	16.0	7.9	0.49	16.8	10.0	76.4	75.1	11	9.8			
November		3.4	0.44	15.7	9.2		74.6		9.5			
December	7.6	4.9	0.64	15.7	9.1		74.4		9.4			
2000111001	,	,	0.0.	1017	, ,	, 110	,	· ·	,			
				2018								
January	7.8	4.1	0.51	15.0	8.5	5 70.0	74.0	6	9.3			
February	16.0	6.4	0.40	13.7	7.6	5 72.0	73.3	7	9.1			
March	6.0	1.5	0.25	11.5	5.9	9 68.4	71.9	8	8.6			
								_				
April	7.0	5.3	0.76			70.0		7				
May	15.0	7.9	0.53			70.9		8				
June	19.7	9.4	0.48			72.5		7				
July	1.3	1.0	0.77			69.7		6				
August	10.0	5.3	0.53			69.1		10				
September		2.0	0.35			68.3		9				
•												

Note: Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 08 October 2018

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 08 October 2018

The x-ray plots contains five-minute averages x-ray flux (Watt/ m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged integral flux units (pfu = protons/cm 2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

