

Solar activity was very low throughout the period. Region 2717 (S08, L=027, class/area=Axx/10 on 02 Aug) was briefly the sole active region with sunspots, but was largely unproductive. No Earth-directed CMEs were observed this period.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit reached high levels on 30 Jul, moderate levels on 31 Jul, and 01, 03-04 Aug. Normal levels were observed throughout the rest of the period.

Geomagnetic field activity was quiet to unsettled on 31 Jul, and 01-03 Aug, with quiet conditions observed throughout the remainder of the period, under a nominal solar wind environment.

Space Weather Outlook **06 August - 01 September 2018**

Solar activity is expected to be very low throughout the outlook period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to reach high levels on 21-26 Aug. Moderate levels are expected on 06-11, 18-20, 27-31 Aug and 01 Sep. Normal levels are expected throughout the remainder of the outlook period.

Geomagnetic field activity is likely to reach G1 (Minor) geomagnetic storm levels on 20 Aug due to the influence of a negative polarity, coronal hole high-speed stream. Active conditions are expected on 07-08, 17, and 20-21 Aug due to multiple, recurrent coronal hole high-speed streams. Quiet to unsettled conditions are expected throughout the remainder of the outlook period.



Daily Solar Data

Date	Radio Flux 10.7cm	Sun spot No.	Sunspot Area (10 ⁻⁶ hemi.)	X-ray Background Flux	Flares							
					X-ray			Optical				
					C	M	X	S	1	2	3	4
30 July	68	0	0	A0.0	0	0	0	0	0	0	0	0
31 July	69	0	0	A0.0	0	0	0	0	0	0	0	0
01 August	70	11	10	A0.0	0	0	0	0	0	0	0	0
02 August	70	11	10	A0.0	0	0	0	0	0	0	0	0
03 August	70	0	0	A1.5	0	0	0	0	0	0	0	0
04 August	70	0	0	A1.6	0	0	0	0	0	0	0	0
05 August	69	0	0	A1.2	0	0	0	0	0	0	0	0

Daily Particle Data

Date	Proton Fluence (protons/cm ² -day -sr)			Electron Fluence (electrons/cm ² -day -sr)		
	>1 MeV	>10 MeV	>100 MeV	>0.6 MeV	>2MeV	>4 MeV
30 July	9.5e+05	1.8e+04	3.6e+03	7.7e+07		
31 July	1.1e+06	1.8e+04	3.5e+03	1.9e+07		
01 August	1.2e+06	1.9e+04	3.6e+03	8.8e+06		
02 August	1.0e+06	1.8e+04	3.7e+03	3.3e+06		
03 August	2.4e+06	1.8e+04	3.6e+03	3.7e+06		
04 August	1.9e+06	1.8e+04	3.8e+03	4.7e+06		
05 August	1.3e+06	1.8e+04	3.8e+03	3.4e+06		

Daily Geomagnetic Data

Date	Middle Latitude Fredericksburg		High Latitude College		Estimated Planetary	
	A	K-indices	A	K-indices	A	K-indices
30 July	5	1-1-1-2-1-2-2-2	2	1-1-0-0-0-0-1-1	5	1-1-1-1-1-1-2-2
31 July	5	2-1-0-1-2-1-2-2	3	2-2-0-0-0-1-1-2	6	2-1-1-1-1-1-2-3
01 August	5	2-1-0-1-2-1-2-2	3	1-1-0-1-1-1-1-2	6	2-1-1-1-2-2-2-3
02 August	6	3-2-2-2-2-0-1-1	4	3-2-1-1-0-0-0-0	6	3-2-2-1-1-0-0-1
03 August	6	1-1-1-3-3-1-1-1	13	1-1-2-6-2-1-1-0	6	1-1-1-3-2-1-1-1
04 August	8	3-3-1-2-2-1-2-1	2	1-1-0-2-0-0-0-0	5	2-2-1-2-1-1-1-2
05 August	6	1-1-1-2-3-1-2-2	4	1-1-1-3-2-0-0-0	4	1-1-1-2-1-1-0-1




Alerts and Warnings Issued

Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
30 Jul 1637	CONTINUED ALERT: Electron 2MeV Integral Flux \geq 1000pfu	25/1355



Twenty-seven Day Outlook



Date	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index	Date	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index
06 Aug	69	8	3	20 Aug	69	20	5
07	69	12	4	21	69	12	4
08	69	12	4	22	69	5	2
09	69	8	3	23	70	5	2
10	69	5	2	24	70	5	2
11	69	5	2	25	70	5	2
12	69	8	3	26	70	5	2
13	69	8	3	27	70	5	2
14	69	5	2	28	70	5	2
15	69	5	2	29	70	5	2
16	69	8	3	30	70	5	2
17	69	12	4	31	70	5	2
18	69	5	2	01 Sep	69	5	2
19	69	5	2				

Energetic Events

Date	Time			X-ray		Optical Information			Peak		Sweep Freq	
	Begin	Max	Half	Class	Integ Flux	Imp/ Brtns	Location Lat CMD	Rgn #	Radio Flux		Intensity	
			Max						245	2695	II	IV

No Events Observed

Flare List

Date	Time			X-ray Class	Optical		
	Begin	Max	End		Imp/ Brtns	Location Lat CMD	Rgn #
03 Aug	1545	1546	1547	A1.0			



Region Summary

Location		Sunspot Characteristics					Flares								
	Helio	Area	Extent	Spot	Spot	Mag	X-ray			Optical					
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4

Region 2717

01 Aug	S07E29	25	10	1	Axx	1	A								
02 Aug	S08E14	27	10		Axx	1	A								
03 Aug	S08W00	27	plage												
04 Aug	S08W14	28	plage												
05 Aug	S08W28	29	plage												
								0	0	0	0	0	0	0	0

Still on Disk.

Absolute heliographic longitude: 27




Recent Solar Indices (preliminary)
Observed monthly mean values

Month	Sunspot Numbers					Radio Flux		Geomagnetic	
	Observed values		Ratio	Smooth values		Penticton	Smooth	Planetary	Smooth
	SEC	RI	RI/SEC	SEC	RI	10.7 cm	Value	Ap	Value
2016									
August	50.4	30.1	0.60	34.2	21.6	85.0	85.5	10	11.2
September	37.4	26.8	0.72	32.1	19.9	87.8	83.7	16	11.3
October	30.0	20.0	0.67	31.1	18.9	86.1	82.5	16	11.6
November	22.4	12.8	0.57	29.4	17.9	78.7	81.1	10	11.6
December	17.6	11.1	0.64	28.1	17.1	75.1	80.0	10	11.4
2017									
January	28.1	15.7	0.55	27.3	16.7	77.4	79.4	10	11.3
February	22.0	15.8	0.71	25.5	15.9	76.9	78.7	10	11.3
March	25.4	10.6	0.42	24.6	15.4	74.6	78.6	15	11.5
April	30.4	19.4	0.64	24.3	14.9	80.9	78.4	13	11.5
May	18.1	11.3	0.62	23.1	14.0	73.5	77.7	9	11.3
June	18.0	11.5	0.64	22.0	13.3	74.8	77.3	7	11.3
July	18.8	10.7	0.59	20.8	12.6	77.7	76.8	9	11.0
August	25.0	19.6	0.80	19.7	11.8	77.9	76.3	12	10.7
September	42.2	26.2	0.62	18.6	11.0	92.0	75.9	19	10.3
October	16.0	7.9	0.49	16.8	10.0	76.4	75.1	11	9.8
November	7.7	3.4	0.44	15.7	9.2	72.1	74.6	11	9.5
December	7.6	4.9	0.64	15.7	9.1	71.5	74.4	8	9.4
2018									
January	7.8	4.1	0.51	15.0	8.6	70.0	74.0	6	9.3
February	16.0	6.4	0.40			72.0		7	
March	6.0	1.5	0.25			68.4		8	
April	7.0	5.3	0.76			70.0		7	
May	15.0	7.9	0.53			70.9		8	
June	19.7	9.5	0.48			72.5		7	
July	1.3	1.0	0.77			69.7		6	

Note: Values are final except for the most recent 6 months which are considered preliminary.
Cycle 24 started in Dec 2008 with an RI=1.7.





*Weekly Geosynchronous Satellite Environment Summary
Week Beginning 30 July 2018*


The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.

The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.



*Weekly GOES Satellite X-ray and Proton Plots
Week Beginning 30 July 2018*


The x-ray plots contains five-minute averages x-ray flux (Watt/m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged integral flux units (pfu = protons/ cm^2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1 , >10 , >30 , and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



ISES Solar Cycle Sunspot Number Progression

Observed data through Jul 2018



Updated 2018 Aug 6

NOAA/SWPC Boulder, CO USA


Smoothed Sunspot Number Prediction

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2010	9	10	11	13	15	16	17	17	20	23	27	29
	(1)	(2)	(3)	(5)	(5)	(6)	(7)	(7)	(8)	(9)	(9)	(10)
2011	19	30	56	54	42	37	44	51	78	88	97	73
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2012	58	33	64	55	69	65	67	63	61	53	62	41
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2013	63	38	58	72	79	53	57	66	37	86	78	90
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2014	82	102	92	68	68	62	60	64	78	54	62	68
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2015	56	40	33	45	53	40	40	39	47	38	37	35
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2016	34	34	33	23	31	12	19	30	27	20	13	11
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2017	16	16	11	19	11	12	11	20	26	8	3	5
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2018	4	6	2	5	8	10	1	12	12	11	10	10
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)
2019	9	8	8	7	7	6	6	6	5	5	4	4
	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)



ISES Solar Cycle F10.7cm Radio Flux Progression

Observed data through Jul 2018



Updated 2018 Aug 6

NOAA/SWPC Boulder, CO USA


Smoothed F10.7cm Radio Flux Prediction

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2010	76 (***)	77 (***)	78 (***)	78 (***)	79 (***)	80 (***)	80 (***)	81 (***)	82 (***)	85 (***)	88 (***)	90 (***)
2011	91 (***)	93 (***)	96 (***)	100 (***)	106 (***)	111 (***)	115 (***)	118 (***)	118 (***)	118 (***)	120 (***)	122 (***)
2012	124 (***)	127 (***)	127 (***)	126 (***)	124 (***)	121 (***)	120 (***)	119 (***)	119 (***)	119 (***)	120 (***)	120 (***)
2013	119 (***)	118 (***)	117 (***)	117 (***)	118 (***)	121 (***)	124 (***)	128 (***)	132 (***)	135 (***)	135 (***)	136 (***)
2014	137 (***)	139 (***)	141 (***)	144 (***)	145 (***)	146 (***)	145 (***)	143 (***)	140 (***)	138 (***)	137 (***)	137 (***)
2015	136 (***)	134 (***)	131 (***)	127 (***)	123 (***)	120 (***)	116 (***)	113 (***)	111 (***)	108 (***)	105 (***)	103 (***)
2016	100 (***)	98 (***)	97 (***)	95 (***)	93 (***)	90 (***)	88 (***)	86 (***)	84 (***)	83 (***)	81 (***)	80 (***)
2017	79 (***)	79 (***)	79 (***)	78 (***)	78 (***)	77 (***)	77 (***)	76 (***)	76 (***)	75 (***)	75 (***)	74 (***)
2018	74 (***)	73 (1)	72 (1)	71 (2)	70 (3)	70 (4)	70 (4)	69 (5)	69 (6)	69 (7)	68 (8)	68 (8)
2019	67 (9)	66 (9)	66 (9)	65 (9)	65 (9)	65 (9)	64 (9)	64 (9)	63 (9)	63 (9)	63 (9)	63 (9)



ISES Solar Cycle Ap Progression

Observed data through Jul 2018



Solar Cycle Comparison charts are temporarily unavailable.

Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce
NOAA / National Weather Service
Space Weather Prediction Center
325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned.
Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

<http://spaceweather.gov/weekly/> -- Current and previous year

<http://spaceweather.gov/ftpmenu/warehouse.html> -- Online archive from 1997

<http://spaceweather.gov/ftpmenu/> -- Some content as ascii text

<http://spaceweather.gov/SolarCycle/> -- Solar Cycle Progression web site

<http://spaceweather.gov/contacts.html> -- Contact and Copyright information

http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

