Solar activity was very low on 15-21 July. No spotted regions were observed on the visible disk.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit reached high levels on 15-21 July.

Geomagnetic field activity was at quiet levels on 16-20 July. Quiet to unsettled levels were observed on 15 and 21 July.

Space Weather Outlook 22 July - 17 August 2019

Solar activity is expected to be very low throughout the forecast period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at moderate to high levels on 22, 27-30 July and 06-17 August. Normal to moderate levels are expected for the remainder of the forecast period.

Geomagnetic field activity is expected to be at unsettled to active levels on 05-06 August due to recurrent coronal hole high speed stream influences. Quiet to unsettled levels are expected for the remainder of the forecast period.



Daily Solar Data

	Radio	S	un	Sunspot	X-ray			Flares						
	Flux	sp	ot	Area	Backgr	ound		X-ray		C	ptical	al		
Date	10.7cm	ı N	Jo. (1	10 ⁻⁶ hemi.)	Flu	X	C	M X		S 1	2 3	4		
15 July	67	0	0	A6.7	0	0	0	0	0	0	0	0		
16 July	67	0	0	A6.5	0	0	0	0	0	0	0	0		
17 July	68	0	0	A6.4	0	0	0	0	0	0	0	0		
18 July	67	0	0	A6.5	0	0	0	0	0	0	0	0		
19 July	67	0	0	A6.3	0	0	0	0	0	0	0	0		
20 July	67	0	0	A6.3	0	0	0	0	0	0	0	0		
21 July	68	0	0	A6.5	0	0	0	0	0	0	0	0		

Daily Particle Data

		roton Fluence ons/cm ² -day -sr)	_	Electron Fluence trons/cm ² -day -sr)
Date	>1 MeV	>10 MeV >100 MeV	>0.6 MeV	>2MeV >4 MeV
15 July	3.2e+05	2.0e+04	3.8e+03	9.5e+07
16 July	3.5e+05	2.1e+04	4.0e+03	1.0e+08
17 July	3.3e+05	2.0e+04	4.0e+03	7.3e+07
18 July	4.4e + 05	2.0e+04	4.0e+03	9.2e+07
19 July	4.3e+05	2.0e+04	4.1e+03	9.8e + 07
20 July	4.8e + 05	2.2e+04	4.0e+03	9.5e+07
21 July	6.4e + 05	2.1e+04	4.1e+03	6.7e+07

Daily Geomagnetic Data

	_	Middle Latitude		High Latitude		Estimated		
		Fredericksburg		College		Planetary		
Date		A K-indices	A	K-indices	A	K-indices		
15 July	8	3-2-1-3-3-2-1-0	11	1-1-0-5-3-3-1-0	7	3-2-1-3-2-1-2-0		
16 July	5	1-1-2-1-2-1	6	1-1-2-2-3-1-2-0	4	0-1-1-1-1-1-1		
17 July	8	1-3-2-2-3-1-1-2	9	2-3-3-2-3-1-1-2	6	1-2-2-2-1-1-2		
18 July	4	1-1-1-1-2-1-1-1	1	0-0-0-1-1-0-0-0	3	0-1-1-1-1-0-1		
19 July	3	1-0-0-2-2-1-1-1	1	1-0-0-1-1-0-0-0	4	1-1-0-2-1-1-1		
20 July	5	1-1-1-1-2-2-2-1	0	0-0-1-0-0-0-0	3	0-0-1-1-1-1-1		
21 July	9	0-1-1-3-1-2-4-3	6	0-1-2-3-1-1-2-2	3	1-1-1-2-1-2-3-3		




Alerts and Warnings Issued

Date & Time	<u> </u>	Date & Time
of Issue UTC	Type of Alert or Warning	of Event UTC
15 Jul 1340	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	10/1230
16 Jul 1316	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	10/1230
17 Jul 1411	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	10/1230
18 Jul 1219	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	10/1230
19 Jul 1141	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	10/1230
20 Jul 1158	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	10/1230
21 Jul 1546	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	10/1230
21 Jul 2308	WARNING: Geomagnetic $K = 4$	21/2307 - 22/0300



Twenty-seven Day Outlook



Date	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index	Date	Radio Flux 10.7cm	•	Largest Kp Index
Bute	10.7611	71 macx	пр шел	Bute	10.7011	71 Index	принск
22 Jul	67	5	2	05 Aug	67	15	4
23	67	8	3	06	67	15	4
24	67	8	3	07	67	8	3
25	67	5	2	08	67	5	2
26	67	8	3	09	67	5	2
27	67	8	3	10	67	5	2
28	67	8	3	11	67	5	2
29	67	5	2	12	67	5	2
30	67	5	2	13	67	5	2
31	67	5	2	14	67	5	2
01 Aug	67	5	2	15	67	5	2
02	67	5	2	16	67	5	2
03	67	5	2	17	67	5	2
04	67	8	3				



Energetic Events

	Time			Time X-ray			cal Informat	P	eak	Sweep Freq			
			Half		Integ	Imp/	Location	Rgn	Radi	Radio Flux		Intensity	
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV	

No Events Observed

Flare List

					Optical					
	Time			X-ray	Imp/	Location	Rgn			
Date	Begin	Max	End	Class	Brtns	Lat CMD	#			
15 Jul	1140	1141	1142	A1.1						
19 Jul	1551	1552	1553	A1.1						



Region Summary

				<i>c</i>	,		<i>J</i>								
	Location	on	Su	ınspot C	haracte	eristics		Flares							
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			O	ptica	1	
Date	Lat CMD	Lon 1	0 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regio	n 2744												
07 Jul	S27E38	209	20	4	Bxo	2	В								
08 Jul	S27E24	210	plage												
09 Jul	S27E10	211	plage												
10 Jul	S27W04	211	plage												
11 Jul	S27W18	212	plage												
12 Jul	S27W32	213	plage												
13 Jul	S27W46	214	plage												
14 Jul	S27W60	214	plage												
15 Jul	S27W74	215	plage												
16 Jul	S27W88	216	plage												
								0	0	0	0	0	0	0	0

Crossed West Limb. Absolute heliographic longitude: 211




Recent Solar Indices (preliminary) Observed monthly mean values

	S	Sunspot N		Radio	Flux	Geoma	gnetic					
	Observed values	_		oth values	_	Penticton		Planetary	_			
Month	SEC RI	RI/SEC	SEC	RI		10.7 cm	Value	Ap	Value			
				2017				_				
July	18.8	10.7	0.59	20.8	12.6	5 77.7	76.8	9	11.0			
August	25.0	19.6	0.80	19.7	11.8	3 77.9	76.3	12	10.7			
September	42.2	26.2	0.62	18.6	11.0	92.0	75.9	19	10.3			
October	16.0	7.9	0.49	16.8	10.0	76.4	75.1	11	9.8			
November	7.7	3.4	0.44	15.7	9.2	2 72.1	74.6	11	9.5			
December	7.6	4.9	0.64	15.7	9.1	71.5	74.4	8	9.4			
2018												
January	7.8	4.1	0.51	15.0	8.5	70.0	74.0	6	9.3			
February	16.0	6.4	0.40	13.7	7.6	5 72.0	73.3	7	9.1			
March	6.0	1.5	0.25	11.5	5.9	68.4	71.9	8	8.6			
April	7.0	5.3	0.76	9.6	4.7	7 70.0	70.6	7	8.0			
May	15.0	7.9	0.53	9.2	4.5		70.2		7.6			
June	19.7	9.4	0.48	9.1	4.3		70.0		7.4			
July	1.3	1.0	0.77	9.4	4.2	2 69.7	70.0	6	7.3			
August	10.0	5.2	0.53	9.0	4.0		70.0		7.3			
September		2.0	0.35	8.7	3.9		70.1	9	7.3			
October	6.9	2.9	0.42	9.2	4.1	l 69.5	70.3	7	7.1			
November		2.9	0.48	9.5	4.0		70.4		7.0			
December	5.6	1.9	0.34	9.3	3.6		70.3	7	6.9			
				2019								
January	16.0	4.6	0.29	2017		71.6		6				
February	10.0	0.5	/			70.6		7				
March	14.8	5.6	0.39			71.5		6				
April	11.5	5.5	0.48			72.4		6				
May	18.1	6.1	0.34			71.3		7				
June	11.6	0.7	0.06			68.1		5				

Note: Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 15 July 2019

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 15 July 2019

The x-ray plots contains five-minute averages x-ray flux (Watt/ m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged intergral flux units (pfu = protons/cm 2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

