Solar activity was very low. No sunspots were observed on the visible disk. No Earth-directed CMEs were observed in available coronagraph imagery.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit reached high levels on 25-28 Nov and decreased to moderate levels on 29 Nov - 01 Dec.

Geomagnetic field activity was mostly quiet. A single isolated period of unsettled was observed late on 29 Nov in response to a prolonged period of southward Bz.

Space Weather Outlook 02 December - 28 December 2019

Solar activity is expected to be at very low levels throughout the outlook period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to range from moderate to high levels. High levels are expected to be reached on 20-25 Dec in response to CH HSS influence; moderate levels are expected for the remainder of the outlook period.

Geomagnetic field activity is expected to be at quiet to active levels. Active levels are expected on 18-19 Dec due to interaction with a positive polarity CH HSS; unsettled levels are expected on 03 Dec and 20-21 Dec; quiet levels are expected for the remainder of the outlook period.



Daily Solar Data

	Radio	Sun	Suns	spot	X-ray		Flares						
	Flux	spot	Are	Area Ba		nd	X-ra	<u>y</u>	Optical				
Date	10.7cm	No.	(10 ⁻⁶ h	emi.)	Flux		C M	X	S	1	2 3	4	
25 November	70	0	0	A8.2	0	0	0	0	0	0	0	0	
26 November	70	0	0	A8.0	0	0	0	0	0	0	0	0	
27 November	72	0	0	A7.1	0	0	0	0	0	0	0	0	
28 November	70	0	0	A7.8	0	0	0	0	0	0	0	0	
29 November	70	0	0	A7.8	0	0	0	0	0	0	0	0	
30 November	70	0	0	A7.9	0	0	0	0	0	0	0	0	
01 December	71	0	0	A7.8	0	0	0	0	0	0	0	0	

Daily Particle Data

	(pro	Proton Fluen otons/cm ² -da			Electron Fluence (electrons/cm ² -day -sr)					
Date	>1 MeV	>10 MeV	>100 MeV		>0.6 MeV	>2MeV	>4 MeV			
25 November	3.	0e+05	2.1e+04	3.9	9e+03	8.86	e+07			
26 November	5.4e + 05		2.1e+04	3.9	9e+03	e+08				
27 November	5.	6e+05	2.2e+04	3.8	8e+03	8.6	e+07			
28 November	7.	3e+05	2.2e+04	4.0	0e+03	4.16	e+07			
29 November	5.	5e+05	2.2e+04	3.9	9e+03	2.36	e+07			
30 November	1.	3e+06	2.1e+04	3.8	8e+03	1.56	e+07			
01 December	6.	0e+05	2.0e+04		5e+03	9.96	e+06			

Daily Geomagnetic Data

	Mi	Middle Latitude		igh Latitude	Estimated		
	Fre	Fredericksburg		College	Planetary		
Date	A	K-indices	A K-indices		A	K-indices	
25 November	5	2-1-2-2-1-1-1	5	0-0-3-3-1-1-0-0	5	2-1-2-2-1-1-1-2	
26 November	3	1-2-0-0-1-2-0-0	0	0-0-0-0-0-1-0	3	2-2-0-0-0-1-1-1	
27 November	2	0-1-0-1-1-2-1-0	2	0-0-1-1-1-1-0-0	4	1-1-1-1-2-2-1	
28 November	2	1-0-0-0-1-1-2-0	1	0-0-0-0-1-0-1-0	4	2-0-1-0-1-1-2-1	
29 November	3	1-1-0-1-1-0-1-2	1	0-0-0-1-0-0-1-1	5	1-1-0-1-1-1-2-3	
30 November	2	1-1-1-0-1-0-1-1	4	1-0-0-0-1-2-3-1	4	2-1-1-0-1-1-2-2	
01 December	2	1-0-1-0-1-1-1	2	1-1-0-0-1-0-1-0	5	1-1-0-0-1-1-2-2	




Alerts and Warnings Issued

Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC		
25 Nov 1241	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	24/1515		
26 Nov 1206	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	24/1515		
27 Nov 1216	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	24/1515		
28 Nov 1505	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	24/1515		



Twenty-seven Day Outlook



Date	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index	Date	Radio Flux 10.7cm	•	Largest Kp Index
02 Dec	70	5	2	16 Dec	70	5	2
03	70	8	3	17	70	5	2
04	70	8	3	18	70	12	4
05	70	5	2	19	70	10	4
06	70	5	2	20	70	8	3
07	70	5	2	21	70	8	3
08	70	5	2	22	70	5	2
09	70	5	2	23	70	5	2
10	70	5	2	24	70	5	2
11	70	5	2	25	70	5	2
12	70	5	2	26	70	5	2
13	70	5	2	27	70	5	2
14	70	5	2	28	70	5	2
15	70	5	2				



Energetic Events

	Time		X-	X-ray Opt		cal Informat	P	Peak		Sweep Freq			
			Half		Integ	Imp/	Location	Rgn	Radi	o Flux	Inter	ensity	
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV	

No Events Observed

Flare List

					Optical					
		Time			y Imp/	Location	Rgn			
Date	Begin	Max	End	Clas	ss Brtns	Lat CMD	#			
25 Nov	2318	2322	2323	A8.3	}					



Region Summary

	Location Sunspot Characteristics									Flares					
		Helio	Area	Extent	Spot	Spot	Mag	X-ray Optic			ptica	1			
Date	Lat CMD	Lon 1	0 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regio	n 2752												
13 Nov	S23E56	286	plage												
14 Nov	S23E42	288	plage												
15 Nov	S23E28	289	plage												
16 Nov	S23E14	290	plage												
17 Nov	S23W00	291	plage												
18 Nov	S23W14	291	plage												
19 Nov	S23W28	292	plage												
20 Nov	S23W42	293	plage												
21 Nov	S23W56	294	plage												
22 Nov	S23W70	295	plage												
23 Nov	S23W84	296	plage												
24 Nov	S23W98	296	plage												
			- -					0	0	0	0	0	0	0	0

Crossed West Limb. Absolute heliographic longitude: 291




Recent Solar Indices (preliminary) Observed monthly mean values

Sunspot Numbers Radio Flux Geomagnetic														
	Observed values	•		th values		Penticton		Planetary	-					
Month	SEC RI	RI/SEC	SEC	RI	_	10.7 cm	Value	Ap	Value					
				2017				•						
December	7.6	4.9	0.64	15.7	9.1	71.5	74.4	8	9.4					
	2018													
January	7.8	4.1	0.51	15.0	8.5	70.0	74.0	6	9.3					
February	16.0	6.4	0.40	13.7	7.6	72.0	73.3	7	9.1					
March	6.0	1.5	0.25	11.5	5.9	68.4	71.9	8	8.6					
April	7.0	5.3	0.76	9.6	4.7	70.0	70.6	7	8.0					
May	15.0	7.9	0.53	9.2	4.5	70.9	70.2	8	7.6					
June	19.7	9.4	0.48	9.1	4.3	72.5	70.0	7	7.4					
July	1.3	1.0	0.77	9.4	4.2	69.7	70.0	6	7.3					
August	10.0	5.2	0.53	9.0	4.0	69.1	70.0	10	7.3					
September	5.7	2.0	0.35	8.7	3.9	68.3	70.1	9	7.3					
October	6.9	2.9	0.42	9.2	4.1	69.5	70.3	7	7.1					
November	7.3	2.9	0.48	9.5	4.0	68.9	70.4		7.0					
December	5.6	1.9	0.34	9.3	3.6	70.0	70.3	7	6.9					
				2019										
January	16.0	4.6	0.29	9.0	3.2	71.6	70.0	6	6.8					
February		0.5		8.7	3.0	70.6	69.8	7	6.7					
March	14.8	5.6	0.39	8.3	2.8	71.5	69.7	6	6.6					
April	11.5	5.5	0.48	7.9	2.6	72.4	69.6	6	6.7					
May	18.1	5.9	0.34	7.4	2.3	71.3	69.6		6.7					
June	11.6	0.7	0.06			68.1		5						
July	1.6	0.5	0.31			67.1		6						
August	2.5	0.4	0.16			67.0		7						
September	2.6	0.7	0.27			68.1		10						
October	1.8	0.2	0.11			67.4		8						
November	1.1	0.3	0.27			70.2		4						

Note: Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 25 November 2019

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 25 November 2019

The x-ray plots contains five-minute averages x-ray flux (Watt/ m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged intergral flux units (pfu = protons/cm 2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

