Solar activity was at very low to low levels. Region 2785 (S23, L=359, class/area, Hsx/060 on 22 Nov) produced an impulsive C3/Sf flare at 22/1731 UTC, the largest of the period, from the E limb. Shortly after, the region produced a 160 sfu tenflare at 22/1943 UTC. Multiple CME signatures were observed in coronagraph imagery that appear to have originated near the region; however, given the proximity to the limb they are not likely to have an Earth-directed component.

Region 2783 (S23, L=072, class/area, Hsx/080 on 21 Nov) was mostly stable through the week but did produce a C1/1f flare at 20/1703 UTC. Some coronal dimming was observed around the region between 21/1600-1800 UTC and may be associated with a slow-moving CME signature seen in LASCO SOHO/C2 imagery after 21/2236 UTC. Analysis and modeling of the event is ongoing.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal to moderate levels throughout the period.

Geomagnetic field activity ranged from quiet to G1 (Minor) geomagnetic storm levels. Quiet levels were observed over 16-19 Nov. A period of sustained southward Bz caused unsettled levels on 20 Nov. The onset of influence from a positive polarity CH HSS produced active conditions on 21 Nov and peaked with an isolated period of G1 (Minor) geomagnetic storm conditions on 22 Nov. Solar wind speeds increased to a peak between 600-650 km/s early on 22 Nov and gradually declined after. Total magnetic field strength peaked earlier with 12 nT observed at 21/2212 UTC and slowly declined to below 5 nT by the end of the reporting period. The Bz component reached a maximum southward deflection of -10 nT at 21/2212 UTC.

Space Weather Outlook 23 November - 19 December 2020

Solar activity is likely to be at low levels with a slight chance of R1 (Minor) radio blackouts from 23 Nov to 06 Dec. Very low levels are expected for the remainder of the outlook period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to range from normal to high levels. High levels are expected on 23-28 Nov and normal to moderate levels are expected for the remainder of the outlook period.

Geomagnetic field activity is expected to at quiet to G1 (minor) geomagnetic storm levels. G1 conditions are likely on 19 Dec; active conditions are likely on 23 Nov, 25 Nov and 18 Dec; unsettled conditions are likely on 24 Nov, 26 Nov and 03-04 Dec. All increases in geomagnetic



activity are expected due to multiple, recurrent CH HSSs. The remainder of outlook period is expected to be at quiet levels.



	Radio Sun Sunspot X-ray								Flares						
	Flux	spot	Area	Background		X-ra	У	Optical							
Date	10.7cm	No.	(10 ⁻⁶ hemi.)	Flux	С	Μ	Х	S	1	2	3	4			
16 November	77	0	0	A9.0	0	0	0	0	0	0	0	0			
17 November	79	11	30	A5.5	0	0	0	0	0	0	0	0			
18 November	77	11	80	A4.4	0	0	0	0	0	0	0	0			
19 November	77	11	70	A6.0	0	0	0	0	0	0	0	0			
20 November	82	11	70	A7.9	2	0	0	0	1	0	0	0			
21 November	85	23	110	B1.8	0	0	0	1	0	0	0	0			
22 November	88	35	160	B3.0	4	0	0	1	0	0	0	0			

Daily Solar Data

Daily Particle Data

	Proton F (protons/cm	luence ² -day -sr)	Electron Fluence (electrons/cm ² -day -sr)
Date	>1 MeV	>10 MeV	>2MeV
16 November	4.2e+05	4.6e+04	4.9e+06
17 November	5.1e+05	4.5e+04	4.8e+06
18 November	4.5e+05	4.5e+04	3.4e+06
19 November	3.9e+05	4.5e+04	4.0e+06
20 November	1.9e+05	4.4e+04	1.6e+06
21 November	5.9e+05	4.4e+04	1.6e+06
22 November	1.0e+06	4.4e+04	2.2e+07

Daily Geomagnetic Data

	Middle Latitude		Н	igh Latitude	Estimated			
	Fredericksburg			College	Planetary			
Date	А	K-indices	А	K-indices	А	K-indices		
16 November	0	0-0-0-0-1-0-0-0	0	0-0-0-1-0-0-0	2	0-0-0-0-1-0-0-0		
17 November	3	0-1-0-1-1-2-1-1	2	0-0-0-3-1-0-0-0	3	0-1-0-1-1-1-0-1		
18 November	3	1-1-2-0-1-1-1-0	0	0-0-0-0-1-0-0-0	4	2-1-1-0-0-0-1-1		
19 November	2	0-0-0-2-1-0-1-1	2	0-0-0-3-0-0-0-0	3	1-0-0-2-0-0-1-2		
20 November	9	3-4-2-2-1-1-1-1	11	1-3-3-5-0-0-0-1	8	3-3-2-2-1-0-2-1		
21 November	9	2-2-2-0-3-2-3-3	12	0-1-1-2-5-3-2-3	12	2-2-1-1-3-3-3-4		
22 November	19	2-4-4-4-3-3-2	45	3-3-6-6-5-4-3	12	3-4-4-5-4-4-3		



Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
20 Nov 0516	WARNING: Geomagnetic $K = 4$	20/0515 - 1500
21 Nov 2052	WARNING: Geomagnetic $K = 4$	21/2053 - 22/0600
22 Nov 0001	ALERT: Geomagnetic $K = 4$	21/2359
22 Nov 0433	EXTENDED WARNING: Geomagnetic l	K = 421/2053 - 22/1200
22 Nov 1114	EXTENDED WARNING: Geomagnetic l	K = 421/2053 - 22/1800
22 Nov 1358	WARNING: Geomagnetic $K = 5$	22/1358 - 1800
22 Nov 1459	ALERT: Geomagnetic $K = 5$	22/1457
22 Nov 1717	EXTENDED WARNING: Geomagnetic	K = 421/2053 - 23/0900
22 Nov 1751	EXTENDED WARNING: Geomagnetic	K = 522/1358 - 23/0300
22 Nov 2242	SUMMARY: 10cm Radio Burst	22/1942 - 1943

Alerts and Warnings Issued





Twenty-seven Day Outlook

	Radio Flux	Planetary	Largest		Radio Flux	Planetary	Largest
Date	10.7cm	A Index	Kp Index	Date	10.7cm	A Index	Kp Index
23 Nov	90	18	5	07 Dec	85	5	2
24	92	10	3	08	82	5	2
25	94	12	4	09	80	5	2
26	94	10	3	10	78	5	2
27	94	5	2	11	75	5	2
28	94	5	2	12	75	5	2
29	92	5	2	13	75	5	2
30	92	5	2	14	75	5	2
01 Dec	92	5	2	15	75	5	2
02	92	5	2	16	75	5	2
03	92	8	3	17	75	5	2
04	92	8	3	18	77	12	4
05	92	5	2	19	80	24	5
06	88	5	2				



				E	nerge	tic Ev	ents					
		Time		X	-ray	Opti	cal Informat	ion	Р	eak	Swee	p Freq
			Half		Integ	Imp/	Location	Rgn	Radi	o Flux	Inte	nsity
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV
No E	vents O	bserve	d									
					Fla	re List	ţ					
								Optic	al			
		Tin	ne			X-ray	Imp/	L	ocation	Rg	gn	
Date	Begi	in N	Max	End		Class	Brtns	La	at CMD	#	ŧ	
16 Nov	0003	3 0	009	0014		B1.7				278	81	
16 Nov	0208	8 0	215	0220		B1.6				278	31	
16 Nov	0440	0 C	504	0513		B4.8				278	31	
16 Nov	0619	9 0	633	0645		B2.7				278	32	
16 Nov	064	5 0	649	0653		B2.1				278	31	
16 Nov	165	7 1	706	1712		B1.9				278	32	
19 Nov	1020	0 1	025	1031		B1.1				278	33	
19 Nov	1700	0 1	706	1714		B1.5				278	33	
19 Nov	2038	8 2	106	2119		B2.0				278	33	
20 Nov	1308	8 1	335	1423		B6.4						
20 Nov	161	1 1	627	1644		B1.7				278	33	
20 Nov	1644	4 1	703	1711		C1.9	1F	S	22E36	278	33	
20 Nov	1810	0 1	845	1919		C1.0						
21 Nov	0552	2 0	557	0606		B4.4	SF	S	20E31	278	33	
21 Nov	140	7 1	413	1427		B3.9						
21 Nov	142	7 1	439	1448		B3.9						
21 Nov	1550	5 1	607	1614		B3.8						
21 Nov	1723	3 1	731	1737		B5.8						
22 Nov	030	7 0	314	0318		B5.8				278	33	
22 Nov	0730	0 C	738	0743		B7.4						
22 Nov	0819	9 0	837	0859		B6.0				278	33	
22 Nov	0859	9 0	902	0903		B5.0						
22 Nov	0903	3 0	921	0941		B9.9						
22 Nov	0924	4 0	927	0934		C1.3				278	35	
22 Nov	1422	2 1	432	1437		C1.3				278	35	
22 Nov	144	7 1	457	1502		B9.4				278	35	
22 Nov	1723	3 1	731	1737		C3.3	SF	S	23E80	278	35	
22 Nov	1838	8 1	847	1854		B6.1				278	35	
22 Nov	201	1 2	019	2030		B5.0				278	35	
22 Nov	2030	0 2	033	2037		B4.7				278	35	
22 Nov	2342	2 2	356	0008		C1.2						

	Locatio	n	Su	nspot C	haracte	ristics]	Flares				
		Helio	Area	Extent	Spot	Spot	Mag	X	l-ray		Optica			1	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	С	М	Х	S	1	2	3	4
		Regi	on 2782												
11 Nov	S21E64	154	20	11	Cro	2	р	1			1				
11 NOV 12 Nov	S31E04 S31E50	154	20	11	Cro	5	B	1			1				
12 Nov	S31E30 S31E37	155	20	10	Bro	3	B	4			1				
13 Nov	S31E27	154	nlage	10	DAU	5	D								
15 Nov	S31E11	155	nlage												
16 Nov	S31W03	156	plage												
17 Nov	S31W17	156	plage												
18 Nov	S31W31	158	plage												
19 Nov	S23W33	156	plage												
20 Nov	S23W47	147	plage												
21 Nov	S23W61	148	plage												
22 Nov	S23W75	149	plage												
								3	0	0	2	0	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic lon	gitude: 1	56											
	0 1		C												
		Regi	on 2783												
17 Nov	S22E68	71	30	2	Hsx	1	А								
18 Nov	S23E53	72	80	1	Hsx	1	А								
19 Nov	S22E40	72	70	2	Hsx	1	А								
20 Nov	S23E27	73	70	2	Hsx	1	А	1				1			
21 Nov	S23E15	72	80	2	Hsx	1	А				1				
22 Nov	S23E02	72	70	2	Hsx	1	А								
								1	0	0	1	1	0	0	0
Still on	Disk.			2											
Absolut	e heliograp	hic lon	igitude: 7	2											
		Regi	on 2784												
21 Nov	N33E28	59	30	3	Cro	2	В								
22 Nov	N32E14	60	30	5	Bxo	3	B								
				-		-	_	0	0	0	0	0	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic lon	gitude: 6	0											
		Rogi	on 2785												
22 N	000554	negu	on 2103	~		4		2							
22 Nov	S23E/4	359	60	2	Hsx	1	А	3	0	0	1	0	0	0	0
0.111	D' 1							3	0	U	1	0	0	U	0
Still on	Disk.	h. 1 -	aiden al	50											
Adsolut	e nenograpi	inc ion	igitude: 3	37											

Region Summary



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

https://www.swpc.noaa.gov/products/weekly-highlights-and-27-day-forecast --

Current

ftp://ftp.swpc.noaa.gov/pub/warehouse -- Online archive from 1997

https://www.ngdc.noaa.gov/stp/satellite/goes-r.html -- NCEI GOES data textarchive

https://www.swpc.noaa.gov/products/solar-cycle-progression -- Solar Cycle

Progression web site

https://www.swpc.noaa.gov/content/contact-us -- Contact and Copyright

information

https://www.swpc.noaa.gov/sites/default/files/images/u2/Usr_guide.pdf -- User Guide

