Solar activity was reached low levels on 26 Apr. A C1 flare from Region 2816 (S24, L=262, class/area Dai/120 on 19 Apr) at 26/0230 UTC was the largest of the period. A DSF was also observed on 26 Apr, lifting off around 26/1635 UTC. Most of the ejecta appears to have been headed to the SW of Earth's orbit, though the lack of available STEREO-A coronagraph imagery increased uncertainty around determining if an Earth-directed component was present. All of the other active regions were in decay and mostly quiet as they rotated towards the western limb. Only low-level B-class activity was observed over 27 Apr - 02 May.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was mostly normal to moderate with the exception of a brief high level (peak flux of 1,810 pfu reached at 30/1550 UTC) reached on 30 Apr.

Geomagnetic field activity range from quiet to G1 (Minor) geomagnetic storm levels. G1 (Minor) levels were observed on 26 Apr in response to enhancements from a CME that left the Sun on 22 Apr. Total magnetic field strength was weakly enhanced reaching 7 nT while Bz was sustained southward to -7 nT. Solar wind speeds were steadily elevated to speeds between ~480-500 km/s prior the G1 event. Geomagnetic conditions would decrease to quiet - unsettled levels on 27 Apr and into quiet over 28 Apr - 01 May as solar wind parameters returned to nominal levels. A slight increase to unsettled conditions was observed on 02 May due to what appears to be influence from the current sheet with a possible embedded weak transient.

#### Space Weather Outlook 03 May - 29 May 2021

Solar activity is expected to be at very low levels throughout the outlook period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal to moderate levels from 03-13 May and 25-29 May. High levels are likely on 14-24 May in response to multiple, recurrent, negative polarity CH HSSs.

Geomagnetic field activity is expected to range from quiet to G2 (Moderate) geomagnetic storm levels. G1 (Minor) geomagnetic storm levels on 13 May are likely to increase to G2 (Moderate) levels on 14 May. Active conditions are likely on 03-04 May, 12 May, 15-17 May and 20 May. Unsettled levels are likely on 05 May, 11 May, and 21 May. All anticipated elevations in geomagnetic activity are in response to influence from recurrent CH HSSs. The remainder of the outlook period is expected to at quiet levels.



## Daily Solar Data

	Ra	idio Sun	Sunspot X-ray			Flares								
	F	lux spo	Area	Background		X-r	ay		C	)ptica	al			
Date	10.	7cm No	(10 <sup>-6</sup> hea	mi.) Flux	C	M	X	S	1	2	3	4		
26 April	80	54	220	A7.1	1	0	0	4	0	0	0	0		
27 April	79	47	140	A7.4	0	0	0	0	0	0	0	0		
28 April	78	42	70	A6.6	0	0	0	0	0	0	0	0		
29 April	77	37	70	A5.6	0	0	0	0	0	0	0	0		
30 April	73	35	70	A4.5	0	0	0	0	0	0	0	0		
01 May	72	11	10	A3.1	0	0	0	0	0	0	0	0		
02 May	72	0	0	A3.0	0	0	0	0	0	0	0	0		

# Daily Particle Data

		on Fluence (cm <sup>2</sup> -day-sr)	Electron Fluence (electrons/cm <sup>2</sup> -day -sr)
Date	>1 MeV	>10 MeV	>2MeV
26 April	8.9e+04	4.3e+04	2.9e+06
27 April	5.2e+04	4.4e+04	1.4e + 07
28 April	5.2e+04	4.5e+04	4.1e+07
29 April	5.4e+04	4.5e+04	4.6e+07
30 April	1.8e + 05	4.4e+04	4.3e+07
01 May	1.2e+05	4.4e+04	8.9e+06
02 May	8.5e + 04	4.5e+04	2.1e+06

## Daily Geomagnetic Data

		Middle Latitude		High Latitude		Estimated
		Fredericksburg		College		Planetary
Date	A	K-indices	A	K-indices	A	K-indices
26 April	12	4-4-3-1-2-1-2-2	18	3-5-4-3-4-1-1-1	14	4-5-3-1-2-1-1-2
27 April	8	3-3-2-2-1-1-1	15	1-3-5-4-3-2-0-1	8	3-3-2-2-1-1-0-1
28 April	4	2-0-0-2-2-1-1-1	2	1-1-0-1-1-0-0-0	3	2-1-1-1-1-0-0-1
29 April	5	2-2-1-1-2-1-2-1	4	0-0-2-3-2-0-0-0	6	2-2-2-2-1-2-1
30 April	6	1-1-1-1-2-3-2	1	0-0-0-0-0-1-1-1	6	1-2-1-1-1-2-2-2
01 May	6	1-1-2-3-1-1-1-2	2	0-0-1-2-1-0-1-0	5	2-1-1-2-1-1-2
02 May	12	3-3-3-2-2-3-3	7	2-3-3-2-1-0-1-1	18	3-3-3-1-1-2-2-2




# Alerts and Warnings Issued

Date & Time of Issue UTC		ate & Time Event UTC
26 Apr 0050	WARNING: Geomagnetic K = 4	26/0050 - 1200
26 Apr 0054	ALERT: Geomagnetic $K = 4$	25/0054
26 Apr 0441	WARNING: Geomagnetic $K = 5$	26/0441 - 1200
26 Apr 0526	ALERT: Geomagnetic $K = 5$	26/0526
27 Apr 0120	WARNING: Geomagnetic $K = 4$	27/0120 - 0600
27 Apr 0523	EXTENDED WARNING: Geomagnetic K = 4	27/0120 - 1200
30 Apr 1603	ALERT: Electron 2MeV Integral Flux >= 1000pfu	30/1530
02 May 0246	WARNING: Geomagnetic $K = 4$	02/0245 - 1200
02 May 1417	ALERT: Type II Radio Emission	02/1129



### Twenty-seven Day Outlook



	Radio Flux	Planetary	Largest		Radio Flux	Planetary	Largest
Date	10.7cm	A Index	Kp Index	Date	10.7cm	A Index	Kp Index
03 May	70	12	4	17 May	79	12	4
04	70	12	4	18	77	5	2
05	72	10	3	19	77	5	2
06	72	5	2	20	77	15	4
07	72	5	2	21	77	10	3
08	72	5	2	22	75	5	2
09	74	5	2	23	75	5	2
10	74	5	2	24	75	5	2
11	74	8	3	25	74	5	2
12	75	12	4	26	74	5	2
13	75	20	5	27	72	5	2
14	77	30	6	28	70	5	2
15	79	15	4	29	70	5	2
16	79	15	4				



# Energetic Events

		Time		X-ray		Optical Information			P	eak	Sweep Free		
		Half			Integ	Imp/	Location	Rgn	Radi	o Flux	Inten	sity	
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV	

#### **No Events Observed**

#### Flare List

				1 ture List			
					(	Optical	
		Time		X-ray	Imp/	Location	Rgn
Date	Begin	Max	End	Class	Brtns	Lat CMD	#
26 Apr	0048	0051	0055	B1.8			
26 Apr	0108	0128	0140	B2.4			
26 Apr	0147	0151	0153	B1.9	SF	S22W04	2820
26 Apr	0222	0230	0235	C1.3			2816
26 Apr	0252	0256	0300	B3.9	SF	S22W04	2820
26 Apr	0409	0418	0434	B1.1			2820
26 Apr	0434	0447	0452	B1.9	SF	S22W05	2820
26 Apr	0501	0514	0521	B1.6			2820
26 Apr	0541	0549	0556	B2.3			2820
26 Apr	0846	0856	0900	B1.6			2820
26 Apr	1010	1022	1030	B3.2	SF	S21W07	2820
26 Apr	1048	1052	1056	B1.2			2820
26 Apr	1219	1225	1234	B1.0			
26 Apr	1303	1307	1312	B1.2			
26 Apr	1329	1334	1340	B4.2			
26 Apr	1346	1351	1355	B1.7			
26 Apr	1424	1431	1437	B1.0			
26 Apr	1550	1559	1612	B1.1			
27 Apr	0429	0434	0439	B1.2			2821
27 Apr	0737	0743	0758	B1.2			2821
27 Apr	0813	0823	0836	B2.8			2821
27 Apr	1604	1613	1617	B3.3			2821
27 Apr	2141	2153	2201	B2.2			2820
28 Apr	0720	0729	0737	B2.0			2820
28 Apr	0739	0745	0749	B3.4			2820
28 Apr	0804	0809	0819	B1.2			2820
28 Apr	1240	1244	1248	B1.2			2821
29 Apr	1351	1401	1408	B1.1			2820
29 Apr	1759	1805	1817	B1.4			2821
29 Apr	1819	1823	1829	B1.3			2821
29 Apr	1941	1954	2002	B1.4			2820



Flare List

					(	Optical	
		Time		X-ray	Imp/	Location	Rgn
Date	Begin	Max	End	Class	Brtns	Lat CMD	#
29 Apr	2034	2054	2103	B2.4			2821
29 Apr	2213	2232	2241	B6.2			2821
30 Apr	0326	0333	0344	B1.0			2820
30 Apr	0404	0417	0433	B1.9			2818
30 Apr	0448	0455	0502	B1.4			2818
30 Apr	1151	1159	1209	B1.6			2820
30 Apr	1243	1252	1303	B1.0			2820
01 May	1950	1959	2016	B1.7			2820



## Region Summary

	Location	on	Su	ınspot C	haracte	ristics					Flares	3			
		Helio	Area	Extent	Spot	Spot	Mag	X	-ray			О	ptica	1	
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	on 2816												
16 Apr	S24E59	264	80	5	Cao	3	В								
17 Apr	S24E46	264	20	7	Cao	4	В								
18 Apr	S25E34	263	50	7	Cao	5	В				2				
19 Apr	S24E21	262	120	8	Dai	8	В		1		2				
20 Apr	S24E08	262	110	9	Cao	10	В				1				
21 Apr	S24W06	263	100	9	Cao	9	В				2				
22 Apr	S24W18	261	50	10	Cro	6	В	5			1	1			
23 Apr	S24W31	262	50	12	Cro	8	В	2			2				
24 Apr	S24W44	262	30	13	Cro	7	В								
25 Apr	S22W65	270	10	1	Axx	1	A	1			1				
26 Apr	S22W79	270	plage					1							
								9	1	0	11	1	0	0	0

Crossed West Limb.

Absolute heliographic longitude: 263

Region 281	18
------------	----

S17E66	203	90	1	Hsx	1	A
S17E52	205	40	1	Hsx	1	A
S17E39	204	50	1	Hsx	1	A
S17E25	206	50	1	Hsx	1	A
S16E12	206	40	1	Hsx	1	A
S16W01	205	40	1	Hsx	1	A
S16W13	204	40	1	Hsx	1	A
S17W27	204	10	1	Hsx	1	A
S17W39	203	10	1	Hsx	1	A
S16W53	205	20	1	Hsx	1	A
S16W67	205	20	1	Hsx	1	A
S16W80	205	10	1	Axx	1	A
	S17E52 S17E39 S17E25 S16E12 S16W01 S16W13 S17W27 S17W39 S16W53 S16W67	S17E52 205   S17E39 204   S17E25 206   S16E12 206   S16W01 205   S16W13 204   S17W27 204   S17W39 203   S16W53 205   S16W67 205	S17E52 205 40   S17E39 204 50   S17E25 206 50   S16E12 206 40   S16W01 205 40   S16W13 204 40   S17W27 204 10   S17W39 203 10   S16W53 205 20   S16W67 205 20	S17E52 205 40 1   S17E39 204 50 1   S17E25 206 50 1   S16E12 206 40 1   S16W01 205 40 1   S16W13 204 40 1   S17W27 204 10 1   S17W39 203 10 1   S16W53 205 20 1   S16W67 205 20 1	S17E52 205 40 1 Hsx   S17E39 204 50 1 Hsx   S17E25 206 50 1 Hsx   S16E12 206 40 1 Hsx   S16W01 205 40 1 Hsx   S16W13 204 40 1 Hsx   S17W27 204 10 1 Hsx   S17W39 203 10 1 Hsx   S16W53 205 20 1 Hsx   S16W67 205 20 1 Hsx	S17E52 205 40 1 Hsx 1   S17E39 204 50 1 Hsx 1   S17E25 206 50 1 Hsx 1   S16E12 206 40 1 Hsx 1   S16W01 205 40 1 Hsx 1   S16W13 204 40 1 Hsx 1   S17W27 204 10 1 Hsx 1   S17W39 203 10 1 Hsx 1   S16W53 205 20 1 Hsx 1   S16W67 205 20 1 Hsx 1

Crossed West Limb. Absolute heliographic longitude: 205



# Region Summary - continued

	Location	on	Su	nspot C	haracte	ristics				]	Flares	5			
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			0	ptica	ıl	
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regio	on 2819												
24 Apr	N24W27	245	10	4	Bxo	3	В								
25 Apr	N24W40	245	plage												
26 Apr	N24W54	245	plage												
27 Apr	N24W68	246	plage												
28 Apr	N24W82	247	plage												
								0	0	0	0	0	0	0	0
	West Lim		-:412	15											
Absolut	e heliograp	onic ion	gitude: 2	45											
		Regio	on 2820												
24 Apr	S22E08	210	70	5	Dai	11	В				1				
25 Apr	S22W06	211	80	7	Dso	12	В				1				
26 Apr	S21W18	209	110	8	Dsi	15	В				4				
27 Apr	S21W32	210	70	11	Esi	11	В								
28 Apr	S22W44	208	30	11	Dao	6	В								
29 Apr	S22W57	209	30	10	Cro	5	В								
30 Apr	S22W71	209	20	10	Bxo	3	В								
01 May	S20W84	209	plage												
								0	0	0	6	0	0	0	0
	West Lim														
Absolut	e heliograp	hic lon	gitude: 2	11											
		Regio	on 2821												
25 Apr	S22W16	221	30	4	Cro	3	В								
26 Apr	S21W28	219	70	5	Dsi	8	В								
27 Apr	S23W43	220	60	8	Dai	5	В								
28 Apr	S22W56	220	30	9	Cao	5	В								
29 Apr	S21W74	226	20	1	Hsx	1	A								
30 Apr	S21W89	227	30	1	Hsx	1	A								
-								0	0	0	0	0	0	0	0

Crossed West Limb. Absolute heliographic longitude: 221



#### Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

**Notice:** The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

https://www.swpc.noaa.gov/products/weekly-highlights-and-27-day-forecast --

Current

ftp://ftp.swpc.noaa.gov/pub/warehouse -- Online archive from 1997

https://www.ngdc.noaa.gov/stp/satellite/goes-r.html -- NCEI GOES data

textarchive

https://www.swpc.noaa.gov/products/solar-cycle-progression -- Solar Cycle

Progression web site

https://www.swpc.noaa.gov/content/contact-us -- Contact and Copyright

information

https://www.swpc.noaa.gov/sites/default/files/images/u2/Usr\_guide.pdf -- User

Guide

