Solar activity was at very low to moderate levels. Region 2822 (N18, L=335, class/area Dsi/180 on 09 May) rotated onto the visible disk on 07 May and produced an M3/1n flare at 07/1904 UTC. Associated with this flare were type II (816 km/s) and Type IV radio sweeps as well as a non-Earth directed CME. C-class flares were observed on 08-09 May, including a long duration C2/Sf flare at 09/1449 UTC with an associated Type II (407 km/s) radio sweep and another CME beginning at 09/1436 UTC in SOHO/LASCO C2 imagery. A faint, partial-halo CME was also observed on 09 May associated with a 15 degree filament eruption centered near S22E10. The CME was first observed in C2 imagery beginning at 09/1124 UTC. The two CMEs from 09 May are being analyzed at the time of this report with the potential for at least one having an Earth-directed component.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal to moderate levels through the period.

Solar wind parameters were weakly enhanced on 03-05 May under a positive polarity CH HSS. Solar wind speed increased to a maximum of 498 km/s at 03/2351 UTC while total field reached a maximum of 13 nT at 03/0500 UTC. The Bz component was mostly positive during this time resulting in quiet conditions. By midday on 05 May, solar wind speed had decreased to under 350 km/s and remained so through 09 May. Quiet conditions were observed for the rest of the period.

Space Weather Outlook 10 May - 05 June 2021

Solar activity is expected to be very low to low with the chance for further M-class flares on 10-19 May as Region 2822 rotates across the visible disk. Very low to low levels are expected on 20-27 May with the return of old Region 2821 (S21, L=226). Very low levels are expected on 28 May-01 Jun. Very low to low levels are expected again on 02-05 Jun as Region 2822 rotates around the east limb.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be reach high levels on 16-19 May and again on 21-24 May due to recurrent CH HSS influences.

Geomagnetic field activity is expected to reach unsettled levels on 10, 12-13, 15-18, 20-21 May. Active levels are expected on 15-17 and 20 May and G1 (Minor) storm levels are likely on 16 May due to recurrent CH HSS effects.



				Dun	y Douit Duiu									
		Radio	Sun	Sunspot		Flares								
		Flux	spot	Area	Background		X-r	ay		(Optic	al		
Date		10.7cm	No.	(10 ⁻⁶ hemi.)	Flux	(C M	I X	S	1	2	3	4	
03 May	72	0		0	A2.1	0	0	0	0	0	0	0	0	
04 May	70	0		0	A2.9	0	0	0	0	0	0	0	0	
05 May	70	0		0	A2.0	0	0	0	0	0	0	0	0	
06 May	71	0		0	A3.6	0	0	0	0	0	0	0	0	
07 May	75	15		130	A5.0	0	1	0	2	1	0	0	0	
08 May	76	17		180	A6.0	2	0	0	4	0	0	0	0	
09 May	76	18		180	A5.5	3	0	0	4	0	0	0	0	

Daily Solar Data

Daily Particle Data

		on Fluence /cm ² -day -sr)	Electron Fluence (electrons/cm ² -day -sr)						
Date	>1 MeV	>10 MeV	>2MeV						
03 May	9.4e+04	4.4e+04	1.8e+06						
04 May	1.6e+05	4.3e+04	3.3e+06						
05 May	1.3e+05	4.4e+04	4.0e+06						
06 May	1.0e+05	4.4e+04	4.9e+06						
07 May	1.1e+05	4.5e+04	4.3e+06						
08 May	1.4e+05	4.4e+04	6.6e+06						
09 May	3.1e+05	4.5e+04	5.9e+06						

Daily Geomagnetic Data


		Middle Latitude		High Latitude		Estimated
		Fredericksburg		College		Planetary
Date	А	K-indices	А	K-indices	А	K-indices
03 May	6	2-2-2-2-2-1-1	3	2-1-2-2-0-0-0-0	5	2-1-2-2-1-1-1-1
04 May	5	2-1-1-2-1-2-1	3	2-0-0-2-0-0-1-1	4	2-1-1-1-0-1-1
05 May	3	0-0-0-1-2-1-2-1	0	0-0-0-0-0-0-0-0	2	1-1-0-0-1-0-1-1
06 May	2	1-1-0-1-2-0-1-0	4	1-1-1-3-1-0-0	4	1-1-1-2-1-1-0
07 May	3	0-0-0-1-2-1-2-1	1	0-0-0-0-1-1-0	3	0-1-0-0-1-1-1-1
08 May	4	1-0-1-2-2-1-1-1	3	1-0-0-3-2-0-0-0	3	1-0-1-2-1-0-0-0
09 May	6	0-0-0-1-4-2-1-2	1	0-1-0-0-1-1-0-0	2	0-1-1-0-1-1-0-2



Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
07 May 1925	SUMMARY: 10cm Radio Burst	
07 May 1926	ALERT: Type II Radio Emission	07/1902
07 May 1927	ALERT: Type IV Radio Emission	07/1907
09 May 1416	SUMMARY: 10cm Radio Burst	09/1354 - 1355
09 May 1502	ALERT: Type II Radio Emission	09/1431

Alerts and Warnings Issued





Twenty-seven Day Outlook

Date	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index	Date	Radio Flux 10.7cm	•	Largest Kp Index
10 May	74	8	3	24 May	79	5	2
11	74	5	2	25	78	5	2
12	75	8	3	26	77	5	2
13	75	8	3	27	73	5	2
14	77	5	2	28	72	5	2
15	79	12	4	29	72	5	2
16	79	18	5	30	72	5	2
17	79	15	4	31	70	5	2
18	78	8	3	01 Jun	70	5	2
19	84	5	2	02	71	5	2
20	77	12	4	03	75	5	2
21	79	8	3	04	76	5	2
22	79	5	2	05	76	5	2
23	80	5	2				



		Time			<u>-ray</u>					_			p Freq
Data	Desta	M	Ha		Integ	-		cation	Rgn		io Flux		ensity
Date	Begin	Max	Ma					CMD	#	245	2695	II	IV
07 May	1843	190	4	1919 M	3.9 (0.045	1N	N17	E78	2822	160	94	3
					Fla	re List	t						
									Opt	ical			
		Tim	e			X-ray		Imp/	1	Location	R	gn	
Date	Begi	n N	lax	End		Class		Brtns]	Lat CMD	Ŧ	#	
04 May	0847	08	352	0858		B1.6							
04 May	1158	12	210	1224		B1.3							
05 May	2225	22	231	2238		B1.2							
05 May	2243	22	248	2254		B1.1							
06 May	0257	03	303	0308		B1.0							
06 May	0604	- 06	515	0629		B1.2							
06 May	0752	2 08	301	0805		B3.4							
06 May	1541	1.	548	1552		B1.1							
06 May	1906	5 19	914	1919		B1.1							
07 May	0033	00)38	0042		B2.7							
07 May	0337	03	341	0345		B6.0							
07 May	0649	00	555	0659		B1.4							
07 May	1408	14	414	1422		B2.7		SF]	N17E83			
07 May	1648	10	555	1705		B2.4		SF]	N16E72			
07 May	1843	19	904	1919		M3.9		1N]	N17E78	282	22	
08 May	0702	0	707	0716		B1.0							
08 May	0822	08	326	0832		B1.5							
08 May	1039) 1()47	1051		B1.0							
08 May	1233	13	300	1319		C1.5		SF]	N16E65	282	22	
08 May	1321	13	325	1327				SF]	N16E65	282	22	
08 May	1417	14	427	1438		B2.6							
08 May	1540) 15	546	1550		B1.2		SF]	N16E63	282	22	
08 May	1822	18	345	1858		C8.6		SF]	N16E63	282	22	
08 May	2056	5 2	107	2111		B3.0					282	22	
09 May	0027	00)44	0100		B2.8					282	22	
09 May	0100	0	109	0112		B2.3					282	22	
09 May	0112	0	116	0121		B2.8					282	22	
09 May	0418	04	436	0442		C1.6		SF]	N15E57	282	22	
09 May	0542	05	547	0555		B1.5					282	22	
09 May	0555	00	511	0634		B3.0					282	22	

Energetic Events

Optical Information

Peak

Sweep Freq

X-ray

Time



				Flare List			
					(Optical	
		Time		X-ray	Imp/	Location	Rgn
Date	Begin	Max	End	Class	Brtns	Lat CMD	#
09 May	0754	0758	0805	B1.2			2822
09 May	1338	1358	1409	C4.0	SF	N15E51	2822
09 May	1420	1449	1525	C2.0	SF	N16E57	2822
09 May	1920	1924	1931	B1.8	SF	N17E50	2822



				c	,		<u> </u>								
	Locatio	on	Su	Sunspot Characteristics				Flares							
		Helio	Area	Extent	Spot	Spot	Mag	2	K-ray			0	ptica	ıl	
Date	Lat CMD	Lon 1	0 ⁻⁶ hemi.	(helio)	Class	Count	Class	С	Μ	Х	S	1	2	3	4
		Regio	n 2822												
07 May	N18E70	335	130	4	Cso	5	В		1			1			
08 May	N18E57	336	180	5	Csi	7	В	2			4				
09 May	N18E45	335	180	4	Dsi	8	BG	3			4				
								5	1	0	8	1	0	0	0
Still on	Disk.														

Region Summary

Absolute heliographic longitude: 335



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

https://www.swpc.noaa.gov/products/weekly-highlights-and-27-day-forecast --

Current

ftp://ftp.swpc.noaa.gov/pub/warehouse -- Online archive from 1997

https://www.ngdc.noaa.gov/stp/satellite/goes-r.html -- NCEI GOES data textarchive

https://www.swpc.noaa.gov/products/solar-cycle-progression -- Solar Cycle

Progression web site

https://www.swpc.noaa.gov/content/contact-us -- Contact and Copyright

information

https://www.swpc.noaa.gov/sites/default/files/images/u2/Usr_guide.pdf -- User Guide

