Solar activity was very low throughout the period with B-class flare activity observed from Rgn 2814 (S22, L=008, class/area Cro/090 on 14 Apr), Rgn 2815 (S21, L=344, class/area Bxo/010 on 16 Apr) and Rgn 2816 (S24, L=264, class/area Cao/080 on 16 Apr). The largest event of the period was a B9 x-ray event observed at 17/1717 UTC from a region beyond the ESE limb. Associated with this event was a Type II radio signature with an estimated shock velocity of 382 km/s and a slow-moving, non-Earth directed CME off the E limb.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at moderate levels on 12-16 Apr. High levels were observed on 17-18 Apr with a maximum flux reading of 14,078 pfu at 18/1905 UTC.

Geomagnetic field activity was at mostly quiet levels on 12-14 Apr with an isolated active period observed late on the 14th. Unsettled to G1 (minor) geomagnetic storm levels were reached early on 15 Apr due to possible effects from the 10 Apr CME. Mostly unsettled to active levels were observed on 16-18 Apr, with G1 (Minor) storn levels observed on 16 and 17 Apr. This activity was all due to recurrent, negative polarity CH HSS influence. During this activity, wind speeds reached 600 km/s, total field reached maximums of 13 nT and the Bz component reached -10 nT at times.

Space Weather Outlook 19 April - 15 May 2021

Solar activity is expected to be at very low levels during the outlook period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to reach high levels on 19-24 Apr and 13-15 May due to high speed solar winds. Normal to moderate levels are anticipated for 25-30 Apr and 01-12 May.

Geomagnetic field activity is expected to be at unsettled to active levels on 19-20 Apr, 23-24 Apr, 27-28 Apr, 04 May, 08 May and 11-15 May, with G1 (Minor) geomagnetic storm levels likely on 13-14 May. This activity is all due to recurrent CH HSS influence. Mostly quiet levels are expected for the remainder of the outlook period.



				Dung	Join Dun	<i>,</i>								
		Radio	Sun	Flares										
		Flux	spot Area		Background		X-r	ay	Optical				l	
Date	1	0.7cm	No.	(10 ⁻⁶ hemi.)	Flux	С	Μ	Χ	S	1	2	3	4	
12 April	83	16	ō	10	A2.7	0	0	0	2	0	0	0	0	
13 April	73	16	5	30	A2.5	0	0	0	0	0	0	0	0	
14 April	74	17	7	90	A3.7	0	0	0	0	0	0	0	0	
15 April	72	22	2	50	A4.7	0	0	0	0	0	0	0	0	
16 April	77	44	ŀ	110	A4.8	0	0	0	0	0	0	0	0	
17 April	75	28	3	30	A4.4	0	0	0	0	0	0	0	0	
18 April	78	15	5	50	A7.4	0	0	0	2	0	0	0	0	

Daily Solar Data

Daily Particle Data

		on Fluence (cm ² -day -sr)	Electron Fluence (electrons/cm ² -day -sr)
Date	>1 MeV	>10 MeV	>2MeV
12 April	7.3e+04	4.3e+04	1.3e+06
13 April	6.2e+04	4.3e+04	1.2e+06
14 April	7.2e+04	4.3e+04	1.1e+06
15 April	7.3e+04	4.2e+04	1.3e+06
16 April	3.5e+05	4.3e+04	1.2e+06
17 April	2.5e+05	4.2e+04	3.0e+07
18 April	5.0e+05	4.2e+04	3.5e+08

Daily Geomagnetic Data


		Middle Latitude		High Latitude		Estimated	
		Fredericksburg		College	Planetary		
Date	Α	A K-indices		K-indices	А	K-indices	
12 April	4	1-0-1-2-2-2-1-0	5	1-1-2-3-1-1-1-0	5	1-1-1-2-1-2-1-0	
13 April	5	0-1-1-2-2-2-2-2	6	0-1-1-4-2-1-1-1	5	0-2-1-2-2-2-1-2	
14 April	7	1-1-1-2-2-2-3	2	1-1-0-1-1-0-1-1	7	1-1-1-2-1-1-2-4	
15 April	11	3-3-4-1-3-1-1-2	10	2-3-5-0-1-1-0-1	13	3-3-5-1-2-2-1-2	
16 April	15	2-3-3-2-3-3-4-3	31	2-2-4-4-6-4-5-4	19	2-3-3-3-3-3-5-4	
17 April	20	3-4-5-3-3-2-2-4	57	5-4-6-7-6-5-3-3	29	5-5-5-4-4-3-3-4	
18 April	13	3-3-3-2-2-3-3	36	3-3-5-7-5-2-2-2	22	4-4-3-3-2-2-3-4	



Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
14 Apr 1940	WATCH: Geomagnetic Storm Category G1 predic	eted
14 Apr 2343	WARNING: Geomagnetic $K = 4$	14/2342 - 15/0600
14 Apr 2358	ALERT: Geomagnetic $K = 4$	14/2358
15 Apr 0548	EXTENDED WARNING: Geomagnetic K =	4 14/2342 - 15/1200
15 Apr 0712	WARNING: Geomagnetic $K = 5$	15/0712 - 1200
15 Apr 0901	ALERT: Geomagnetic $K = 5$	15/0859
16 Apr 1334	WARNING: Geomagnetic $K = 4$	16/1335 - 2100
16 Apr 1840	ALERT: Geomagnetic $K = 4$	16/1838
16 Apr 1923	EXTENDED WARNING: Geomagnetic K =	4 16/1335 - 17/0900
16 Apr 1923	WARNING: Geomagnetic $K = 5$	16/1925 - 17/0600
16 Apr 2027	ALERT: Geomagnetic $K = 5$	16/2025
17 Apr 0202	ALERT: Geomagnetic $K = 5$	17/0200
17 Apr 0533	EXTENDED WARNING: Geomagnetic K =	5 16/1925 - 17/1200
17 Apr 0533	EXTENDED WARNING: Geomagnetic K =	4 16/1335 - 17/1800
17 Apr 0601	ALERT: Geomagnetic $K = 5$	17/0559
17 Apr 0753	ALERT: Geomagnetic $K = 5$	17/0746
17 Apr 0813	WARNING: Geomagnetic $K = 6$	17/0812 - 1200
17 Apr 1726	ALERT: Type II Radio Emission	17/1626
17 Apr 1731	ALERT: Electron 2MeV Integral Flux >= 1000pt	fu 17/1715
17 Apr 2333	WARNING: Geomagnetic $K = 4$	17/2330 - 18/0900
17 Apr 2344	ALERT: Geomagnetic $K = 4$	17/2344
18 Apr 0504	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	17/1715
18 Apr 0710	EXTENDED WARNING: Geomagnetic K =	4 17/2330 - 18/1800
18 Apr 2242	WARNING: Geomagnetic K = 4	18/2240 - 19/0600

Alerts and Warnings Issued





Twenty-seven Day Outlook

Date	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index	Date	Radio Flux 10.7cm	•	Largest Kp Index
19 Apr	78	12	4	03 May	70	5	2
20	75	8	3	04	72	15	4
21	75	5	2	05	72	5	2
22	72	5	2	06	72	5	2
23	70	8	3	07	72	5	2
24	70	12	4	08	72	8	3
25	70	5	2	09	72	5	2
26	70	5	2	10	75	5	2
27	68	10	3	11	75	8	3
28	68	8	3	12	75	12	4
29	68	5	2	13	75	20	5
30	68	5	2	14	75	30	5
01 May	68	5	2	15	75	15	4
02	68	5	2				



		Time			nerge		cal Informat	ion	ח	eak	Swaa	n Era
		Time	Half	<u></u>	-ray Integ	Imp/	Location	Rgn		o Flux	Swee	p Free nsity
Date	Begin	Max	Max	Class	Flux	Brtns	Location Lat CMD	Rgn #	245	2695	II	IISILY IV
No E	vents Ob	oserve	d									
					Fla	re List	¢					
								Optic	al			
		Tin	ne		-	X-ray	Imp/	<u> </u>	ocation	R	gn	
Date	Begi	n N	Лах	End		Class	Brtns	La	at CMD		¥	
12 Apr	1943	8 1	953	1956		B2.5				281	14	
12 Apr	1956	5 2	004	2015		B8.4	SF	S	21E13	281	14	
12 Apr	2238	3 2	249	2257		B2.0	SF	S	21E11	281	14	
12 Apr	2257	2	300	2304		B1.9				281	14	
13 Apr	0106	5 0	118	0122		B5.9				281	14	
13 Apr	0139	0 0	152	0158		B5.6				281	14	
13 Apr	1238	3 1	247	1251		B2.7				281	14	
14 Apr	0357	0	408	0415		B1.3						
14 Apr	0458	3 0	506	0512		B1.5						
14 Apr	0652	2 0	658	0710		B2.3						
15 Apr	0002	2 0	010	0014		B1.7						
15 Apr	1051	1	058	1104		B1.0						
15 Apr	1523	8 1	530	1539		B1.4						
16 Apr	0205	5 0	215	0221		B1.2						
16 Apr	1039) 1	047	1052		B1.6				281	16	
16 Apr	1717	1	725	1731		B1.6				281	14	
16 Apr	1738	3 1	745	1751		B1.2				281	14	
16 Apr	1757	' 1	810	1815		B3.4				281	14	
16 Apr	1932	2 1	940	1946		B1.3				281	15	
16 Apr	2105	5 2	109	2114		B1.1				281	16	
17 Apr	1552	2 1	608	1616		B1.3						
17 Apr	1621	. 1	717	1825		B9.7						
17 Apr	2323	8 2	335	2344		B1.2				281	16	
17 Apr	2349	0 0	000	0004		B4.1				281	14	
18 Apr	0812	2 0	816	0821		B1.5	SF	S	25E49	281	16	
18 Apr	0923		933	0938		B2.3						
18 Apr	1002	2 1	007	1011		B1.2						
18 Apr	1105		112	1120		B1.4						
18 Apr	1225		237	1253		B3.8						
18 Apr	1429		435	1440		B1.2						
18 Apr	1850		852	1954			SF	S	25E41	281	16	



				Fla	re List					
	Optical									
		Time			X-ray	Imp/	Location	Rgn		
Date	Begin	Max	End		Class	Brtns	Lat CMD	#		
18 Apr	2049	2053	2058		B1.7			2016		



				Reg	gion S	Summ	ary								
	Locatio	on	Sunspot Characteristics					Flares							
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			0	ptica	ıl	
Date	Lat CMD	Lon 1	0 ⁻⁶ hemi.	(helio)	Class	Count	Class	С	М	Х	S	1	2	3	4
Region 2814															
12 Apr	S22E09	7	10	5	Bxo	6	В				2				
13 Apr	S22W05	8	30	6	Bxo	6	В								
14 Apr	S22W18	8	90	6	Cro	7	В								
15 Apr	S22W31	7	50	6	Dro	12	В								
16 Apr	S22W44	7	20	5	Bxo	8	В								
17 Apr	S22W59	9	10	4	Bxo	4	В								
18 Apr	S22W73	10	plage												
								0	0	0	2	0	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic long	gitude: 8												
		Regio	on 2815												
16 Apr	S21W21	344	10	4	Bxo	3	В								
17 Apr	S21W35	345	plage												
18 Apr	S21W49	346	plage												
								0	0	0	0	0	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic long	gitude: 3	44											
		Regio	on 2816												
16 Apr	S24E59	264	80	5	Cao	2	В								
16 Apr 17 Apr	S24E39 S24E46	264 264	80 20	5 7	Cao	3 4	Б В								
-	S24E40 S25E34	264 263	20 50	7	Cao	4 5	Б В				\mathbf{r}				
18 Apr	5251534	203	50	/	Cau	5	D	0	0	0	2 2	0	0	0	0
St:11 cm	Diale							U	U	0	2	U	U	0	U
Still on	Disk. e heliograp	hic long	rituda. 9	63											
AUSUIU	e nenograp	me iong	gnuue. Z	05											



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

https://www.swpc.noaa.gov/products/weekly-highlights-and-27-day-forecast --

Current

ftp://ftp.swpc.noaa.gov/pub/warehouse -- Online archive from 1997

https://www.ngdc.noaa.gov/stp/satellite/goes-r.html -- NCEI GOES data textarchive

https://www.swpc.noaa.gov/products/solar-cycle-progression -- Solar Cycle

Progression web site

https://www.swpc.noaa.gov/content/contact-us -- Contact and Copyright

information

https://www.swpc.noaa.gov/sites/default/files/images/u2/Usr_guide.pdf -- User Guide

