Solar activity was very low. Background x-ray enhancement began on 20 Oct as new Regions 2886 (S19, L= 338, class/area Hsx/185 on 19 Oct) and 2887 (S25, L=278, class/area Dki/440 on 24 Oct) emerged around the SE limb on 17 Oct and 21 Oct, respectively. Region 2886 was quiet and stable while Region 2887 produced the majority of the B-class flare activity. The largest flare of the period was a B9.6 flare at 22/1838 UTC from a region just beyond the East limb. No Earth-directed CMEs were observed.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal to moderate levels with a peak flux of 433 pfu at 18/1700 UTC.

Geomagnetic field activity ranged from quiet to active levels. The period began under the influence of a weak transient with total field reaching 13 nT and the Bz component reaching -8 nT late on 17 Oct. Solar wind speed ranged from 325-385 km/s during this time. Slightly perturbed conditions continued on 19-20 Oct as a solar sector boundary crossing followed by a co-rotating interaction region preceded the onset of a negative polarity coronal hole high speed stream (CH HSS). Solar wind speed increased to 555 km/s early on 21 Oct. Nominal solar wind conditions returned by midday on 23 Oct. The geomagnetic field responded with quiet to active levels on 18-19 Oct, quiet to unsettled conditions on 20 Oct, and quiet levels thereafter.

Space Weather Outlook 25 October - 20 November 2021

Solar activity is expected to be at very low to low levels with a slight chance for M-class (R1-R2, Minor-Moderate) flares on 25 Oct - 03 Nov as Region 2887 transits across the visible disk. Very low levels are expected from 04 Nov -15 Nov. Very low to low levels are expected again on 16-20 Nov with the return of Region 2887.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal to moderate levels throughout the forecast period.

Geomagnetic field activity is expected to reach unsettled levels on 27-30 Oct, 06-08 Nov, and 15-16 Nov and active levels on 06 Nov due to CH HSS activity.



Daily Solar Data

| | Radio | Sun | Sunspot X-ray | | | Flares | | | | | | | |
|------------|--------|------|--------------------------|-----------------|---|--------|----------|---|---------|---|---|---|--|
| | Flux | spot | Area | Area Background | | X-ra | <u>y</u> | | Optical | | | | |
| Date | 10.7cm | No. | (10 ⁻⁶ hemi.) | Flux | C | M | X | S | 1 | 2 | 3 | 4 | |
| 18 October | 76 | 11 | 170 | A2.9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 19 October | 76 | 11 | 185 | A2.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 20 October | 76 | 11 | 130 | A4.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 21 October | 82 | 11 | 100 | B1.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 22 October | 87 | 28 | 250 | B1.7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 23 October | 87 | 32 | 540 | B1.9 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | |
| 24 October | 93 | 46 | 570 | B2.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Daily Particle Data

| | | Fluence m ² -day-sr) | Electron Fluence (electrons/cm ² -day -sr) |
|------------|-----------|------------------------------------|---|
| Date | >1 MeV | >10 MeV | >2MeV |
| 18 October | 5.2e+04 | 4.3e+04 | 1.8e+06 |
| 19 October | 6.7e + 04 | 4.3e+04 | 1.9e+06 |
| 20 October | 6.9e + 04 | 4.4e + 04 | 1.6e+06 |
| 21 October | 7.6e + 04 | 4.3e+04 | 1.2e+06 |
| 22 October | 6.3e + 04 | 4.3e+04 | 1.5e+06 |
| 23 October | 7.3e + 04 | 4.4e+04 | 1.7e+06 |
| 24 October | 8.6e + 04 | 4.4e+04 | 1.4e+06 |

Daily Geomagnetic Data

| |] | Middle Latitude | | High Latitude | Estimated | | | |
|------------|---|-----------------|----|-----------------|-----------|-----------------|--|--|
| | | Fredericksburg | | College | Planetary | | | |
| Date | A | K-indices | A | A K-indices | | K-indices | | |
| 18 October | 0 | 0-0-0-0-1-1-0 | 6 | 0-0-0-0-1-2-2 | 10 | 4-3-2-1-2-2-3 | | |
| 19 October | 9 | 2-2-2-1-2-3-3-2 | 10 | 2-3-2-3-2-3 | 14 | 3-4-2-2-4-4-2 | | |
| 20 October | 5 | 1-2-1-1-2-2-1-2 | 3 | 1-1-0-0-2-2-1-1 | 6 | 1-3-1-1-2-2-1-2 | | |
| 21 October | 9 | 1-3-2-2-2-3-2 | 7 | 2-1-4-2-1-1-1 | 7 | 2-2-2-1-2-2-2 | | |
| 22 October | 3 | 1-0-0-1-2-1-1-1 | 2 | 1-0-1-1-1-0-0-1 | 4 | 1-0-1-1-2-1-1-2 | | |
| 23 October | 2 | 1-0-0-0-1-1-1-1 | 0 | 0-0-0-0-0-0-1 | 3 | 2-0-0-1-1-0-1-1 | | |
| 24 October | 2 | 0-1-1-0-1-2-1-0 | 3 | 0-0-0-2-2-1-1-0 | 4 | 1-1-1-1-2-1-1 | | |




Alerts and Warnings Issued

| Type of Alert or Warning | Date & Time of Event UTC |
|------------------------------|--|
| | |
| ALERT: Geomagnetic $K = 4$ | 18/0259 |
| WARNING: Geomagnetic $K = 4$ | 19/0425 - 1500 |
| ALERT: Geomagnetic $K = 4$ | 19/0559 |
| WARNING: Geomagnetic $K = 4$ | 19/1746 - 20/0300 |
| ALERT: Geomagnetic $K = 4$ | 19/1759 |
| | Type of Alert or Warning WARNING: Geomagnetic K = 4 ALERT: Geomagnetic K = 4 WARNING: Geomagnetic K = 4 ALERT: Geomagnetic K = 4 WARNING: Geomagnetic K = 4 ALERT: Geomagnetic K = 4 |



Twenty-seven Day Outlook



| Doto | Radio Flux 10.7cm | Planetary A Index | Largest Vn Indov | Data | Radio Flux 10.7cm | • | • |
|--------|----------------------|----------------------|---------------------|--------|----------------------|--------|----------|
| Date | 10.7011 | A muex | Kp Index | Date | 10.7011 | A muex | Kp Index |
| 25 Oct | 94 | 5 | 2 | 08 Nov | 85 | 8 | 3 |
| 26 | 95 | 5 | 2 | 09 | 85 | 5 | 2 |
| 27 | 95 | 8 | 3 | 10 | 83 | 5 | 2 |
| 28 | 96 | 8 | 3 | 11 | 82 | 5 | 2 |
| 29 | 95 | 10 | 3 | 12 | 82 | 5 | 2 |
| 30 | 95 | 10 | 3 | 13 | 82 | 5 | 2 |
| 31 | 95 | 5 | 2 | 14 | 82 | 5 | 2 |
| 01 Nov | 95 | 5 | 2 | 15 | 82 | 10 | 3 |
| 02 | 95 | 5 | 2 | 16 | 85 | 8 | 3 |
| 03 | 92 | 5 | 2 | 17 | 85 | 5 | 2 |
| 04 | 90 | 5 | 2 | 18 | 85 | 5 | 2 |
| 05 | 88 | 5 | 2 | 19 | 85 | 5 | 2 |
| 06 | 86 | 12 | 4 | 20 | 85 | 5 | 2 |
| 07 | 86 | 10 | 3 | | | | |



Energetic Events

| | Time | | Time | | X-ray | | Optical Information | | | eak | Sweep Freq | | |
|------|-------|------|------|-------|-------|-------|---------------------|-----|------|--------|------------|------|--|
| | | Half | | | Integ | Imp/ | Location | Rgn | Radi | o Flux | Inten | sity | |
| Date | Begin | Max | Max | Class | Flux | Brtns | Lat CMD | # | 245 | 2695 | II | IV | |

No Events Observed

Flare List

| | | | | | Optical | | | | | | |
|--------|-------|------|------|------|----------|----------|------|--|--|--|--|
| | | Time | | X-ra | y Imp/ | Location | Rgn | | | | |
| Date | Begin | Max | End | Clas | ss Brtns | Lat CMD | # | | | | |
| 18 Oct | 0308 | 0315 | 0323 | B1.0 |) | | | | | | |
| 18 Oct | 0323 | 0332 | 0339 | B1.2 | 2 | | | | | | |
| 20 Oct | 1815 | 1822 | 1828 | B1.1 | l | | 2887 | | | | |
| 20 Oct | 1957 | 2004 | 2010 | B1.0 |) | | 2887 | | | | |
| 20 Oct | 2100 | 2109 | 2116 | B1.7 | 7 | | 2887 | | | | |
| 20 Oct | 2134 | 2146 | 2158 | B4.6 | 5 | | 2887 | | | | |
| 20 Oct | 2300 | 2308 | 2315 | B1.2 | 2 | | 2887 | | | | |
| 21 Oct | 0340 | 0348 | 0401 | B1.4 | 1 | | 2887 | | | | |
| 21 Oct | 0527 | 0534 | 0537 | B1.3 | 3 | | 2887 | | | | |
| 21 Oct | 0537 | 0542 | 0549 | B6.0 |) | | 2887 | | | | |
| 21 Oct | 0653 | 0705 | 0712 | B7.3 | 3 | | 2887 | | | | |
| 21 Oct | 0802 | 0815 | 0830 | В3.8 | 3 | | 2887 | | | | |
| 21 Oct | 1152 | 1215 | 1227 | B3.0 |) | | 2887 | | | | |
| 21 Oct | 1246 | 1253 | 1305 | B2.7 | 7 | | 2887 | | | | |
| 21 Oct | 1335 | 1341 | 1346 | B2.9 |) | | 2887 | | | | |
| 21 Oct | 1502 | 1515 | 1532 | B8.7 | 7 | | 2887 | | | | |
| 21 Oct | 1929 | 1935 | 1944 | B2.3 | 3 | | 2887 | | | | |
| 21 Oct | 2030 | 2037 | 2042 | B2.4 | 1 | | 2887 | | | | |
| 21 Oct | 2122 | 2125 | 2130 | B2.6 | 5 | | 2887 | | | | |
| 21 Oct | 2145 | 2151 | 2204 | B2.4 | 1 | | 2887 | | | | |
| 21 Oct | 2208 | 2213 | 2217 | B4.5 | 5 | | 2887 | | | | |
| 21 Oct | 2227 | 2236 | 2242 | B3.1 | | | 2887 | | | | |
| 21 Oct | 2335 | 2342 | 2349 | B2.5 | 5 | | 2887 | | | | |
| 22 Oct | 0239 | 0248 | 0256 | B3.4 | 1 | | 2887 | | | | |
| 22 Oct | 1509 | 1513 | 1517 | B4.4 | 1 | | 2887 | | | | |
| 22 Oct | 1606 | 1612 | 1619 | B4.3 | 3 | | 2887 | | | | |
| 22 Oct | 1747 | 1755 | 1759 | B6.3 | 3 | | 2887 | | | | |
| 22 Oct | 1830 | 1838 | 1848 | B9.6 | 5 | | | | | | |
| 23 Oct | 0106 | 0111 | 0117 | B3.5 | 5 | | 2887 | | | | |
| 23 Oct | 0219 | 0224 | 0230 | B5.4 | 1 | | 2887 | | | | |
| 23 Oct | 0300 | 0310 | 0320 | B4.6 | ó | | 2887 | | | | |



Flare List

| | | | | Optical | | | | | |
|-------|--|--|--|---|--|--|--|--|--|
| | | | X-ray | Imp/ | Location | Rgn | | | |
| Begin | Max | End | Class | Brtns | Lat CMD | # | | | |
| 0653 | 0659 | 0711 | B3.6 | | | 2887 | | | |
| 1201 | 1211 | 1217 | B6.2 | | | | | | |
| 1253 | 1257 | 1301 | B3.3 | SF | S30E63 | 2887 | | | |
| 1347 | U1350 | A1357 | B3.7 | SF | S25E62 | 2887 | | | |
| 1444 | 1449 | 1455 | B3.4 | | | 2887 | | | |
| 1807 | 1811 | 1817 | B3.6 | | | 2887 | | | |
| 2301 | 2310 | 2317 | B3.7 | | | 2887 | | | |
| 0737 | 0744 | 0749 | B3.2 | | | 2887 | | | |
| 0912 | 0917 | 0921 | B4.6 | | | 2887 | | | |
| 1812 | 1818 | 1822 | B6.0 | | | 2887 | | | |
| | 0653 1201 1253 1347 1444 1807 2301 0737 0912 | 0653 0659 1201 1211 1253 1257 1347 U1350 1444 1449 1807 1811 2301 2310 0737 0744 0912 0917 | Begin Max End 0653 0659 0711 1201 1211 1217 1253 1257 1301 1347 U1350 A1357 1444 1449 1455 1807 1811 1817 2301 2310 2317 0737 0744 0749 0912 0917 0921 | Begin Max End Class 0653 0659 0711 B3.6 1201 1211 1217 B6.2 1253 1257 1301 B3.3 1347 U1350 A1357 B3.7 1444 1449 1455 B3.4 1807 1811 1817 B3.6 2301 2310 2317 B3.7 0737 0744 0749 B3.2 0912 0917 0921 B4.6 | Time X-ray Imp/ Begin Max End Class Brtns 0653 0659 0711 B3.6 1201 1211 1217 B6.2 1253 1257 1301 B3.3 SF 1347 U1350 A1357 B3.7 SF 1444 1449 1455 B3.4 1807 1811 1817 B3.6 2301 2310 2317 B3.7 0737 0744 0749 B3.2 0912 0917 0921 B4.6 B4.6 | Time X-ray Imp/ Location Begin Max End Class Brtns Lat CMD 0653 0659 0711 B3.6 1201 1211 1217 B6.2 1253 1257 1301 B3.3 SF S30E63 S30E63 SF S25E62 S25E62 SF S25E62 | | | |



Region Summary

| | Location | on | Su | Sunspot Characteristics | | | | | |] | Flares | 5 | | | |
|----------|-------------|----------|------------------------|-------------------------|-------|-------|-------|----------|-------|---|--------|---|-------|---|---|
| | | Helio | | Extent | Spot | Spot | Mag | <u> </u> | K-ray | | | O | ptica | 1 | |
| Date | Lat CMD | Lon | 10 ⁻⁶ hemi. | (helio) | Class | Count | Class | C | M | X | S | 1 | 2 | 3 | 4 |
| | | Pagi | on 2886 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 18 Oct | S19E61 | 337 | 170 | 3 | Hsx | 1 | A | | | | | | | | |
| 19 Oct | S19E47 | 338 | 185 | 3 | Hsx | 1 | A | | | | | | | | |
| 20 Oct | S19E36 | 336 | 130 | 2 | Hsx | 1 | A | | | | | | | | |
| 21 Oct | S19E22 | 336 | 100 | 2 | Hsx | 1 | A | | | | | | | | |
| 22 Oct | S19E10 | 335 | 100 | 2 | Hsx | 1 | A | | | | | | | | |
| 23 Oct | S19W02 | 334 | 120 | 2 | Hsx | 1 | A | | | | | | | | |
| 24 Oct | S19W15 | 334 | 110 | 2 | Hsx | 1 | A | | | | | | | | |
| | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Still on | | | | | | | | | | | | | | | |
| Absolut | e heliograp | hic lor | igitude: 3 | 34 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | Regi | on 2887 | | | | | | | | | | | | |
| 22 Oct | S24E65 | 280 | 150 | 5 | Dao | 7 | В | | | | | | | | |
| 23 Oct | S26E53 | 279 | 420 | 8 | Dki | 11 | В | | | | 2 | | | | |
| 24 Oct | S25E40 | 278 | 440 | 9 | Dki | 14 | В | | | | | | | | |
| | | | | | | | | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| Still on | Disk. | | | | | | | | | | | | | | |
| | e heliograp | hic lor | ngitude: 2 | 78 | | | | | | | | | | | |
| | <i>C</i> 1 | | C | | | | | | | | | | | | |
| | | Regi | on 2888 | | | | | | | | | | | | |
| 24 Oct | S15E66 | 253 | 20 | 1 | Hsx | 1 | A | | | | | | | | |
| 24 000 | 515200 | 233 | 20 | 1 | 1137 | 1 | А | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Still on | Dielz | | | | | | | J | U | U | U | U | U | U | U |
| | e heliograp | hic lor | naitude: 2 | 53 | | | | | | | | | | | |
| Ausolul | e nenograp | 1110 101 | igitude. Z | JJ | | | | | | | | | | | |



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

https://www.swpc.noaa.gov/products/weekly-highlights-and-27-day-forecast --

Current

ftp://ftp.swpc.noaa.gov/pub/warehouse -- Online archive from 1997

https://www.ngdc.noaa.gov/stp/satellite/goes-r.html -- NCEI GOES data

textarchive

https://www.swpc.noaa.gov/products/solar-cycle-progression -- Solar Cycle

Progression web site

https://www.swpc.noaa.gov/content/contact-us -- Contact and Copyright

information

https://www.swpc.noaa.gov/sites/default/files/images/u2/Usr_guide.pdf -- User

Guide

