

Solar activity ranged from low to high levels. Low levels were observed on 28-31 Aug. Moderate levels occurred on 01 Sep due to a long duration M1.2 flare (R1/Minor) at 01/0351 UTC with associated Type II (743 km/s) and Type IV radio sweeps as well as a 190 sfu Tenflare. Moderate levels also occurred on 02 Sep due to an M3.3/Sf at 02/0712 UTC. Solar activity increased to high levels on 03 Sep due to an M1.1 at 03/0023 UTC and an M6.0 (R2/Moderate) at 03/0836 UTC. All flares were from Region 3413 (N11, L=100, class/area Dki/400 on 25 Aug). Other activity included a filament eruption centered near N22W14 beginning at 30/2015 UTC. An associated partial-halo CME was observed at 30/2200 UTC in SOHO/LASCO C2 imagery. Modelling of this CME showed a potential arrival late on 02 Sep to early on 03 Sep. Another CME associated with the aforementioned M1.2 flare on 01 Sep was modelled with the potential for a glancing impact on 05 Sep.

A greater than 10 MeV proton event was observed associated with the M1.2 flare on 01 Sep. The event reached the 10 pfu (S1/Minor) threshold at 01/0430 UTC, reached a maximum flux of 25.8 pfu at 01/0610 UTC, and ended at 01/2010 UTC.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal to moderate levels.

Geomagnetic field activity ranged from quiet to G2 (Moderate) levels. Nominal solar wind conditions prevailed through approximately 31/1630 UTC when an increase in total field to 12 nT was observed as well as an increase in speed from 323 to 400 km/s. A further increase in solar wind speed to near 540 km/s happened after 01/1755 UTC, followed by a decrease in solar wind speed beginning after 02/2125 UTC. Total field ranged from 5-10 nT during this time with prolonged periods of southward Bz. This was likely the result of a combination of positive polarity coronal hole high speed stream (CH HSS) activity and the arrival of the 30 Aug CME. The geomagnetic field responded with quiet conditions on 28-31 Aug, quiet to unsettled conditions on 01 Sep, unsettled to G1 (Minor) storming on 02 Sep, and quiet to G2 (Moderate) storming on 03 Sep.

Space Weather Outlook **04 September - 30 September 2023**

Solar activity is expected to be at low levels on 04-14 Sep and again on 29-30 Sep. There is a chance for M-class flaring (R1-R2/Minor-Moderate) on 15-28 Sep with the return of Region 3413 to the visible disk.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to reach high levels on 04-10 Sep due to CH HSS influence.

Geomagnetic field activity is expected to be at unsettled to active levels on 04-08 Sep, 14-18



Sep, 23 Sep, and on 28-30 Sep due to CH HSS activity. There is a chance for a glancing blow from the 01 Sep CME to impact the geomagnetic field on 05 Sep.



Daily Solar Data

| Date | Radio Flux 10.7cm | Sun spot No. | Sunspot Area (10 ⁻⁶ hemi.) | X-ray Background Flux | Flares | | | | | | | |
|--------------|----------------------|-----------------|--|--------------------------|--------|---|---|---------|---|---|---|---|
| | | | | | X-ray | | | Optical | | | | |
| | | | | | C | M | X | S | 1 | 2 | 3 | 4 |
| 28 August | 142 | 68 | 650 | B5.9 | 7 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 29 August | 142 | 82 | 640 | B5.8 | 7 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| 30 August | 139 | 94 | 700 | B6.0 | 4 | 0 | 0 | 3 | 1 | 0 | 0 | 0 |
| 31 August | 140 | 77 | 650 | B6.0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 01 September | 136 | 83 | 580 | B6.0 | 3 | 1 | 0 | 2 | 0 | 0 | 0 | 0 |
| 02 September | 131 | 77 | 370 | B6.3 | 3 | 1 | 0 | 3 | 0 | 0 | 0 | 0 |
| 03 September | 131 | 79 | 230 | B7.0 | 8 | 2 | 0 | 2 | 0 | 0 | 0 | 0 |

Daily Particle Data

| Date | Proton Fluence (protons/cm ² -day -sr) | | Electron Fluence (electrons/cm ² -day -sr) | |
|--------------|--|---------|--|---------|
| | >1 MeV | >10 MeV | >2MeV | |
| | 28 August | 3.1e+04 | 1.8e+04 | 5.5e+06 |
| 29 August | 3.5e+04 | 1.8e+04 | 2.6e+06 | |
| 30 August | 5.8e+04 | 1.8e+04 | 1.5e+06 | |
| 31 August | 2.3e+05 | 1.8e+04 | 1.2e+06 | |
| 01 September | 2.4e+07 | 9.9e+05 | 1.3e+06 | |
| 02 September | 2.0e+07 | 1.6e+05 | 5.0e+06 | |
| 03 September | 9.2e+05 | 2.7e+04 | 1.9e+07 | |

Daily Geomagnetic Data

| Date | Middle Latitude Fredericksburg | | High Latitude College | | Estimated Planetary | |
|--------------|-----------------------------------|-----------------|--------------------------|-----------------|------------------------|-----------------|
| | A | K-indices | A | K-indices | A | K-indices |
| | 28 August | 8 | 2-2-2-3-2-2-2-1 | 17 | 1-3-5-5-3-2-1-0 | 6 |
| 29 August | 7 | 2-1-1-2-3-1-2-2 | 6 | 0-0-0-4-3-1-1-1 | 5 | 1-1-1-2-2-1-1-2 |
| 30 August | 9 | 2-2-1-3-3-1-3-1 | 7 | 1-1-1-3-3-2-1-1 | 6 | 2-1-1-2-2-1-2-1 |
| 31 August | 8 | 1-2-2-3-2-2-2-2 | 10 | 1-2-3-5-0-1-1-1 | 6 | 1-2-2-2-1-1-2-2 |
| 01 September | 15 | 2-3-3-4-4-2-2-3 | 27 | 2-3-4-6-4-5-2-2 | 12 | 3-3-3-3-3-2-3-2 |
| 02 September | 25 | 3-4-3-4-5-3-4-4 | 59 | 3-3-7-6-6-6-3-5 | 38 | 3-4-5-5-5-4-4-5 |
| 03 September | 28 | 5-3-5-4-4-4-3-3 | 28 | 5-4-5-5-4-3-2-2 | 67 | 6-3-5-4-3-3-2-3 |




Alerts and Warnings Issued


| Date & Time of Issue UTC | Type of Alert or Warning | Date & Time of Event UTC |
|-----------------------------|--|-----------------------------|
| 31 Aug 2116 | WATCH: Geomagnetic Storm Category G1 predicted | |
| 01 Sep 0336 | SUMMARY: 10cm Radio Burst | 01/0307 - 0319 |
| 01 Sep 0344 | ALERT: Type II Radio Emission | 01/0308 |
| 01 Sep 0345 | ALERT: Type IV Radio Emission | 01/0303 |
| 01 Sep 0419 | WARNING: Proton 10MeV Integral Flux > 10pfu | 01/0425 - 2359 |
| 01 Sep 0446 | ALERT: Proton Event 10MeV Integral Flux >= 10pfu | 01/0430 |
| 02 Sep 0326 | SUMMARY: Proton Event 10MeV Integral Flux >= 10pfu | 01/0430 - 2010 |
| 02 Sep 0329 | WARNING: Geomagnetic K = 4 | 02/0328 - 2359 |
| 02 Sep 0404 | ALERT: Geomagnetic K = 4 | 02/0400 |
| 02 Sep 0706 | WARNING: Geomagnetic K = 5 | 02/0705 - 1800 |
| 02 Sep 0737 | SUMMARY: 10cm Radio Burst | 02/0704 - 0719 |
| 02 Sep 0813 | ALERT: Geomagnetic K = 5 | 02/0810 |
| 02 Sep 1216 | ALERT: Geomagnetic K = 5 | 02/1159 |
| 02 Sep 1502 | ALERT: Geomagnetic K = 5 | 02/1459 |
| 02 Sep 1755 | EXTENDED WARNING: Geomagnetic K = 5 | 02/0705 - 03/0900 |
| 02 Sep 1755 | EXTENDED WARNING: Geomagnetic K = 4 | 02/0328 - 03/1200 |
| 02 Sep 2156 | ALERT: Geomagnetic K = 5 | 02/2155 |
| 03 Sep 0150 | ALERT: Geomagnetic K = 5 | 03/0149 |
| 03 Sep 0151 | WARNING: Geomagnetic K = 6 | 03/0150 - 0900 |
| 03 Sep 0302 | ALERT: Geomagnetic K = 6 | 03/0259 |
| 03 Sep 0842 | ALERT: X-ray Flux exceeded M5 | 03/0842 |
| 03 Sep 0902 | ALERT: Geomagnetic K = 5 | 03/0859 |
| 03 Sep 0916 | SUMMARY: X-ray Event exceeded M5 | 03/0809 - 0846 |
| 03 Sep 1112 | EXTENDED WARNING: Geomagnetic K = 4 | 02/0328 - 03/2359 |
| 03 Sep 2336 | EXTENDED WARNING: Geomagnetic K = 4 | 02/0328 - 04/0900 |



Twenty-seven Day Outlook



| Date | Radio Flux 10.7cm | Planetary A Index | Largest Kp Index | Date | Radio Flux 10.7cm | Planetary A Index | Largest Kp Index |
|--------|----------------------|----------------------|---------------------|--------|----------------------|----------------------|---------------------|
| 04 Sep | 130 | 12 | 4 | 18 Sep | 150 | 8 | 3 |
| 05 | 135 | 12 | 4 | 19 | 155 | 5 | 2 |
| 06 | 130 | 10 | 3 | 20 | 150 | 5 | 2 |
| 07 | 135 | 12 | 4 | 21 | 145 | 5 | 2 |
| 08 | 140 | 10 | 3 | 22 | 145 | 5 | 2 |
| 09 | 140 | 5 | 2 | 23 | 150 | 12 | 4 |
| 10 | 135 | 5 | 2 | 24 | 150 | 5 | 2 |
| 11 | 135 | 5 | 2 | 25 | 145 | 5 | 2 |
| 12 | 140 | 5 | 2 | 26 | 140 | 5 | 2 |
| 13 | 145 | 5 | 2 | 27 | 140 | 5 | 2 |
| 14 | 145 | 10 | 3 | 28 | 135 | 8 | 3 |
| 15 | 150 | 8 | 3 | 29 | 135 | 12 | 4 |
| 16 | 150 | 12 | 4 | 30 | 135 | 8 | 3 |
| 17 | 155 | 8 | 3 | | | | |



Energetic Events

| Date | Time | | | X-ray | Optical Information | | | Peak | | Sweep Freq | | |
|--------|-------|------|------|-------|---------------------|------------|------------------|-------|------------|------------|-----------|----|
| | Begin | Max | Half | Class | Integ Flux | Imp/ Brtns | Location Lat CMD | Rgn # | Radio Flux | | Intensity | |
| | | | Max | | | | | | 245 | 2695 | II | IV |
| 01 Sep | 0254 | 0351 | 0447 | M1.2 | 0.067 | | | | 3413 | 190 | 2 | 2 |
| 02 Sep | 0633 | 0712 | 0738 | M3.3 | 0.075 | SF | N10W82 | | 3413 | 230 | | |
| 03 Sep | 0014 | 0023 | 0033 | M1.1 | 0.009 | | | | 3413 | | | |
| 03 Sep | 0809 | 0836 | 0849 | M6.0 | 0.064 | | | | 3413 | | | |

Flare List

| Date | Time | | | X-ray Class | Imp/ Brtns | Optical Location Lat CMD | Rgn # |
|--------|-------|------|------|-------------|------------|--------------------------|-------|
| | Begin | Max | End | | | | |
| 28 Aug | 0005 | 0007 | 0010 | | SF | S08E08 | 3415 |
| 28 Aug | 0354 | 0402 | 0407 | C1.0 | | | |
| 28 Aug | 0817 | 0824 | 0831 | B9.1 | | | 3417 |
| 28 Aug | 1213 | 1213 | 1216 | | SF | N09W21 | 3413 |
| 28 Aug | 1642 | 1650 | 1659 | C1.4 | | | |
| 28 Aug | 2119 | 2128 | 2144 | C1.3 | | | |
| 28 Aug | 2207 | 2215 | 2236 | C1.2 | | | |
| 28 Aug | 2236 | 2246 | 2253 | C1.1 | | | |
| 28 Aug | 2300 | 2306 | 2312 | C1.5 | | | 3417 |
| 28 Aug | 2354 | 2359 | 0005 | C2.3 | | | |
| 29 Aug | 0007 | 0012 | 0022 | C1.9 | | | |
| 29 Aug | 0239 | 0245 | 0300 | C1.1 | | | 3413 |
| 29 Aug | 0415 | 0421 | 0426 | C1.6 | SF | N09W19 | 3413 |
| 29 Aug | 0426 | 0436 | 0444 | C1.4 | | | 3417 |
| 29 Aug | 0634 | 0642 | 0650 | C2.1 | | | |
| 29 Aug | 0815 | 0824 | 0835 | B9.7 | | | |
| 29 Aug | 0942 | 0946 | 0949 | B8.7 | | | |
| 29 Aug | 1600 | 1604 | 1608 | C1.0 | | | |
| 29 Aug | 2254 | 2258 | 2313 | | SF | S07E67 | 3417 |
| 29 Aug | 2317 | 2327 | 2346 | C3.9 | SF | S10E68 | 3417 |
| 29 Aug | 2321 | 2321 | 2335 | | SF | S10W15 | 3415 |
| 30 Aug | 0407 | 0419 | 0428 | C1.7 | SF | S08E60 | 3417 |
| 30 Aug | 0824 | 0830 | 0837 | B8.4 | | | |
| 30 Aug | 1628 | 1641 | 1657 | C2.8 | SF | S08W23 | 3415 |
| 30 Aug | 1738 | 1746 | 1754 | C1.5 | SF | N06W46 | 3413 |
| 30 Aug | 2316 | 2326 | 2340 | C3.0 | 1F | N05W49 | 3413 |
| 31 Aug | 0501 | 0613 | 0735 | C2.4 | | | 3413 |



Flare List

| Date | Time | | | X-ray Class | Optical | | Rgn # |
|--------|-------|-------|-------|----------------|---------------|---------------------|----------|
| | Begin | Max | End | | Imp/ Brtns | Location Lat CMD | |
| 31 Aug | 1745 | 1753 | 1803 | C1.2 | | | 3413 |
| 31 Aug | 2307 | 2318 | 2332 | C1.0 | | | 3413 |
| 01 Sep | 0203 | 0215 | 0220 | C1.1 | | | 3413 |
| 01 Sep | 0254 | 0351 | 0447 | M1.2 | | | 3413 |
| 01 Sep | 0552 | 0638 | 0646 | | SF | N09W21 | 3413 |
| 01 Sep | 0622 | 0626 | 0657 | | SF | S08W55 | 3415 |
| 01 Sep | 1507 | 1514 | 1519 | B9.9 | | | |
| 01 Sep | 2019 | 2027 | 2035 | C1.0 | | | |
| 01 Sep | 2035 | 2038 | 2042 | B9.3 | | | |
| 01 Sep | 2148 | 2224 | 2233 | C7.3 | | | |
| 02 Sep | 0633 | 0712 | 0738 | M3.3 | SF | N10W82 | 3413 |
| 02 Sep | 1131 | 1136 | 1142 | B9.3 | | | 3417 |
| 02 Sep | 1134 | 1135 | 1137 | | SF | N13W84 | 3413 |
| 02 Sep | 1410 | U1411 | A1413 | | SF | N07W83 | 3413 |
| 02 Sep | 1631 | 1640 | 1644 | C2.1 | | | 3413 |
| 02 Sep | 1954 | 1959 | 2014 | C1.2 | | | 3413 |
| 02 Sep | 2232 | 2241 | 2249 | C1.3 | | | 3413 |
| 03 Sep | 0002 | 0011 | 0014 | C1.3 | | | 3413 |
| 03 Sep | 0014 | 0023 | 0033 | M1.1 | | | 3413 |
| 03 Sep | 0058 | 0104 | 0109 | C1.5 | | | 3413 |
| 03 Sep | 0225 | 0232 | 0238 | C1.0 | | | 3413 |
| 03 Sep | 0400 | 0410 | 0414 | C1.8 | | | 3413 |
| 03 Sep | 0518 | 0623 | 0712 | C5.9 | | | 3413 |
| 03 Sep | 0707 | 0708 | 0715 | | SF | S07E08 | 3417 |
| 03 Sep | 0809 | 0836 | 0849 | M6.0 | | | 3413 |
| 03 Sep | 1131 | 1145 | 1203 | C5.0 | | | 3413 |
| 03 Sep | 1203 | 1228 | 1252 | C5.7 | | | 3413 |
| 03 Sep | 1846 | 1857 | 1916 | | SF | S20E21 | |
| 03 Sep | 1957 | 2005 | 2013 | C1.1 | | | 3417 |



Region Summary

| Date | Location | | Sunspot Characteristics | | | | Flares | | | | | | | |
|------|----------|-----------|-------------------------------|-------------------|---------------|---------------|--------------|-------|---|---|---------|---|---|---|
| | Lat CMD | Helio Lon | Area 10 ⁶ hemi. | Extent (helio) | Spot Class | Spot Count | Mag Class | X-ray | | | Optical | | | |
| | | | | | | | | C | M | X | S | 1 | 2 | 3 |

Region 3411

| | | | | | | | | | | | | | | | | | |
|--------|--------|-----|----|---|-----|---|---|---|---|---|---|---|---|---|---|---|---|
| 17 Aug | N14E54 | 167 | 70 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 18 Aug | N15E35 | 173 | 30 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 19 Aug | N13E22 | 171 | 50 | 4 | Hsx | 2 | A | | | | | | | | | | |
| 20 Aug | N13E10 | 171 | 50 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 21 Aug | N13W03 | 170 | 60 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 22 Aug | N12W16 | 171 | 40 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 23 Aug | N14W28 | 169 | 40 | 3 | Hsx | 1 | A | | | | | | | | | | |
| 24 Aug | N13W43 | 171 | 50 | 1 | Hsx | 1 | A | | | | | | | | | | |
| 25 Aug | N14W56 | 172 | 50 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 26 Aug | N14W71 | 173 | 40 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 27 Aug | N14W84 | 173 | 40 | 2 | Hsx | 1 | A | | | | | | | | | | |
| | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Crossed West Limb.
Absolute heliographic longitude: 170

Region 3412

| | | | | | | | | | | | | | | | | | |
|--------|--------|-----|----|---|-----|---|---|---|---|---|---|---|---|---|---|---|---|
| 18 Aug | N32E72 | 136 | 60 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 19 Aug | N30E58 | 136 | 40 | 1 | Hsx | 1 | A | | | | | | | | | | |
| 20 Aug | N30E44 | 137 | 40 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 21 Aug | N30E34 | 134 | 70 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 22 Aug | N31E20 | 135 | 60 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 23 Aug | N30E08 | 133 | 50 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 24 Aug | N10W07 | 136 | 60 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 25 Aug | N31W20 | 135 | 60 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 26 Aug | N31W35 | 137 | 60 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 27 Aug | N31W47 | 136 | 60 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 28 Aug | N31W57 | 133 | 40 | 1 | Hsx | 1 | A | | | | | | | | | | |
| 29 Aug | N30W67 | 130 | 30 | 1 | Hsx | 1 | A | | | | | | | | | | |
| 30 Aug | N30W78 | 127 | 30 | 1 | Hsx | 1 | A | | | | | | | | | | |
| | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Crossed West Limb.
Absolute heliographic longitude: 136



Region Summary - continued

| Date | Location | | Sunspot Characteristics | | | | Flares | | | | | | | | | | |
|--------------------|----------|-----------|----------------------------|----------------|------------|------------|-----------|-------|---|---|---------|---|---|---|---|---|--|
| | Lat CMD | Helio Lon | Area 10 ⁶ hemi. | Extent (helio) | Spot Class | Spot Count | Mag Class | X-ray | | | Optical | | | | | | |
| | | | | | | | | C | M | X | S | 1 | 2 | 3 | 4 | | |
| Region 3413 | | | | | | | | | | | | | | | | | |
| 21 Aug | N10E73 | 94 | 150 | 3 | Hsx | 1 | A | 1 | | | 2 | | | | | | |
| 22 Aug | N09E60 | 95 | 200 | 6 | Hsx | 3 | A | 1 | | | 1 | | | | | | |
| 23 Aug | N10E46 | 95 | 280 | 17 | Fho | 6 | B | 3 | | | 3 | | | | | | |
| 24 Aug | N11E33 | 95 | 330 | 11 | Eki | 15 | B | 1 | | | 3 | | | | | | |
| 25 Aug | N11E16 | 100 | 400 | 7 | Dki | 8 | B | | | | 1 | | | | | | |
| 26 Aug | N12E01 | 101 | 250 | 7 | Dko | 6 | B | 1 | | | 1 | | | | | | |
| 27 Aug | N10W13 | 102 | 260 | 7 | Dki | 12 | B | | | | | | | | | | |
| 28 Aug | N10W25 | 101 | 280 | 6 | Dki | 8 | BG | | | | 1 | | | | | | |
| 29 Aug | N09W36 | 98 | 230 | 5 | Dao | 14 | B | 2 | | | 1 | | | | | | |
| 30 Aug | N09W48 | 97 | 230 | 4 | Dao | 14 | B | 2 | | | 1 | 1 | | | | | |
| 31 Aug | N09W62 | 98 | 280 | 5 | Dkc | 12 | B | 3 | | | | | | | | | |
| 01 Sep | N10W76 | 99 | 260 | 5 | Dkc | 12 | B | 1 | 1 | | 1 | | | | | | |
| 02 Sep | N10W89 | 99 | 150 | 5 | Dso | 5 | B | 3 | 1 | | 3 | | | | | | |
| | | | | | | | | 18 | 2 | 0 | 18 | 1 | 0 | 0 | 0 | 0 | |

Crossed West Limb.
 Absolute heliographic longitude: 101

| | | | | | | | | | | | | | | | | | |
|--------------------|--------|-----|-------|---|-----|---|---|---|---|---|---|---|---|---|---|---|--|
| Region 3414 | | | | | | | | | | | | | | | | | |
| 21 Aug | S09E32 | 135 | 20 | 2 | Cro | 5 | B | | | | | | | | | | |
| 22 Aug | S08E19 | 136 | 10 | 1 | Axx | 4 | A | | | | | | | | | | |
| 23 Aug | S11E05 | 136 | 10 | 2 | Axx | 2 | A | | | | | | | | | | |
| 24 Aug | S07W07 | 135 | plage | | | | | | | | | | | | | | |
| 25 Aug | S10W23 | 138 | plage | | | | | | | | | | | | | | |
| 26 Aug | S10W37 | 139 | plage | | | | | | | | | | | | | | |
| 27 Aug | S10W51 | 140 | plage | | | | | | | | | | | | | | |
| 28 Aug | S10W65 | 141 | plage | | | | | | | | | | | | | | |
| 29 Aug | S10W79 | 142 | plage | | | | | | | | | | | | | | |
| | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Crossed West Limb.
 Absolute heliographic longitude: 136



Region Summary - continued

| Date | Location | | Sunspot Characteristics | | | | Flares | | | | | | | | | | | |
|--------------------|----------|-----|-------------------------|-------------------------------|-------------------|---------------|---------------|--------------|-------|---|---|---------|---|---|---|---|---|--|
| | Lat | CMD | Helio Lon | Area 10 ⁶ hemi. | Extent (helio) | Spot Class | Spot Count | Mag Class | X-ray | | | Optical | | | | | | |
| | | | | | | | | | C | M | X | S | 1 | 2 | 3 | 4 | | |
| Region 3415 | | | | | | | | | | | | | | | | | | |
| 22 Aug | S09E74 | | 81 | 240 | 5 | Hax | 1 | A | | | | | | | | | | |
| 23 Aug | S11E62 | | 79 | 350 | 10 | Dho | 3 | B | | | | | | | | | | |
| 24 Aug | S09E49 | | 79 | 350 | 5 | Dko | 4 | B | | | | | | | | | | |
| 25 Aug | S09E35 | | 79 | 270 | 5 | Dko | 4 | BD | 1 | | | | 1 | | | | | |
| 26 Aug | S10E20 | | 82 | 200 | 5 | Dao | 5 | BD | | | | | 1 | | | | | |
| 27 Aug | S10E06 | | 83 | 200 | 4 | Dao | 4 | BD | | | | | | | | | | |
| 28 Aug | S09W07 | | 83 | 250 | 5 | Dko | 5 | BD | | | | | 1 | | | | | |
| 29 Aug | S10W19 | | 80 | 190 | 4 | Dao | 8 | BG | | | | | 1 | | | | | |
| 30 Aug | S09W31 | | 80 | 210 | 5 | Dao | 10 | B | 1 | | | | 1 | | | | | |
| 31 Aug | S09W44 | | 80 | 200 | 5 | Dao | 5 | B | | | | | | | | | | |
| 01 Sep | S09W57 | | 80 | 190 | 5 | Dao | 4 | B | | | | | 1 | | | | | |
| 02 Sep | S09W70 | | 80 | 120 | 4 | Dso | 2 | B | | | | | | | | | | |
| 03 Sep | S09W83 | | 80 | 120 | 4 | Cso | 2 | B | | | | | | | | | | |
| | | | | | | | | | 1 | 1 | 0 | 5 | 1 | 0 | 0 | 0 | 0 | |

Still on Disk.

Absolute heliographic longitude: 83

Region 3416

| | | | | | | | | | | | | | | | | | | |
|--------|--------|--|----|-------|---|-----|---|---|---|---|---|---|---|---|---|---|---|--|
| 25 Aug | S19E71 | | 44 | 30 | 2 | Hsx | 1 | A | 1 | | | | | | | | | |
| 26 Aug | S19E52 | | 50 | 30 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 27 Aug | S19E38 | | 51 | 50 | 2 | Hsx | 1 | A | | | | | | | | | | |
| 28 Aug | S19E28 | | 48 | 30 | 1 | Hsx | 1 | A | | | | | | | | | | |
| 29 Aug | S20E18 | | 45 | 50 | 1 | Hsx | 1 | A | | | | | | | | | | |
| 30 Aug | S18E06 | | 42 | 50 | 1 | Hsx | 1 | A | | | | | | | | | | |
| 31 Aug | S19W11 | | 47 | 20 | 1 | Hsx | 1 | A | | | | | | | | | | |
| 01 Sep | S19W24 | | 47 | 10 | 1 | Axx | 1 | A | | | | | | | | | | |
| 02 Sep | S19W38 | | 48 | plage | | | | | | | | | | | | | | |
| 03 Sep | S19W52 | | 49 | plage | | | | | | | | | | | | | | |
| | | | | | | | | | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Still on Disk.

Absolute heliographic longitude: 42



Region Summary - continued

| Date | Location | | Sunspot Characteristics | | | | | Flares | | | | | | | | | | | | | | | |
|--------------------|----------|-----|--------------------------------|------|-------------------|---------------|---------------|--------------|-------|---|---|---------|---|---|---|---|---|---|--|--|--|--|--|
| | Lat CMD | Lon | Helio 10 ⁶ hemi. | Area | Extent (helio) | Spot Class | Spot Count | Mag Class | X-ray | | | Optical | | | | | | | | | | | |
| | | | | | | | | | C | M | X | S | 1 | 2 | 3 | 4 | | | | | | | |
| Region 3417 | | | | | | | | | | | | | | | | | | | | | | | |
| 28 Aug | S08E75 | | 1 | 50 | 10 | Dso | 3 | B | 1 | | | | | | | | | | | | | | |
| 29 Aug | S07E61 | | 4 | 140 | 6 | Cao | 8 | B | 2 | | | | 2 | | | | | | | | | | |
| 30 Aug | S05E46 | | 2 | 150 | 7 | Dao | 7 | B | 1 | | | | 1 | | | | | | | | | | |
| 31 Aug | S08E35 | | 1 | 120 | 8 | Cao | 8 | B | | | | | | | | | | | | | | | |
| 01 Sep | S08E22 | | 1 | 100 | 11 | Cso | 15 | B | | | | | | | | | | | | | | | |
| 02 Sep | S08E07 | | 3 | 80 | 9 | Dsi | 16 | B | | | | | | | | | | | | | | | |
| 03 Sep | S08W08 | | 5 | 40 | 10 | Cso | 4 | B | 1 | | | | 1 | | | | | | | | | | |
| | | | | | | | | | 5 | 0 | 0 | | 4 | 0 | 0 | 0 | 0 | 0 | | | | | |

Still on Disk.

Absolute heliographic longitude: 3

Region 3418

| | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|--|-----|----|----|-----|---|---|---|---|---|--|---|---|---|---|---|---|--|--|--|
| 30 Aug | N22E63 | | 345 | 30 | 10 | Hsx | 1 | A | | | | | | | | | | | | | |
| 31 Aug | N22E50 | | 346 | 30 | 1 | Hsx | 1 | A | | | | | | | | | | | | | |
| 01 Sep | N22E37 | | 346 | 20 | 2 | Hsx | 1 | A | | | | | | | | | | | | | |
| 02 Sep | N21E24 | | 346 | 10 | 1 | Hsx | 1 | A | | | | | | | | | | | | | |
| 03 Sep | N21E10 | | 347 | 10 | 1 | Hsx | 1 | A | | | | | | | | | | | | | |
| | | | | | | | | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | |

Still on Disk.

Absolute heliographic longitude: 347

Region 3419

| | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|--|----|----|---|-----|---|---|---|---|---|--|---|---|---|---|---|---|--|--|--|
| 02 Sep | N24W37 | | 47 | 10 | 2 | Bxo | 3 | B | | | | | | | | | | | | | |
| 03 Sep | N24W51 | | 48 | 10 | 3 | Bxo | 3 | B | | | | | | | | | | | | | |
| | | | | | | | | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | |

Still on Disk.

Absolute heliographic longitude: 47

Region 3420

| | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|--|-----|----|---|-----|---|---|---|---|---|--|---|---|---|---|---|---|--|--|--|
| 03 Sep | S20E16 | | 341 | 30 | 3 | Cso | 4 | B | | | | | | | | | | | | | |
| | | | | | | | | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | |

Still on Disk.

Absolute heliographic longitude: 341

Region 3421

| | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|--|-----|----|---|-----|---|---|---|---|---|--|---|---|---|---|---|---|--|--|--|
| 03 Sep | N15E14 | | 343 | 20 | 3 | Bxo | 5 | B | | | | | | | | | | | | | |
| | | | | | | | | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | |

Still on Disk.

Absolute heliographic longitude: 343



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce
NOAA / National Weather Service
Space Weather Prediction Center
325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

<https://www.swpc.noaa.gov/products/weekly-highlights-and-27-day-forecast> --

Current

<ftp://ftp.swpc.noaa.gov/pub/warehouse> -- Online archive from 1997

<https://www.ngdc.noaa.gov/stp/satellite/goes-r.html> -- NCEI GOES data
textarchive

<https://www.swpc.noaa.gov/products/solar-cycle-progression> -- Solar Cycle
Progression web site

<https://www.swpc.noaa.gov/content/contact-us> -- Contact and Copyright
information

https://www.swpc.noaa.gov/sites/default/files/images/u2/Usr_guide.pdf -- User
Guide

