


### The Faint Young Sun Paradox

The Sun was about 30% less luminous when life developed on Earth, yet geological and biological evidence points to a warm young Earth, 60 to 70 C

### A Faint Young Sun Leaves the Earth Frozen Solid



Kasting et al, Scientific American, 1988

#### Where to look for a solution?

- Astrophysical Solutions: Young Sun was not faint
- Eartly Earth Atmosphere: Much more greenhouse gases
- Geology: Much more geothermal energy
- Biology: Life developed on a cold planet
- Fundamental Physics: e.g., gravitational constant has varied

EON		ERA	Duration in millions of years	Millions of years ago
PHANEROZOIC		CENOZOIC	65	<del></del> 65
		MESOZOIC	183	
		PALEOZOIC	295	248
PRECAMBRIAN	PROTEROZOIC	LATE	357	— 543 — — 900 —
		MIDDLE	700	
		EARLY	900	1600
	ARCHEAN	LATE	500	<u>        2500 —                          </u>
		MIDDLE	400	—3000— —3400—
		EARLY	400	
		Sebugalania.	District of the last of the la	<del></del>
	HADEAN		800	
	4			<del></del>

### Geologic time

First shelly fossils (Cambrian explosion)
Snowball Earth ice ages

Warm

 $\leftarrow$  Rise of atmospheric  $O_2$  (Ice age)

← Ice age (?)


Warm (?)

### **Biological Solution**


• Early earth was cold and frozen over, yet life developed under unusual circumstances (John Priscu, MSU)



http://ircamera.as.arizona.edu/NatSci102/lectures/lifeform.htm http://www.psi.edu/projects/moon/moon.htm



### Frozen Ocean on Early Earth?




Bada et al. 1994, PNAS, 91:1248-1250

Image: http://www.chem.duke.edu/~jds/cruise\_chem/Exobiology/sites.html

#### **ARCHAEA**

#### **BACTERIA**



### Methanogenic bacteria

# "Universal" (rRNA) tree of life

Courtesy of Norm Pace

### Early Earth Life Forms Still Exist



Lake Thetis Sromatolites (Ruth Ellison)

## Stromatolites go back at least 3.5 Gyr




Precambrian stromatolite fossils from Glacier National Park

### Problems with Cold Genesis


- Evidence for liquid water on continents
- Stromatolites live on surface

# CO<sub>2</sub> vs. time *if* no other greenhouse gases (besides H<sub>2</sub>O)



J. F. Kasting, Science (1993)

### pCO<sub>2</sub> from Paleosols (2.8 Ga)



Absence of siderite (FeCO<sub>3</sub>) places upper bound on pCO<sub>2</sub>

 $\Rightarrow$  May need other greenhouse gases (CH<sub>4</sub>?)

Today's CO<sub>2</sub> level (3×10<sup>-4</sup> atm)

Rye et al., *Nature* (1995)

#### But

- If  $CH_4$  becomes more abundant than  $CO_2$ , organic haze begins to form... Which constitutes an Anti-Greenhouse agent.
- So the limit on  $CO_2$  is an effective limit on  $CH_4$

### Titan's organic haze layer



Haze is thought to form from photolysis (and charged particle irradiation) of CH<sub>4</sub>

(Picture from Voyager 2)

### Climate Science Solution (Richard Linzen, MIT)

- Stratospheric clouds in nitrogen/methane atmosphere can produce sufficient greenhouse shielding to obtain high temperatures (albedo effect minor)
- How can this verified from observations?

### Albedo Effects?



Apollo 17 View of Earth




### Was the young Sun really faint?

- Solar luminosity is a strong function of solar mass:  $L_{\odot} \sim M_{\odot}^{4}$
- Planetary orbital distance varies inversely with solar mass:  $a \sim M_{\odot}^{-1}$
- Solar flux varies inversely with orbital distance:  $S \sim a^{-2}$
- Flux to the planets therefore goes as


$$S \sim M_{\odot}^{6}$$

## Estimated mass loss rate vs. stellar age



*Wood et al.* (2002)

### Integrated mass loss vs. time



% Changes

Mass  $\frac{\text{loss}}{0.6}$   $\frac{\Delta S}{3.6}$   $\frac{0.6}{1.0}$   $\frac{0.6}{0.0}$   $\frac{0.$ 

*Wood et al.* (2002)

 $\Rightarrow$  The Sun was probably back on the standard solar evolution curve by ~4.4 Ga (*i.e.*, 4.4 Gyr ago)

### Summary

- Young Sun was probably less luminous, yet its UV, EUV and X-ray emission was an order of magnitude larger
- Young Earth was probably warmer than today, and single-cell organisms were present from very early on
- No silver bullet has devised yet to reconcile these results

# The Future: Faint Young Sun problem requires a truly interdisciplinary approach

- Paleo-climatology
- Geology
- Biology
- Solar Physics
- Solar-stellar connection
- Atmospheric chemistry

This is so much fun!